

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Sundry Notices and Reports on Wells

1. Type of Well

GAS

2. Name of Operator

MERIDIAN OIL

3. Address & Phone No. of Operator

PO Box 4289, Farmington, NM 87499 (505) 326-9700

4. Location of Well, Footage, Sec., T, R, M

1096' FSL, 890' FWL, Sec. 4, T-27-N, R-4-W, NMPM
860'

5. Lease Number

SF-080668

6. If Indian, All. or Tribe Name

7. Unit Agreement Name

San Juan 27-4 Unit

8. Well Name & Number

San Juan 27-4 U #18

9. API Well No.

30-039-07171

10. Field and Pool

Blanco Mesaverde

11. County and State

Rio Arriba Co, NM

12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA

Type of Submission

Type of Action

☒ Notice of Intent	☐ Abandonment	☐ Change of Plans
☐ Subsequent Report	☐ Recompletion	☐ New Construction
☐ Final Abandonment	☐ Plugging Back	☐ Non-Routine Fracturing
	☐ Casing Repair	☐ Water Shut off
	☐ Altering Casing	☐ Conversion to Injection
	☒ Other - Pay add	

13. Describe Proposed or Completed Operations

It is intended to add pay in the Cliff House and Menefee intervals according to the following procedure:

TOOH with Mesaverde tubing. Set retrievable bridge plug above the Point Lookout perforations. Perforate and fracture treat the Cliff House and Menefee intervals in one stage. Clean out all intervals and test potential. Rerun Mesaverde tubing. Return the well to production.

14. I hereby certify that the foregoing is true and correct.

Signed *John Stadhild* (LLL9) Title Regulatory Administrator Date 2/5/96

(This space for Federal or State Office use)

APPROVED BY _____ Title _____ Date _____

CONDITION OF APPROVAL, if any:

APPROVED

FEB 08 1996

DISTRICT MANAGER**NMOCD**

San Juan 27-4 Unit #18
Unit M, Sec 4, T-27-N, R-4-W

Location: 1096' FSL, 860' FWL
 R o Arriba County, NM

Latitude: 36-35-52
Longitude: 107-15-40

Current Field: Blanco MV
Spud: 6/15/58
Elev GL: 7167'
TD: 6436'

Completed: 7/14/58
Elev KB:
PBTD:

CASING RECORD:

<u>Hole Size</u>	<u>Casing Size</u>	<u>Weight</u>	<u>Grade</u>	<u>Depth Set</u>	<u>Cmt Vol</u>	<u>Cmt Top</u>
15'	10-3/4"	32.75#	Armco SW	176'	150 sks	Surf
9-7/8"	7-5/8"	26.4#	J-55	4300'	200 sks	3860'

LINER RECORD:

<u>Hole Size</u>	<u>Casing Size</u>	<u>Weight</u>	<u>Grade</u>	<u>Depth Set</u>	<u>Cmt Vol</u>	<u>Cmt Top</u>
6-3/4"	5-1/2"	15.5#	J-55	4173' - 6420'	300 sks	4173'

TUBING RECORD:

<u>Tubing Size</u>	<u>Weight</u>	<u>Grade</u>	<u>Depth Set</u>	<u>Joints</u>	<u>Other</u>	<u>Depth</u>
2-3/8"	4.7#	JS	6316'	200		
					SN	6283'
					Bkr Loc-Set Pkr	4263'

FORMATION TOPS:

Ojo Alamo	3570'	Cliffhouse	5828'
Kirtland	3672'	Menefee	5890'
Fruitland	3845'	Pt Lookout	6193'
Pictured Cliffs	4050'	Gallup	
Lewis	4210'	Dakota	

Logs Run: E.S, Ind

Completions: Mesaverde - Point Lookout
 6206-26, 6240-62, 6270-78,
 6310-36, 6350-62 (2 spf)
 54,000# sand, 100 balls, and
 57,000 gal water

Workover History:

2/16/81 Squeezed hole in casing @ 3591'

SAN JUAN 27-4 UNIT #18

Unit M, Section 4, T-27-N, R-4-W
Lat. 36-35-52, Long. 107-15-40

CURRENT WELLBORE SCHEMATIC

