

submitted in lieu of Form 3160-5

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

RECEIVED

Sundry Notices and Reports on Wells

95 OCT 18 PM 2:28

1. Type of Well

GAS

2. Name of Operator

**BURLINGTON  
RESOURCES**

OIL & GAS COMPANY

3. Address & Phone No. of Operator

PO Box 4289, Farmington, NM 87499 (505) 326-9700

4. Location of Well, Footage, Sec., T, R, M

1700' FNL, 1850' FEL, Sec. 5, T-27-N, R-5-W, NMPM

5. Lease Number

SF-079393

6. If Indian, All. or  
Tribe Name

7. Unit Agreement Name

San Juan 27-5 Unit

8. Well Name & Number

San Juan 27-5 U #61

9. API Well No.

30-039-07191

10. Field and Pool

Blanco Mesaverde

11. County and State

Rio Arriba Co, NM

12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA

Type of Submission

Type of Action

☒ Notice of Intent

☐ Abandonment

☐ Change of Plans

☐ Subsequent Report

☐ Recompletion

☐ New Construction

☐ Final Abandonment

☐ Plugging Back

☐ Non-Routine Fracturing

☐ Casing Repair

☐ Water Shut off

☐ Altering Casing

☐ Conversion to Injection

☒ Other - Pay add

13. Describe Proposed or Completed Operations

It is intended to add pay to the Mesaverde formation of the subject well in the following manner:

*NA BoP*

TOOH w/tubing. Set CIBP above Point Lookout. Run CBL, pressure test casing. Perforate, acidize and fracture treat the Cliff House and Menefee. Blow well and clean. Rerun tubing and return the well to production.

14. I hereby certify that the foregoing is true and correct.

Signed *John D. Shadfield* (LLL8) Title Regulatory Administrator Date 10/17/96

(This space for Federal or State Office use)

APPROVED BY \_\_\_\_\_ Title \_\_\_\_\_

CONDITION OF APPROVAL, if any:

Date **APPROVED**

OCT 21 1996  
/S/ Duane W. Spencer  
DISTRICT MANAGER

NMOC

# **San Juan 27-5 Unit #61** **Unit G, Sec 5, T-27-N, R-5-W**

Location: 1700' FNL, 1850' FEL  
 Rio Arriba County, NM

Latitude: 36-36-19  
Longitude: 107-22-43

Current Field: Blanco Mesaverde  
Spud: 5/28/61  
Elev GL: 6643'  
TD: 5819'

Logs Run: Ind-ES, TS  
Completed: 7/11/61  
Elev KB: 6653'  
PBTD: 5764'

## **CASING RECORD:**

<u>Hole Size</u>	<u>Casing Size</u>	<u>Weight</u>	<u>Grade</u>	<u>Depth Set</u>	<u>Cmt Vol</u>	<u>Cmt Top</u>
15"	10-3/4"	28.52#	SW	131'	138 sks	Surf (circ)
6-3/4"	2-7/8"	6.4#	J-55	5806'	148 sks	4810' (TS)

## **LINER RECORD:**

<u>Hole Size</u>	<u>Casing Size</u>	<u>Weight</u>	<u>Grade</u>	<u>Depth Set</u>	<u>Cmt Vol</u>	<u>Cmt Top</u>
------------------	--------------------	---------------	--------------	------------------	----------------	----------------

## **TUBING RECORD:**

<u>Tubing Size</u>	<u>Weight</u>	<u>Grade</u>	<u>Depth Set</u>	<u>Joints</u>	<u>Other</u>	<u>Depth</u>
--------------------	---------------	--------------	------------------	---------------	--------------	--------------

## **FORMATION TOPS:**

Ojo Alamo	2765'	Pictured Cliffs	3453'	Pt Lookout	5622'
Kirtland	2948'	Cliffhouse	5122'	Gallup	—
Fruitland	3205'	Menefee	5290'	Dakota	—

## Completions:

Mesaverde  
 Perfs: 5624-32, 5646-56, 5694-5700, 5718-24, 5746-54 (2 spf)  
 Frac: 83,680 gal water and 0# sand + balls  
 SIWHP: 1128 psi AOF: 1796 mcf

## Cementing Information

10-3/4" Casing cemented w/ 69 sks regular, 69 sks 1:1 Diamix w/ 2% A-6.  
 2-7/8" Casing cemented w/ 148 sks regular cement, 4% gel, 1/4 cu ft Strata-Crete 6/sk, 1/8# Flocele /sk.

## Workover History:

6/12/61 1-1/4" tubing ran in OH next to 2-7/8" MV tubing. Cemented w/ 330 sks cement. Unable to pull tubing. Backed off 7 jts. Remaining left in hole.

LLL:rjp 10/14/96

# SAN JUAN 27-5 UNIT #61

Unit G, Section 5, T-27-N, R-5-W  
Lat. 36-36-19, Long. 107-22-43

## CURRENT WELLBORE SCHEMATIC

