

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office East 41 70
Lease No. 07425
Unit San Juan 23-1 Unit
14-08-001-150

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Well No. 14 is located 1172 ft. from N line and 1012 ft. from E line of sec. 5
NE Sec. 5 (1/4 Sec. and Sec. No.) 27N (Twp.) 7W (Range) N.H.P.M. (Meridian)
Sierra (Field) Rio Arriba (County or Subdivision) New Mexico (State or Territory)


The elevation of the derrick floor above sea level is 3633 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spud date 5-12-55
on 5-14-55. Total length 175'.
Run 6 joints 10 3/4", 32.75 lb/ft. casing (152') set at 1/4" with 150
casing regular cement, 50 cu. ft. Portland, circulated to surface.

Weld 500. For 30 minutes.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.


Company El Paso Natural Gas Company

Address Box 707

Albuquerque, New Mexico

By Original Signed D. C. Johnson

Title Natural Gas Engineer



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 67-2496
Unit New South 20-7 Unit
14-00-001-45

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Well No. 14 is located 1472 ft. from N line and 1472 ft. from E line of sec. 2

14 (4 Sec. and Sec. No.) 27N (Twp.) 14 (Range) 14-00-001-45 (Meridian)
14-00-001-45 (Field) New Mexico (County or Subdivision) New Mexico (State or Territory)

The elevation of the derrick floor above sea level is 6000 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

On May 23, 1950, Total depth 3391'.
Set 4 joints 7 5/8", 3-20, 20.4#, casing (3391') set at 3391' with 75 sacks
regular cement, 75 sacks cement, 1/4" Fluoride, ss and 2" Gel, followed with
50 sacks regular cement w/2" Calcium Chloride

Ran 100%, 30 minutes.

Top of cement by temperature survey at 2380'.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company El Paso Natural Gas Company
Address Box 991
Farmington, New Mexico
By Original Signed D. C. Johnson
Title Petroleum Engineer


(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe

Lease No. 11420

Unit 14-12-10-1000



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

7th St., 1961

Well No. 10 is located 1002 ft. from [N] line and 1002 ft. from [E] line of sec. 2

31 Sec. 2
($\frac{1}{4}$ Sec. and Sec. No.)

17N
(Twp.)

10R
(Range)

N.N.W.M.
(Meridian)

Alameda Co., N.M.
(Field)

Alameda Co., N.M.
(County or Subdivision)

New Mexico
(State or Territory)

The elevation of the derrick floor above sea level is 5000 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

7-27-60 Total casing depth
run 37 joints of 2 1/2", 15.8 lb., 4-31 casing (231') set from 300' to 1000' with 120
casks regular cement, 120 sacks cement, 20 gal. 1/2" Fluids, followed by 30 sacks
regular cement.

3110 1000' for 30 minutes.

10' of cement to temperature survey at 1000'.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.


Company El Paso Natural Gas Company

Address 1000 1st St.

Albuquerque, New Mexico

By Original Signed D. C. Johnston

Title Albuquerque Regional



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 00426
Unit San Juan 28-7 Unit
14-01-001-499

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 24, 1961

Well No. 24 is located 2412 ft. from [N] line and 1382 ft. from [E] line of sec. 4
SW 1/4 Sec. 4 (1/4 Sec. and Sec. No.) 27N (Twp.) 16 (Range) M.M.P.M. (Meridian)
Lincoln N. V. (Field) Albuquerque (County or Subdivision) New Mexico (State or Territory)

The elevation of the derrick floor above sea level is 5500 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

1-2-50 Total Depth 3000'.
Run 27 joints of 1 1/2", 15.8 lb., J-55 casing (2400') set from 3270-3506' with
125 sacks regular cement, 125 sacks Pozmix, 6 1/2 Gal, 1/8" Floscale, followed by 10
more regular cement.

Held 1000' for 30 minutes.

Top of cement by temperature survey at 3270'.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.


Company Alamosa Natural Gas Company

Address Box 257

Farmington, New Mexico

By Original Signed D. C. Johnston

Title Petroleum Engineer



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYLand Office Santa Fe
Lease No. 47496
Unit San Juan 20-7 Unit
14-05-001-49

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	<u>Water Trac.</u>	<u>X</u>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 24, 1950Well No. 04 is located 1472 ft. from [N] line and 1812 ft. from [E] line of sec. 2

<u>SW/4 NE/4 S</u>	<u>17N</u>	<u>W</u>	<u>M.M.P.M.</u>
(1/4 Sec. and Sec. No.)	(Twp.)	(Range)	(Meridian)
<u>Blanco M. V.</u>	<u>Rio Arriba</u>	<u>New Mexico</u>	
(Field)	(County or Subdivision)	(State or Territory)	

The elevation of the derrick floor above sea level is 6000 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

5-29-50 T. D. 5605'. C.O.T.D. 5605'. Water fractured point lockout perf. int. 5400-20; 5440-60; 5482-96; 5510-24; 5542-54 w/2 sh/ft. w/70,000 gallons water and 50,000 sand. ID pr. 1100', max. pr. 1225', avg. tr. pr. 1100'. I.R. 76.2 BPM. Flush 10,000 gallons. Natural gas TSTM MCF/D.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company El Paso Natural Gas CompanyAddress Box 501Farmington, New MexicoBy Original Signed D. C. JohnsonTitle Petroleum Engineer