

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office **Santa Fe**
Lease No. **079491**
San Juan 27-5
Unit **14-03-001-950**

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 30, 19 60

Well No. **55-1** is located **1040** ft. from **(N)** line and **990** ft. from **(E)** line of sec. **1**
N.E. 1/4 Sec. 1 **27 N** **5 W** **N.M.P.M.**
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Blanco Mesa Verde **Rio Arriba** **New Mexico**
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is **7330** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

On 6-1-60 Total Depth 295'. Ran 7 jts. to 3/4" S.W. surface casing (230') set @ 292'.


1. Volume of cement used : 339 cu.ft.
 2. Type cement used: 50 % Reg., 50 % Pozmix "S" with 2 % NA-5
 3. Temperature of slurry when mixed - 60°.
 4. Formation Temperature - 70 °.
 5. Strength of cement in 12 hrs. - 500 # psi compressibility.
 6. Time cement was in place when tested. - 12 hours.
- casing held 600 psi/30 minutes.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **El Paso Natural Gas Company**
Address **Box 990**
Farmington, New Mexico

By **ORIGINAL SIGNED H.E. McANALLY**
Title **Petroleum Engineer**



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 079491
Unit San Juan 27-5
14-03-001-950

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 30, 1960

Well No. 55-1 is located 1040 ft. from N line and 970 ft. from E line of sec. 1

N.E. 1/4 Sec. 1 27 N 5 W R.M.P.M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Blanco Mesa Verde Rio Arriba New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 7330 ft.


DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

On 6-8-60 Total Depth 4414. Ran 108 jts. 7 5/8", J-55, 26.40 #, casing (4402) set at 4418' with 130 sks. reg. cement, 2 % calcium chloride 2, & 1/2 cu.ft. Strata-Crete "6"/sk. Held 1000 # 30 minutes.

On 6-12-60 Total Depth 6562. Ran 52 jts. 5 1/2", J-55, 15.50 # liner (2387) set from 4373 to 6561 with 220 sks. reg. cement, 1/8 # Floccs/sk. 4 % Gel, 1/2 cu.ft. Fine Gilsomite/sk. Held 1000 # 30 minutes.

Top of cement by temperature survey at 4373.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company El Paso Natural Gas Company

Address Box 990

Farmington, New Mexico

By ORIGINAL SIGNED H.E. McANALLY

Title Petroleum Engineer