

submitted in lieu of Form 3160-5

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Sundry Notices and Reports on Wells

1. Type of Well
GAS

2. Name of Operator

**BURLINGTON
RESOURCES**

OIL & GAS COMPANY

3. Address & Phone No. of Operator

PO Box 4289, Farmington, NM 87499 (505) 326-9700

4. Location of Well, Footage, Sec., T, R, M

890' FNL, 1460' FEL, Sec.1, T-27-N, R-6-W, NMPM

5. Lease Number
SF-079363

6. If Indian, All. or
Tribe Name

7. Unit Agreement Name

San Juan 28-6 Unit
8. Well Name & Number
San Juan 28-6 U #109

9. API Well No.
30-039-07210

10. Field and Pool
Blanco MV/Basin DK

11. County and State
Rio Arriba Co, NM

12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA

Type of Submission

☒ Notice of Intent
☐ Subsequent Report
☐ Final Abandonment

Type of Action

☐ Abandonment
☒ Recompletion
☐ Plugging Back
☐ Casing Repair
☒ Altering Casing
☒ Other - Commingle
☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut off
☐ Conversion to Injection

13. Describe Proposed or Completed Operations

It is intended to recomplate the subject well in the Mesaverde formation according to the attached procedure. A C-102 plat is attached. The well will then be be down hole commingled. A down hole commingle application will be submitted.



RECEIVED
MAY 2001
DIST. 3

14. I hereby certify that the foregoing is true and correct.

Signed Jaqueline Cole (SCMVIM) Title Regulatory Supervisor Date 1/24/01
no

(This space for Federal or State Office use)

APPROVED BY /s/ Jim Lovato Title _____ Date MAY 18
CONDITION OF APPROVAL, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

NMOCU

District I
PO Box 1980, Hobbs, NM 88241-1980
District II
PO Drawer DD, Artesia, NM 88211-0719
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
PO Box 2088, Santa Fe, NM 87504-2088

State of New Mexico
Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION
PO Box 2088
Santa Fe, NM 87504-2088

Form C-102
Revised February 21, 1994
Instructions on back
Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number	Pool Code	Pool Name
30-039-07210	72319/71599	Blanco Mesaverde/Basin Dakota
Property Code	Property Name	Well Number
7462	San Juan 28-6 Unit	109
OGRID No.	Operator Name	Elevation
14538	Burlington Resources Oil & Gas Company	6525' GR

¹⁰ Surface Location



UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	1	27N	6W		890	North	1460	East	RA

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County

¹² Dedicated Acres	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
MV-E/320.10			
DK-E/320.10			

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

¹⁶ Original plat from D David O. Vilven 7-5-62		¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.  Signature Peggy Cole Printed Name Regulatory Administrator Title 1-24-01 Date
		¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Date of Survey Signature and Seal of Professional Surveyer:
		Certificate Number

Sundry Notice Submittal

Well: San Juan 28-6 Unit 109
Unit B, Sec. 01, T27N, R06W

It is intended to recomplete the Mesaverde formation in the existing Dakota wellbore. A rig will MIRU, ND wellhead, NU BOP, and pull production tubing. A CIBP will be set above the Dakota formation at approximately 7464'.

If adequately isolated by cement, the Mesaverde formation will be perforated and fracture stimulated in the following interval: 3888-5752'. If cement remediation operations are necessary, Burlington Resources will contact the appropriate regulatory agency for approval prior to work initiation.

After stimulation flowback and clean out, tubing will be landed at approximately 100' above PBTD. The well will then produce commingled production from the Mesaverde and Dakota formations.

Approved: Bruce W. Boyer
Drilling Superintendent

1-13-01
Date

Approved: Jerry Cole
Regulatory

1-15-01
Date