Form 9-331 (May 1963)	UNITED ST		
(May 1505)	DEPARTMENT OF T	HE INTERIOR (Other Instructions on	5. LEASE DESIGNATION AND SERIAL NO.
	GEOLOGICAL	SURVEY	SF 078840
(Do not us	SUNDRY NOTICES AND se this form for proposals to drill or to Use "APPLICATION FOR PERM	6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
1.		COLL	7. UNIT AGREEMENT NAME
	WELL X OTHER	A FI THICK	San Juan 28-7 Unit
2. NAME OF OPERA	ATOR	/ W. W.LITED	8. FARM OR LEASE NAME
RI Peso Nati	ural Gas Company		San huan 28-7 Unit
3. ADDRESS OF OP	PERATOR	AUG 12 1970	9. WELL NO.
Box 990, Fa	rmington, New Mexico	January State and State an	148
4. LOCATION OF W See also space At surface	ELL (Report location clearly and in acco 17 below.)	DIST. 3	So. Biraco Pictured Cliffs 11. SEC., T. R., M., OR BLK. AND
1850'N. 790)*V;		SURVEY OR AREA :

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

I 6588' GL

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:			SUBSEQUENT REPORT OF:				
TEST WATER SHUT-OFF		PULL OR ALTER CASING		WATER SHUT-OFF	X	REPAIRING WELL	
FRACTURE TREAT		MULTIPLE COMPLETE		FRACTURE TREATMENT	X	ALTERING CASING	
SHOOT OR ACIDIZE		ABANDON*	<u> </u>	SHOOTING OR ACIDIZING		ABANDON MENT	
REPAIR WELL		CHANGE PLANS		(Other)	ults of multi-	ple completion on Well	_
(Other)				Completion or Reco	mpletion Rep	ort and Log form.)	٠.

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting and proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and solder pertinent to this work.) *

On 7-24-70 spudded well, drilled surface hole.

14 PERMIT NO.

16

On 7-25-70 ran 4 joints 8 5/8", 24#, KS surface casing (125) set at 135' w/85 sacks of coment circulated to surface. W. O. C. 12 hours, held 600#/30 Min.

On 8-1-70 T. D. 3011'. Ran 94 joints 2 7/8", .64#, J-S production casing (3096') set at 3011' w/170 sacks of cement. W.O.C. until completion.

On 8-5-70 P.B. T.D. 2993', perf. 2895-2907', 2922-2934' w/2 SPF. Frac w/25,000@288EX 10/20 sand, 27, 300 gal. water, dropped I set of 24 balls, flushed w/1000 gal. water;



U. S. GEOLOGICAL SURVEY

18. I hereby certify that the foregoing is true and correct	DURANGO, COLO	
SIGNED Original Signed F. H. WOOD	TITLE Petroleum Engineer	DATE
(This space for Federal or State office use)		
APPROVED BYCONDITIONS OF APPROVAL, IF ANY:	TITIÆ	DATE STATE OF THE PROPERTY OF

*See Instructions on Reverse Side

St