

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPPLICATE*
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

SF 080385

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

Rincon Unit

8. FARM OR LEASE NAME

Rincon Unit

9. WELL NO.

203

10. FIELD AND POOL, OR WILDCAT

Basin Dakota

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 27, T-27-N, R-7-W
NMPM

1.

OIL WELL ☐ GAS WELL ☒ OTHER

2. NAME OF OPERATOR

El Paso Natural Gas Company

3. ADDRESS OF OPERATOR

PO Box 990, Farmington, NM 87401

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)

At surface 990'S, 890'W

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

6672'GL

12. COUNTY OR PARISH

Rio Arriba

13. STATE

NM

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

12-20-73 TD 7573'. Ran 239 joints 4 1/2", 11.6 and 10.5#, K-55 production casing, 7560' set at 7573'. Float collar set at 7556'. Stage tools set at 5526' and 3212'. Cemented first stage with 332 cu.ft. cement, second stage with 296 cu.ft. cement, third stage with 516 cu.ft. cement. WOC 18 hours. Top of cement at 4525'.

1-11-73 PBTD 7556'. Tested casing to 4000#-OK. Perf'd 7344', 7347', 7448', 7451', 7475', 7487', 7509', 7527', 7547' with one shot per foot. Frac'd with 70,000# 40/60 sand and 81,984 gallons treated water. No ball drops. Flushed with 4746 gallons water.



18. I hereby certify that the foregoing is true and correct

SIGNED A. E. Dumas

TITLE Drilling Clerk

DATE January 16, 1974

(This space for Federal or State office use)

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____

DATE _____

*See Instructions on Reverse Side