THE APPLICATION OF EL PASO NATURAL GAS COMPANY FOR A DUAL COMPLETION

ORDER NO. MC-2717

ADMINISTRATIVE ORDER OF THE OIL CONSERVATION DIVISION

Under the provisions of Rule 112-A, El Paso Natural Gas Company made application to the New Mexico Oil Conservation Division on October 23, 1980, for permission to dually complete its San Juan 27-5 Unit Well No. 56A located in Unit E of Section 34, Township 27 North, Range 5 West, NMPM, Rio Arriba County, New Mexico, in such a manner as to permit production of gas from the South Blanco Pictured Cliffs Pool and the Blanco Mesaverde Pool.

Now, on this 30th day of October, 1980, the Division Director finds:

- 1. That application has been filed under the provisions of Rule 112-A of the Division's Rules and Regulations;
- 2. That satisfactory information has been provided that there are no other operators of offset acreage.
- 3. That the proposed dual completion will not cause waste nor impair correlative rights; and
- 4. That the mechanics of the proposed dual completion are feasible and consonant with good conservation practices.

IT IS THEREFORE ORDERED:

That the applicant herein, El Paso Natural Gas Company, be and the same is hereby authorized to dually complete its San Juan 27-5 Unit Well No. 56A located in Unit E of Section 34, Township 27 North, Range 5 West, NMPM, Rio Arriba County, New Mexico, in such a manner as to permit production of gas from the South Blanco Pictured Cliffs Pool and the Blanco Mesaverde Pool through parallel strings of tubing.

PROVIDED HOWEVER, That applicant shall complete, operate, and produce said well in accordance with the provisions of Rule 112-A.

PROVIDED FURTHER, That applicant shall take packer-leakage tests upon completion and annually thereafter.

IT IS FURTHER ORDERED: That jurisdiction of this cause is hereby retained for the entry of such further orders as the Division may deem necessary.

 $\,$ DONE at Santa Fe, New Mexico, on the day and year hereinabove designated.

STATE OF NEW MEXICO
OIL CONSERVATION DIVISION

JOE D. RAMEY

Division Director

SEAL



OIL CONSERVATION COMMISSION L. E. DISTRICT

OIL CONSERVATION COMMISSION BOX 2088	DATE Etele 23, 1980
SANTA FE, NEW MEXICO	RE: Proposed MC
Gentlemen: I have examined the application date	ed Octiler 22, 1985
I have examined the application date for the S. P.M. D. C. S. Z. Z. Operator Rease	7-5 Chut \$564 = -34-27N-5W and Well No. Unit, S-T-R
and my recommendations are as follows:	
	Yours very truly,
	Frank 5. Clary

NEW MEXICO OIL CONSERVATION COMMISSION SANTA FE, NEW MEXICO APPLICATION FOR MULTIPLE COMPLETION

		County			Date	·		
	Operator			Arriba	1	ber 16, 1980		
El Paso Natural Gas	Company	Lease	KIO	ALLIDA	Well No.			
PO Box 289, Farmingt	on. NM 87401	San	Juan	27-5 Unit		56A		
Linit		wnship		2. 3 020	Range			
of Well E	34	27N			<u> </u>	5W		
1. Has the New Mexico Oil Conservatio			d the mul	ltiple completion of	a well in	these same pools or in	n the same	
zones within one mile of the subject	well? YES*	NO				,		
2. If answer is yes, identify one such in	stance: Order No			Operator Lease, an MOCC Memo #				
3. The following facts are submitted:	Upper		Intermediate			Lower		
	Zone		Zone			Zone		
a. Name of Pool and Formation	S.Blanco P.C.		ļ			Blanco Mesa	Verde	
b. Top and Bottom of			ļ		1			
Pay Section	3233-3412'							
(Perforations)			ļ			4865-5730'		
c. Type of production (Oil or Gas)	gas		 			gas		
d. Method of Production	flowing					flowing	T	
(Flowing or Artificial Lift) 4. The following are attached. (Please	1					1100111	2	
b. Plat showing the loc of operators of all let a tors have been furnity.		icant's less lease. on from eation.* log with the time	ease, all ach offse tops an e applica	offset wells on of et operator, or in lie d bottoms of produc tion is filed it sha h their correct mail:	fset lease thereof cing zone Il be subm	es, and the names and f, evidence that said of es and intervals of performed as provided by R	addresses ffset opera- foration in-	
all offsets to this		<u> </u>				A CONTRACTOR OF CONTRACTOR		
					(O)L	CON 1980		
						The state of the s	-	
	40.					· · · · · · · · · · · · · · · · · · ·		
6. Were all operators listed in Item 5 a date of such notification	above notified and furnishe	ed a copy	of this					
CERTIFICATE: I, the undersigned,	nompany) and that I am a	rilli:	d by said	company to make th	nis report	Paso Natural ; and that this report was of my knowledge.		
under my supervision and direction and	that the facts stated there	in are tr	ue, coire	and complete to	,			
				S. 19.	L)	usco	·	
		_			Signatu	re		

*Should waivers from all offset operators not accompany an application for administrative approval, the New Mexico Oil Conservation Commission will hold the application for a period of twenty (20) days from date of receipt by the Commission's Santa Fe office. If, after said twenty-day period, no protest nor request for hearing is received by the Santa Fe office, the application will then be processed.

NOTE: If the proposed multiple completion will result in an unorthodox well location and/or a non-standard proration unit in one or more of the producing zones, then separate application for approval of the same should be filed simultaneously with this application.

Dual Xmas	String Tree	Zero reference point 10.0' above top flange of tubing hanger.
Ass. pa	34.55	9 5/8", 40.0# K-55 casing set at approximately 200' with sufficient cement to circulate to surface.
नेस्ट्रक केले <u>ब</u> हुक हा हानमा । १९५५	0	Pictured Cliffs formation will be selectively perforated and sandwater fractured
		1 1/4", 2.3# IJ Pictured Cliffs tubing set at 3475'
		Production packer
		4 1/2" liner hanger
	Shower.	7", 20# J-55 casing set at approximately 3615' with sufficient cement to fill to 3200' (top Ojo Alamo)
		Cliff House formation will be selectively perforated and sandwater fractured.
	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Point Lookout formation will be selectively perforated and sandwater fractured 2 3/8", 4.7#, EUE Mesa Verde tubing set at
英	Contract (co	4 1/2", 10.5# J-55 liner will be set from approximately 3465' to 5850' with sufficient cement to circulate top of liner at 3465'