

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0135
Expires: November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. SF-079391	
2. Name of Operator BURLINGTON RESOURCES OIL & GAS		6. If Indian, Allottee or Tribe Name	
3a. Address 3401 EAST 30TH FARMINGTON, NM 87402		7. If Unit or CA/Agreement, Name and/or No. SAN JUAN 27-5 UNI	
3b. Phone No. (include area code) Ph: 505.326.9727 Fax: 505.326.9563		8. Well Name and No. SAN JUAN 27-5 UNIT 86M	
4. Location of Well (Footage, Sec., T., R., & 1/4, or Survey Description) Sec 9 T27N R5W Mer NWSE 176C FSL 1540FEL		9. API Well No. 30-039-22394	
		10. Field and Pool, or Exploratory BLANCO MV/BASIN DAK	
		11. County or Parish, and State RIO ARRIBA COUNTY, NM	

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input checked="" type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final in pection.)

7-23-01 MIRU. ND WH. NU BOP. SDON.

7-24-01 TOO H w/261 jts 1 1/2" tbg. TIH w/7" RBP, set @ 5493'. Dump 4 sx sd on RPB. Ran CBL-CCL-GR @ 4400-5483', TOC @ 4400' (top of lnr). TOO H. SDON.

7-25-01 TIH w/7" pkr, set @ 4384' Load tbg w/30 bbl 2% KCl wtr. PT RBP & csg to 3400 psi/15 min, OK. TOO H w/pkr. TIH, perf Lewis w/1 SPF @ 5101, 5103, 5105, 5107, 5109, 5132, 5134, 5136, 5138, 5140, 5142, 5144, 5154, 5156, 5158, 5187, 5189, 5191, 5275, 5280, 5282, 5284, 5286, 5288, 5290, 5292, 5294, 5296, 5310, 5312, 5314, 5316, 5318, 5338, 5340, 5408, 5410, 5412, 5422, 5424' w/40 0.3" diameter holes total. Acidize w/30 bbl 15% HCl. SDON.

7-26-01 Frac Lewis w/30# linear gel, 200,000# 20/40 Brady sd. CO after frac.

7-27-01 Blow well & CO. TOO H. T H w/retrieving tool. Blow well & CO.

7-28-01 Blow well & CO. Establish circ. Latch RBP, TOO H. TIH, blow well & CO.

7-29-01 Blow well & CO.

7-30-01 Blow well & CO. TOO H. T H w/272 jts 2 3/8" 4.7# J-55 EUE tbg, landed @ 8520'. (SN @ 8518'). ND BOP. NU WH. RD.

14. I hereby certify that the foregoing is true and correct. Electronic Submission #6076 verified by the BLM Well Information System For BURLINGTON RESOURCES OIL & GAS, sent to the Farmington Committed to AFMSS for processing by Lucy Bee on 08/06/2001 ()	
Name (Printed/Typed) PEGGY COLE	Title REPORT AUTHORIZER
Signature	Date 08/01/2001

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

ACCEPTED FOR RECORD

Approved By _____	Title _____	Date 08/02/2001
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	FARMINGTON FIELD OFFICE

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ****

NMOCD

K

Additional data for EC transaction #6076 that would not fit on the form

32. Additional remarks, continued



United States Department of the Interior

BUREAU OF LAND MANAGEMENT


Farmington Field Office
1235 La Plata Highway, Suite A
Farmington, New Mexico 87401

IN REPLY REFER TO:
San Juan 27-5 Unit
3162.7 (07100)

August 31, 2000

Burlington Resources Oil & Gas Company
P.O. Box 4289
Farmington, NM 87499-4289

RE: San Juan 27-5 Unit
Approved Allocation factors
San Juan County, NM



Dear Ms. Cole:


We have received your Applications for Downhole Commingling of the Blanco Mesaverde and Basin Dakota formations for several wells in the San Juan 27-5 Unit. After review, we hereby approve your applications for downhole commingling and the submitted allocation factors. The effective date is the date that downhole commingling occurs. The wells and approved allocation factors are as follows:

Approved Allocation Factors for San Juan 27-5 Unit Wells - Mesaverde and Dakota Formations

Location	Well Name	API#	Mesaverde Allocation	Dakota Allocation	Effective Date
San Juan 27-5 #120	L sec 23, T27N, R5W	30039-20313	73% gas 50% oil	27% gas 50% oil	not available - fee
San Juan 27-5 #127	L sec 25, T27N, R5W	30039-20378	81% gas 50% oil	19% gas 50% oil	MV/DK 11-13-99
San Juan 27-5 #96	F sec 15, T27N, R5W	30039-60123	65% gas 57% oil	35% gas 43% oil	MV/DK 5-30-00
San Juan 27-5 #78	G sec 5, T27N, R5W	30039-07194	73% gas 50% oil	27% gas 50% oil	MV/DK 7-30-99
San Juan 27-5 #86M	J sec 9, T27N, R5W	30039-22394	43% gas 42% oil	57% gas 58% oil	MV/DK 7-17-97
San Juan 27-5 #78E	J sec 5, T27N, R5W	30039-22428	73% gas 50% oil	27% gas 50% oil	MV/DK 7-20-99
San Juan 27-5 #165M	C sec 29, T27N, R5W	30039-23903	62% gas 50% oil	38% gas 50% oil	MV/DK 9-20-99
San Juan 27-5 #142	B sec 33, T27N, R5W	30039-20466	81% gas 50% oil	19% gas 50% oil	MV/DK 11-20-99
San Juan 27-5 #138	G sec 19, T27N, R5W	30039-20463	84% gas 50% oil	16% gas 50% oil	MV/DK 10-11-99
San Juan 27-5 #130	B sec 26, T27N, R5W	30039-20374	86% gas 50% oil	14% gas 50% oil	MV/DK 11-05-99
San Juan 27-5 #128	K sec 27, T27N, R5W	30039-20363	88% gas 50% oil	12% gas 50% oil	MV/DK 11-11-99
San Juan 27-5 #119	K sec 24, T27N, R5W	30039-20308	88% gas 50% oil	12% gas 50% oil	MV/DK 11-08-99
San Juan 27-5 #79	B sec 27, T27N, R5W	30039-20366	82% gas 50% oil	18% gas 50% oil	MV/DK 11-16-99
San Juan 27-5 #118E	P sec 22, T27N, R5W	30039-23900	74% gas 50% oil	26% gas 50% oil	MV/DK 09-24-99
San Juan 27-5 #103E	P sec 14, T27N, R5W	30039-23897	56% gas 36% oil	44% gas 64% oil	MV/DK 06-14-97
San Juan 27-5 #57	F sec 13, T27N, R5W	30039-07082	72% gas 0% oil	28% gas 100% oil	MV/DK 08-11-98
San Juan 27-5 #98	E sec 14, T27N, R5W	30039-07064	85% gas 0% oil	15% gas 100% oil	MV/DK 06-08-97
San Juan 27-5 #107M	P sec 13, T27N, R5W	30039-25930	73% gas 50% oil	27% gas 50% oil	MV/DK 05-03-99

If you have any questions, please contact Joe Hewitt with this office at (505) 599-6365 or Wayne Townsend at (505) 599-6359.

Sincerely,



Wayne Townsend
Petroleum Engineer
Petroleum Management Team

cc: NMOCD, Santa Fe, NM

~~NMOCD, Aztec, NM~~