

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

RECEIVED
FILM MAIL ROOM

Sundry Notices and Reports on Wells

JUN 19 1996 7 AM 8:48

1. Type of Well
GAS

2. Name of Operator
MERIDIAN OIL

3. Address & Phone No. of Operator
PO Box 4289, Farmington, NM 87499 (505) 326-9700

4. Location of Well, Footage, Sec., T, R, M
870' FNL, 1820' FWL, Sec. 11, T-27-N, R-4-W, NMPM

5. Lease Number
SF-080671A
6. If Indian, All. or
Tribe Name

7. Unit Agreement Name

San Juan 27-4 Unit
8. Well Name & Number
San Juan 27-4 U #28A
9. API Well No.
30-039-23716
10. Field and Pool
Blanco Mesaverde
11. County and State
Rio Arriba Co, NM

12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA

Type of Submission

Type of Action

☒ Notice of Intent	☐ Abandonment	☐ Change of Plans
☐ Subsequent Report	☐ Recompletion	☐ New Construction
☐ Final Abandonment	☐ Plugging Back	☐ Non-Routine Fracturing
	☐ Casing Repair	☐ Water Shut off
	☐ Altering Casing	☐ Conversion to Injection
	☒ Other - Pay add	

13. Describe Proposed or Completed Operations

It is intended to add pay in the Cliff House and Menefee intervals according to the following procedure:

TOOH with Mesaverde tubing. Set retrievable bridge plug above the Point Lookout perforations. Perforate and fracture treat the Cliff House and Menefee intervals in one stage. Clean out all intervals and test potential. Rerun Mesaverde tubing. Return the well to production.

14. I hereby certify that the foregoing is true and correct.

Signed [Signature] (LLL9) Title Regulatory Administrator Date 2/5/96

(This space for Federal or State Office use)

APPROVED BY _____ Title _____ Date _____

CONDITION OF APPROVAL, if any:

APPROVED

FEB 08 1996

DISTRICT MANAGER

NMOCD

San Juan 27-4 Unit #28A
Unit C, Sec 11, T-27-N, R-4-W

Location: 870' FNL, 1820' FWL
 Rio Arriba County, NM

Latitude: 36-35-32
Longitude: 107-13-21

Current Field: Blanco MV
Spud: 6/20/85
Elev GL: 7154'
TD: 6630'

Completed: 8/14/85
Elev KB:
PBTD: 6614'

CASING RECORD:

<u>Hole Size</u>	<u>Casing Size</u>	<u>Weight</u>	<u>Grade</u>	<u>Depth Set</u>	<u>Cmt Vol</u>	<u>Cmt Top</u>
12-1/4"	9-5/8"	32.3#	H-40	229'	110 sks	Surf
8-3/4"	7"	20# & 23#	K-55	4433'	272 cu ft	2500'

LINER RECORD:

<u>Hole Size</u>	<u>Casing Size</u>	<u>Weight</u>	<u>Grade</u>	<u>Depth Set</u>	<u>Cmt Vol</u>	<u>Cmt Top</u>
6-1/4"	4-1/2"	10.5# & 11.6#	K-55	4260' 6630'	290 sks	4260'

TUBING RECORD:

<u>Tubing Size</u>	<u>Weight</u>	<u>Grade</u>	<u>Depth Set</u>	<u>Joints</u>	<u>Other</u>	<u>Depth</u>
2-3/8"	4.7#	J-55	6564'	202	SN	6530'

FORMATION TOPS:

Ojo Alamo	3540'	Cliffhouse	5842'
Kirtland	3696'	Menefee	5880'
Fruitland	3876'	Pt Lookout	6188'
Pictured Cliffs	4060'	Gallup	
Lewis		Dakota	

Logs Run: TS, Ind, Comp Dens, ALS, DDSNL

Completions: Mesaverde - Lower Pt Lookout
 6425, 28, 66, 69, 93, 96, 6518,
 20, 54, 56, 62, 64 (1 spz)
 32,000# sand and 54,580 gal
 slickwater

Mesaverde - Point Lookout
 6210, 13, 16, 19, 22, 25, 47, 51,
 60, 65, 78, 81, 85 (1 spf)
 82,000# sand and 108,790 gal
 water

Workover History:

SAN JUAN 27-4 UNIT #28A

Unit C, Section 11, T-27-N, R-4-W

Lat. 36-35-32, Long. 107-13-21

CURRENT WELLBORE SCHEMATIC

Cmt. Top
@ Surf (circ)

Cmt. Top
@ 2500'

Cmt. Top
@ 4260'

9-5/8" 32.3# H-40 Casing
Set @ 229'
Cmt w/ 110 sks

7" 20# & 23# K-55 Casing
Set @ 4433'
Cmt w/ 272 cu ft

2-3/8" 4.7# J-55 Tubing
Set @ 6564'

Point Lookout Perfs
6210' - 6285'
(Selected Intervals)

Lower Point Lookout Perfs
6425' - 6564'
(Selected Intervals)

4-1/2" 10.5 & 11.6# K-55
Liner
Set @ 4260' - 6630'
Cmt w/ 424 cu ft

TD @ 6630'
PBTD @ 6614'