

FORM 1004-0137
(November 1983)
(Formerly 9-330)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE*

(See other in-
structions on
reverse side)

Budget Bureau No. 1004-0137
Expires August 31, 1985

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1. TYPE OF WELL: OIL WELL ☒ GAS WELL ☐ DRY ☐ Other _____		2. LEASE DESIGNATION AND SERIAL NO. SF-079376 A	
3. TYPE OF COMPLETION: NEW WELL ☒ WORK OVER ☐ DEEPEN ☐ PILE BACK ☐ DIFF. EXPOSE ☐ Other _____		6. IF INDIAN, ALLOTTEE OR TRIBE NAME N/A	
2. NAME OF OPERATOR UNION OIL COMPANY OF CALIFORNIA		7. UNIT AGREEMENT NAME RINCON UNIT	
3. ADDRESS OF OPERATOR 3300 N. BUTLER, SUITE 200, FARMINGTON, NM 87401		8. FARM OR LEASE NAME RINCON UNIT 125-M	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)* At surface 1800' FNL & 1700' FWL At top prod. interval reported below SAME At total depth SAME		9. WELL NO. 30-039-25181	
14. PERMIT NO.		10. FIELD AND POOL OR WILDCAT BLANCO MESA VERDE	
DATE ISSUED		11. SEC. T. R. M. OR BLOCK AND SURVEY OR AREA SEC. 26, T27N, R6W	
15. DATE SPUDDED 8/29/92		12. COUNTY OR PARISH RIO ARRIBA NM	
16. DATE T.D. REACHED 9/13/92		13. STATE	
17. DATE COMPL. (Ready to prod.) 10/9/92		19. ELEV. CASINGHEAD	
18. ELEVATIONS (DP, RKB, RT, CR, ETC.)* 6674' GR		20. TOTAL DEPTH, MD & TVD 7877'	
21. PLUG, BACK T.D., MD & TVD 7810'		22. IF MULTIPLE COMPL., HOW MANY* 2	
23. INTERVALS DRILLED BY 9-7877'		24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* 4990' - 5100' UPPER MV, 5289' - 5564' BOWER MV	
25. TYPE ELECTRIC AND OTHER LOGS RUN DNL/DENS/R-ARM CALIPER/CBL-VDL		26. WAS DIRECTIONAL SURVEY MADE NO	
27. WAS WELL CORRED NO		28. CASING RECORD (Report all strings set in well) DIST 2	
29. LINER RECORD		30. TUBING RECORD	
31. PREPARATION RECORD (Interval, size and number)		32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.	
33. PRODUCTION		34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)	
35. LIST OF ATTACHMENTS		36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records	

SIGNED James Rata TITLE Deilling Clerk DATE 1/8/92

ACCEPTED FOR RECORD

*(See Instructions and Spaces for Additional Data on Reverse Side)

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, flowing and shut-in pressures, and recoveries):

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	GEOLOGIC MARKERS		
				NAME	MEAS. DEPTH	TRUE VERT. DEPTH
FRUITLAND	3106	3294	COAL, GAS	OJO ALAMO	2464	2464
PICTURED CLIFFS	3294	3474	SS, GAS, 12-18% 0	KIRTLAND	2802	2802
CHACRA SS	4271	4486	SS, GAS, 12-15% 0	FRUITLAND	3106	3106
CLIFF HOUSE	4991	5109	SS, GAS, 8-13% 0	PICTURED CLIFFS	3294	3294
MENEFEE	5109	5512	SS/COAL, GAS	LEWIS	3474	3474
PT. LOOKOUT	5512	5915	SS, GAS, 10-12% 0	CHACRA SS	4271	4271
TOCITO SS	7050	7072	SS, GAS/OIL, 6-8% 0	CLIFF HOUSE	4991	4991
GRANEROS SS	7520	7614	SS, GAS, 8-12% 0	MENEFEE	5109	5109
DAKOTA	7642	7786	SS, GAS/OIL, 3-12% 0	PT. LOOKOUT	5512	5512
				MANCOS	5915	5915
				GALLUP	6476	6476
				TOCITO SS	7050	7050
				GREENHORN	7421	7421
				GRANEROS	7488	7488
				DAKOTA	7642	7642
				BURRO CANYON	7786	7786

RINCON UNIT #125-M
SF-079367 A
SEC. 26-T27N-R6W
BASIN DAKOTA/BLANCO MESA VERDE
1800' FNL & 1700' FWL

CEMENTING RECORD

SURFACE: 250 sx CL "B"
(GOOD CIRC THROUGHOUT JOB - CIRC 75 sx TO
PIT)

CEMENTED IN 3 STAGES

1ST STAGE: 180 sx 50-50-4 CMT
T/W 150 sx CL "B"
(GOOD CIRC THROUGHOUT JOB)

CIRC 150 SX 50-50-4 CMT AROUND SHOE

2ND STAGE: 175 sx 50-50-4 CMT
T/W 125 sx CL "B"
(GOOD CIRC THROUGHOUT JOB)

3RD STAGE: 250 sx CL "A-2"
310 sx 50-50-4 CMT
T/W 85 sx CL "B"
(FULL CIRC THROUGHOUT JOB)

TOP OF CEMENT IN DAKOTA @ 7140'.
TOP OF CEMENT IN MESA VERDE @ 4330'.