

CONDITIONS OF APPROVAL FOR PERMANENT ABANDONMENT

Operator EnRe Corporation

N-24-27N-02W  
Well Name Leavry Canyon 24N#1

1. Plugging operations authorized are subject to the "General Requirements for Permanent Abandonment of Wells on Federal Leases."
2. For wells on Federal leases, Al Yepa with, the Cuba Field Office is to be notified at least 24 hours (48 hours if possible) before the plugging operations commence. His phone number is (505) 289-3748. Office hours are 7:45 a.m. to 4:30 p.m.

For wells on Jicarilla leases notify Erwin Elote with the Jicarilla Apache Tribe at least 24 hours (48 hours if possible) before the plugging operations commence. His phone number is (505) 759-3242.

3. Blowout prevention equipment is required.
4. The following modifications to your plugging program are to be made :

Plug #1: A cement plug will be placed from 6960' to TD. The plug must be tagged to ensure that the top of the plug is at or above 6960'.

Plug #2: The cement retainer which will be placed at 5500' must be topped with at least 50' of cement.

Plug #3: A cement plug will be placed from 3630' to 3730' to protect the Pictured Cliffs.

Plug #4: A cement plug will be placed from 3260' to 3360' to protect the Ojo Alamo.

Plug #5: Before placing the plug from 364' to 464', the well bore will be perforated at 464' and circulation established through the annulus. At a minimum, the top 50' of the annulus must be filled with cement.

**RECEIVED**  
APR 11 1996

OIL CON. DIV.  
DIST. 8



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☐ Oil Well ☐ Gas Well ☒ Other Non-Commercial

2. Name of Operator

EnRe Corporation

Ampolex (USA), Inc. - AGENT

3. Address and Telephone No.

4940 Broadway, #200  
San Antonio, TX 78209

1050 17th Street, Suite #2500  
Denver, CO 80265  
(303) 595-9000

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1,025' FSL & 2,030' FWL

Section 24-T27N-R2W

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

5. Lease Designation and Serial No.

701-94-0010

6. If Indian, Allottee or Tribe Name

Jicarilla Apache

7. If Unit or CA, Agreement Designation

8. Well Name and No.

Leavry Canyon 24N #1

9. API Well No.

30-039-25229

10. Field and Pool, or Exploratory Area

Gavilan - Mesa Verde

11. County or Parish, State

Rio Arriba Cty, N.M.

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☐ Notice of Intent

☒ Subsequent Report

☐ Final Abandonment Notice

TYPE OF ACTION

☒ Abandonment

☐ Recompletion

☐ Plugging Back

☐ Casing Repair

☐ Altering Casing

☐ Other

☐ Change of Plans

☐ New Construction

☐ Non-Routine Fracturing

☐ Water Shut-Off

☐ Conversion to Injection

☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

1. Drilled out CIBP @ 5,988'. Set CIBP @ 6,900' above 4-1/2" liner. Placed 50' cement plug on top of CIBP.
2. Placed cement plug in 7-5/8" casing from 5,530' - 5,838'. Tagged @ 5,580'. Spot 45 sx. Tagged @ 5,460'.
3. Placed 100' cement plugs from 3,630' - 3,730' and 3,260' - 3,360'.
4. Test surface casing to 1,000# - No leak off.
5. Placed 100' cement plug from 364' - 464'.
6. Cut off wellhead.
7. Ran 50' of 1" inside of surface casing and pumped cement to surface. Ran 1" inside of 7-5/8" casing and pumped cement to surface.
8. Install dry hole marker and re-habilitate well site.

cc: Oil & Gas Admin., Jicarilla Apache - Thurman Velarde ; EnRe Corporation

14. I hereby certify that the foregoing is true and correct

Robert C. Arceneaux - AGENT

Signed

Senior Petroleum Engineer

Date 19 August 1996

(This space for Federal or State office use)

Approved by

Chief, Lands and Mineral Resources

Date AUG 26 1996

Conditions of approval, if any: