

DISTRICT I
P.O. Box 1980, Hobbs, NM 88241-1980
DISTRICT II
P.O. Drawer DD, Artesia, NM 88211-0719
DISTRICT III
1000 Rio Brazos Rd, Aztec, NM 87410

State of New Mexico
Energy, Minerals and Natural Resources Department
OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

Form C-107
Revised 4-1-91

Filing Instructions
Bottom of Page

APPLICATION FOR MULTIPLE COMPLETION

Operator Amoco Production Company, Box 800, Denver, Co 80201 Address
Lease SAN JUAN 28-7 Well No. #128M Unit Ltr. - Sec - Twp - Rge I Sec 12 T27N R7W County Bio Arriba

All applicants for multiple completion must complete Items 1 and 2 below.

1. The following facts are submitted:	Upper Zone	Intermediate Zone	Lower Zone
a. Name of Pool and Formation	Blanco Mesaverde Mesaverde		Basin Dakota Dakota
b. Top and Bottom of Pay Section (Perforations)	4874 5755		7508 7712
c. Type of production (Oil or Gas)	Gas		Gas
d. Method of Production (Flowing or Artificial Lift)	Flowing		Flowing
e. Daily Production ☒ Actual ☐ Estimated Oil Bbls. Gas MCF Water Bbls.	Traces 762 20	RECEIVED NOV 17 1994 OIL CON. DIV. DIST. 3	5 1965 30

2. The following must be attached:
- Diagrammatic Sketch of the Multiple Completion, showing all casing strings, including diameters and setting depths, centralizers and/or turbolizers and location thereof, quantities used and top of cement, perforated intervals, tubing strings, including diameters and setting depth, location and type of packers and side door chokes, and such other information as may be pertinent.
 - Plat showing the location of all wells on applicant's lease, all offset wells on offset leases, and the names and addresses of operators of all leases offsetting applicant's lease.
 - Electrical log of the well or other acceptable log with tops and bottoms of producing zones and intervals of perforation indicated thereon. (If such log is not available at the time application is filed it shall be submitted as provided by Rule 112-A.)

OPERATOR:

I hereby certify above information is true and complete to best of my knowledge, and belief.

Signature A. Wayne Branam
Printed Name & Title A. Wayne Branam, Bus Analyst
Date 11-14-94 Telephone (303) 830-4912

OIL CONSERVATION DIVISION

Approved by: ORIGINAL SIGNED BY ERNIE BUSCH
Title: DEPUTY OIL & GAS INSPECTOR, DIST. #3
Date: NOV 17 1994

NOTE: If the proposed multiple completion will result in an unorthodox well location and/or a non-standard proration unit in one or more of the producing zones, then separate application for approval of the same should be filed simultaneously with this application.

FILING INSTRUCTIONS:

- District Approval -- See rule 112-A-B -- Submit 4 copies of Form C-107 with attachments to appropriate district office.
- Division Director Administrative Approval -- See Rule 112-C -- Submit 2 copies of Form C-107 with attachments to Division office in Santa Fe and 2 copies of Form C-107 with attachments to appropriate district office.
- Multiple completion not qualifying for District or Division Director approval may be set for hearing as outlined in Rule 112-A-E.

[illegible]

Casing Cement
Surface Casing 0.0-408.0
 Amount: 250
Intermediate Casing 1 0.0-3558.0
 Amount: 350
Production Casing 1 0.0-7786.0
 Amount: 1190

Notes
11:15:94
<No Wire Comments> <No Legal Description>
Casino String(s) & Equipment

Intermediate Casing 1

Float Shoe
* 20-150 Run 620-94
CD 8 625 ID Wt 32 00
Grd J 55 Thrd 9 RND LT&C Jws :

Float Collar
61 8-64 6 Run 620-94
CD 8 625 ID Wt 32 00
Grd J 55 Thrd 9 RND LT&C Jws :

Stage Tool

SAN JUAN 28-7 #128M

MESEA Floor Shoe
DAKOTA Floor Shoe

Float Collar

hole Size 14 750

Cement 00 - 406 0

Surface Casing

Intermediate Casing

hole Size 12 625

Cement 00 - 3558 0

Intermediate Casing

Tubing 2 0625 x
1 250

Stage Tool

TSG 2 063 3 25#
J-55 IJ R2

Intermediate Casing

Cement 00 - 7786 0

Production Casing

hole Size 7 878

Perf 4874 0 - 4874 0

Perf 4876 0 - 4876 0

Fracturing 4874 0 -
5236 0

Fracturing 4874 0 -
5236 0

Fracturing 4874 0 -
5236 0

Fracturing 4874 0 -
5236 0

Fracturing 4874 0 -
5236 0

Fracturing 4874 0 -
5236 0

Perf 4915 0 - 4915 0

Perf 4917 0 - 4917 0

Perf 4936 0 - 4936 0

Perf 4938 0 - 4938 0

Perf 4940 0 - 4940 0

Perf 4950 0 - 4950 0

Perf 4956 0 - 4956 0

Perf 4958 0 - 4958 0

2907 0-2910 0 Run 6-20-94
OD 8 625 ID 7 32 00
Grd J-55 Thru 8 RND LT&C Jnts 1

Intermediate Casing 1
3513 0-3558 0 Run 6-20-94
OD 8 625 ID 7 921 WI 32 00
Grd J-55 Thru 8 RND LT&C Jnts 1

Intermediate Casing 1
00-1613 0 Run 6-20-94
OD 8 625 ID 7 921 WI 32 00
Grd J-55 Thru 8 RND LT&C Jnts 37

Intermediate Casing 1
1613 0-3513 0 Run 6-20-94
OD 8 625 ID 8 097 WI 24 00
Grd J-55 Thru 8 RND ST&C Jnts 46

Production Casing 1
Production Casing 1
00-7786 0 Run 6-20-94
OD 5 500 ID 4 892 WI 17 00
Grd J-55 Thru ST&C Jnts 178

Surface Casing
Float Shoe
12 0-15 0 Run 6-18-94
OD 11 750 ID 11 47 00
Grd K-55 Thru 8 RND ST&C Jnts 1
Surface Casing
00-408 0 Run 6-18-94
OD 11 750 ID 11 000 WI 47 00
Grd K-55 Thru 8 RND ST&C Jnts 10

Tubing String(s) & Equipment


String 1
Packer Perm 2 375 x 5 5
5828 0-5830 0 Run 11-2-94
OD 5 500 ID 23 750 WI
Grd Thru Jnts 0
SN 2 063 x 1 43 x 12 eue
7617 0-7619 0 Run 11-2-94
OD 2 063 ID 1 430 WI
Grd Thru Jnts 0
TSG 2 063 3 25# J-55 J ERWR2
7619 0-7650 1 Run 11-2-94
OD 2 063 ID 1 751 WI
Grd Thru Jnts 0
TSG 2 063 3 25# J-55 J ERWR2
5830 0-7617 3 Run 11-2-94
OD 2 063 ID 1 751 WI
Grd Thru Jnts 0
TSG 2 063 3 25# J-55 J ERWR2
7650 0-7651 0 Run 11-2-94
OD 2 063 ID 1 751 WI
Grd Thru Jnts 0
TSG 2 063 3 25# J-55 J R2
50-5829 3 Run 11-2-94
OD 2 063 ID 1 751 WI
Grd Thru Jnts 0

String 2
SN 2 063 x 1 43 x 12 eue
5542 0-5543 0 Run 11-2-94
OD 2 063 ID 1 430 WI
Grd Thru Jnts 0
Tubing 2 0625 x 1 250
50-5542 0 Run 11-2-94
OD 2 063 ID 1 250 WI
Grd Thru Jnts 0
Tubing 2 0625 x 1 250
5543 0-5544 0 Run 11-2-94
OD 2 063 ID 1 250 WI
Grd Thru Jnts 33
Tubing 2 25
5570 0-5577 6 Run 11-2-94
OD 1 250 ID 1 000 WI
Grd Thru Jnts 4

Red String(s) & Equipment

String 1

SAN JUAN 28-7 #128M



SAN JUAN 28-7 UNIT #128M DUAL COMPLETION OF THE MESAVERDE AND DAKOTA FORMATIONS

ADDRESSES OF OFFSET OPERATORS

**MERIDIAN OIL
BOX 4289
FARMINGTON, NM 87401**

**UNION OIL
14141 SOUTHWEST FREEWAY
SUGARLAND, TEXAS 77478**

OTHER


**COPY OF THE LOG SHOWING THE PRODUCING INTERVALS AND PERFS IS NOT
ATTACHED SINCE THE LOG COMPANY HAS SUPPLIED A COPY OF THE LOG AND THE
PRODUCING INTERVAL AND PERFS ARE INCLUDED IN THE COMPLETION REPORT THAT
YOU WILL RECEIVE FROM THE BLM.**

PACKER LEAKAGE TEST WILL BE SUBMITTED BY OUR FARMINGTON OFFICE.

operator	wellname	fm name	api
AMOCO PRODUCTION CO	SAN JUAN 28 7 UNIT 44	MV	A022707-044 MV
AMOCO PRODUCTION CO	SAN JUAN 28 7 UNIT 128	DK	A122707-128 DK
AMOCO PRODUCTION CO	SAN JUAN 28 7 UNIT 157	DK	B112707-157 DK
AMOCO PRODUCTION CO	SAN JUAN 28 7 UNIT 183	DK	G012707-183 DK
AMOCO PRODUCTION CO	SAN JUAN 28 7 UNIT 129	DK	G022707-129 DK
AMOCO PRODUCTION CO	SAN JUAN 28 7 UNIT 62	MV	G122707-062 MV
AMOCO PRODUCTION CO	SAN JUAN 28 7 UNIT 34	MV	H012707-034 MV
AMOCO PRODUCTION CO	SAN JUAN 28 7 UNIT 79	MV	H112707-079 MV
AMOCO PRODUCTION CO	SAN JUAN 28 7 UNIT 107	MV	K112707-107 MV
AMOCO PRODUCTION CO	SAN JUAN 28 7 UNIT 124	DK	K112707-124 DK
AMOCO PRODUCTION CO	SAN JUAN 28 7 UNIT 63	MV	K122707-063 MV
AMOCO PRODUCTION CO	SAN JUAN 28 7 UNIT 35	MV	L012707-035 MV
AMOCO PRODUCTION CO	SAN JUAN 28 7 UNIT 130	DK	L022707-130 DK
AMOCO PRODUCTION CO	SAN JUAN 28 7 UNIT 126	DK	M012707-126 DK
AMOCO PRODUCTION CO	SAN JUAN 28 7 UNIT 125	DK	M122707-125 DK
AMOCO PRODUCTION CO	SAN JUAN 28 7 UNIT 102	MV	N022707-102 MV
AMOCO PRODUCTION CO	SAN JUAN 28 7 UNIT 35A	MV	C012707-035AMV
AMOCO PRODUCTION CO	SAN JUAN 28 7 UNIT 129E	DK	O022707-129EDK
AMOCO PRODUCTION CO	SAN JUAN 28 7 UNIT 44A	MV	P022707-044AMV
MERIDIAN OIL INC	SAN JUAN 28 6 UNIT 43	MV	A072706-043 MV
MERIDIAN OIL INC	SAN JUAN 28 6 UNIT 36	MV	B062706-036 MV
MERIDIAN OIL INC	SAN JUAN 28 6 UNIT 203	DK	G072706-203 DK
MERIDIAN OIL INC	SAN JUAN 28 6 UNIT 186	DK	H062706-186 DK
MERIDIAN OIL INC	SAN JUAN 28 6 UNIT 37	MV	K062706-037 MV
MERIDIAN OIL INC	SAN JUAN 28 6 UNIT 103	DK	K072706-103 DK
MERIDIAN OIL INC	SAN JUAN 28 6 UNIT 135	DK	N062706-135 DK
MERIDIAN OIL INC	SAN JUAN 28 6 UNIT 54	MV	N072706-054 MV
UNION OIL CO CALIFOR	RINCON UNIT (DK)	DK	B132707-167 DK
UNION OIL CO CALIFOR	RINCON UNIT (DK)	DK	B142707-151 DK
UNION OIL CO CALIFOR	RINCON UNIT (DK)	DK	C132707-167MDK
UNION OIL CO CALIFOR	RINCON UNIT /DK/	MV	C132707-167MMV
UNION OIL CO CALIFOR	RINCON UNIT (DK)	DK	D142707-133EDK
UNION OIL CO CALIFOR	RINCON UNIT (DK)	MV	D142707-133EMV
UNION OIL CO CALIFOR	RINCON UNIT (DK)	DK	F182706-159MDK
UNION OIL CO CALIFOR	RINCON UNIT (DK)	MV	F182706-159MMV
UNION OIL CO CALIFOR	RINCON UNIT (DK)	DK	G182706-159 DK
UNION OIL CO CALIFOR	RINCON UNIT (DK)	DK	K142707-133 DK
UNION OIL CO CALIFOR	RINCON UNIT (DK)	DK	L132707-177 DK
UNION OIL CO CALIFOR	RINCON UNIT /MV/	MV	L182706-097 MV
UNION OIL CO CALIFOR	RINCON UNIT (DK)	DK	N182706-157 DK
UNION OIL CO CALIFOR	RINCON UNIT (DK)	DK	O142707-151MDK
UNION OIL CO CALIFOR	RINCON UNIT (DK)	MV	O142707-151MMV
UNOCAL	RINCON UNIT 80	MV	B182706-080 MV
UNOCAL	RINCON UNIT 88	MV	G132707-088 MV
UNOCAL	RINCON UNIT 78	MV	G142707-078 MV
UNOCAL	RINCON UNIT 123	MV	M132707-123 MV
UNOCAL	RINCON UNIT 88A	MV	J132707-088AMV
UNOCAL	RINCON UNIT 97A	MV	P182706-097AMV

SAN JUAN 28-7 #128M

DAKOTA AND MESAVERDE OFFSETS



All geological and geophysical data, including the interpretation thereof, appearing on this map is the private and confidential property of Amoco Production Company. The publication or reproduction thereof without the written permission of said Company is strictly prohibited.

POLYCONIC CENTRAL MERIDIAN - 107° 31' 30" W LONG
SPHEROID - 6

AMOCO PRODUCTION COMPANY
PLAT MAP

SAN JUAN 28 7 NO. 128M
DAKOTA AND MESAVARDE OFFSET WELLS

NOV 16 1994