

Submit to Appropriate
District Office
State Lease - 6 copies
For Lease - 5 copies
DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION
2040 Pacheco St.
Santa Fe, NM 87505

Form C-105
Revised 1-1-89

WELL API NO.
30-039-25544

5. Indicate Type of Lease
STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well: OIL WELL ☐ GAS WELL ☒ DRY ☐ OTHER ☐

b. Type of Completion: NEW WELL ☒ WORK OVER ☐ DEEPEN ☐ PLUG BACK ☐ DIFF RESVR ☐ OTHER ☐

2. Name of Operator
Conoco Inc.

3. Address of Operator
10 Desta Dr., Ste 100W, Midland, TX 79705-4500

4. Well Location
Unit Letter D: 808 Feet From The North Line and 1182 Feet From The West Line
Section 2 Township 27N Range 7W NMPM Rio Arriba County

10. Date Spudded 10-23-96 11. Date T.D. Reached 10-30-96 12. Date Compl. (Ready to Prod.) 11-26-96 13. Elevations (DF & RKB, RT, GR, etc.) 6133' DF, 6134' RKB, 6120' GR 14. Elev. Casinghead

15. Total Depth 7243' 16. Plug Back T.D. 7237' 17. If Multiple Compl. How Many Zones? 18. Intervals Drilled By Rotary Tools XX Cable Tools

19. Producing Interval(s), of this completion - Top, Bottom, Name 6996' - 7206' Dakota 20. Was Directional Survey Made No

21. Type Electric and Other Logs Run Dual Burst TDT, Gamma Ray, Casing Collar Logs 22. Was Well Cored No

CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB/FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
9-5/8"	36#	365'	12-1/4"	215 SX	
7"	23#	3035'	8-3/4"	420 SX	
4-1/2"	10.5#/11.6#	7243'	6-1/4"	560 SX	

LINER RECORD				TUBING RECORD		
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET
					2-3/8"	7128' RKB

26. Perforation record (Interval, line and number)
See attached

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.
DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED

28. PRODUCTION

Date First Production 11-28-96 Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing Well Status (Prod. or Shut-in) Producing

Date of Test 11-29-96	Hours Tested 24	Choke Size Open	Prod'n For Test Period	Oil - Bbl 0	Gas - MCF 650	Water - Bbl 25	Gas - Oil Ratio
Flow Tubing Press. 3	Casing Pressure 225	Calculated 24-Hour Rate	Oil - Bbl 0	Gas - MCF 650	Water - Bbl 25	Oil Gravity - API - (Corr.)	

29. Disposition of Gas (Sold, used for fuel, vented, etc.) Vented Test Witnessed By Tommy Brooks

30. List Attachments
Logs, Inclination Report

31. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature Debra Bemenderfer Printed Name Debra Bemenderfer Title Agent for Conoco Date 12-6-96

ATTACHMENT TO C-105

API No. 30-039-25544
Lease / Well Name SAN JUAN 28-7 UNIT #130M
Location 808'FNL & 1182'FWL, SEC. 02, T 27N, R 07W, UNIT LTR 'D'
County / State RIO ARRIBA, NM

GEOLOGIC MARKERS

<u>NAME</u>	<u>TOP - MEASURED DEPTH</u>
OJO ALAMO	EST 1924'
KIRTLAND	EST 2050'
FRUITLAND FMA	2323'
PICTURED CLIFFS	2737'
LEWIS	2886'
CHACRA	3691'
CLIFF HOUSE	4400'
MENEFEE	4524'
POINT LOOKOUT	4975'
MANCOS	5396'
GALLUP	6218'
GREENHORN	6892'
GRANEROS	6853'
DAKOTA	6982'

ATTACHMENT TO C-105

API No. 30-039-25544
Lease / Well Name SAN JUAN 28-7 UNIT #130M
Location 808'FNL & 1182'FWL, SEC. 02, T 27N, R 07W, UNIT LTR 'D'
County / State RIO ARRIBA, NM

26. Perforation Record (Interval, Size and Number)

LOWER DAKOTA 3-1/8" HSC GUN, 7096'-98', 7120'-38', 7152'-54', 7161'-63', 7166'-68', 7174'-78', 7186'-90', 7204'-06', TOTAL 26 HOLES.

UPPER DAKOTA 3-1/8" HSC GUN, 6996'-7012', 7018'-40', TOTAL 21 HOLES.

27. Acid, Shot, Fracture, Cement Squeeze, Etc. (Depth Interval / Amount And Kind Of Material Used)

7096'-7206' ACID W/ 1000 GALS 15% HCL W/ 39 BALLSEALERS. FRAC W/ 180,000 # SDC 20/40 & 42,800 # 20/40 OTTAWA SAND, 61,110 GALS 10# LFC-1 FLUID.

6996'-7040' ACID W/ 1000 GALS 15% HCL W/ 32 BALLSEALERS. FRAC W/ 16,900 # 20/40 SDC & 52,200 # 20/40 OTTAWA SAND, 86,352 GALS 10# LFC-1 FLUID.