P.O. Box 1980, Hobbs, NM 88241-1980

State of New Mexico Energy, Minerals and Natural Resources Department

Form C-107-A New 3-12-96

OIL CONSERVATION DIVISION

2040 S. Pacheco Santa Fe, New Mexico 87505-6429 APPROVAL PROCESS:
_X_Administrative ___Hearing

DISTRICT III

DISTRICT II

1000 Rio Brazos Rd, Aztec, NM 87410-1693

811 South First St., Artesia, NM 88210-2835

APPLICATION FOR DOWNHOLE COMMINGLING

EXISTING WELLBORE
__YES __x_NO

Burlington Resources Oil & Gas (Company	PO Box 4289, Farmin	ngton, NM 87499
Operator	4 4004	Address	
San Juan 27-5 Unit	140M	O 29-27N-05W	Rio Arriba
0460	Well No.	Unit Ltr Sec - Twp - Rge	County Specing Unit Lease Types: (check 1 or more)
OGRID NO14538 Property Cod	e7454 API NO	30-039-not assigned	Federalx, State (and/or) FeeX
·The following facts are submitted in	Upper	internal	
support of downhole commingling:	Zone	2 - Z	nediate
	Bianco Mesaverde - 72319		Basin Dakota - 71599
Pool Name and Pool Code	Dianco mesaverue - /2319	or a spage will select	Basin Dakota - 7 1599
2. Top and Bottom of Pay Section (Perforations)	will be supplied upon com	pletion	will be supplied upon completion
3. Type of production (Oil or Gas)	gas	9ENE	gas gas
4. Method of Production (Flowing or Artificial Lift)	flowing	IN FEB 2	2 5 1933 19 flowing
5. Bottomhole Pressure	(Current) a. 612 psi (see attachmen	o a nn co	a. 1184 psi (see attachment)
Oil Zones - Artificial Lift: Estimated Current			
Gas & Oil - Flowing: Measured Current	(Original) b. 1292 psi (see attachme	1 0 30	b. 3214 psi (see attachment)
All Gas Zones: Estimated or Messured Original			
6. Oil Gravity (API) or Gas BTU Content	BTU 1173		BTU 1089
7. Producing or Shut-In?	shut in		shut in
Production Marginal? (yes or no)	по		yes
* If Shut-In and oil/gas/water rates of	Date: n/a	Date:	Date: n/a
last production	Rates:	Rates:	Rates:
Note: For new zones with no production history, applicant shall be required to attach production estimates and supporting data			
* If Producing, give data and oil/gas/water water of recent test	Date: n/a	Date:	Date: n/a
(within 60 days)	Rates:	Rates:	Rates:
8. Fixed Percentage Allocation Formula -% for each zone	Oil: Gas: %	Oil: % Gi	as: % Gas: %
(total of %'s to equal 100%)	will be supplied upon completion	n e	will be supplied upon completion
10. Are all working, overriding, and ro if not, have all working, overridin Have all offset operators been gi	oyalty interests identical in g, and royalty interests be ven written notice of the pi	all commingled zones? en notified by certified m roposed downhole comm	
production be recovered, and wi	Il the allocation formula be	e reliablex Yes	e formations not be damaged, will any cross-floweNo (If No, attach explanation)
12. Are all produced fluids from all co			
13. Will the value of production be de			
 If this well is on, or communitize Land Management has been notif 	ed with, state or federal la ied in writing of this applic	nds, either the Commiss ationXYes No	ioner of Public Lands or the United States Bureau
15. NMOCD Reference Cases for Rule			
* Production curve for 6 * For zones with no pro * Data to support of all 6	o be commingled showing each zone for at least one viduction history, estimated tion method or formula. offset operators. king, overriding, and roya ents, data, or documents r	year. (If not available, att production rates and su	pporting data.
I hereby certify that the informa		complete to the best	of my knowledge and belief.
SIGNATURE Som Woole	ertonTITL	E: Production Engine	erDATE: <u>2/23/98</u>
TYPE OR PRINT NAME <u>Sean</u>	Woolverton TELE	PHONE NO. (505) 3	26-9700

District I PO Box 1980. Hobbs, NM 88241-1980

District II PO Drawer DD. Artesia. NM B8211-0719

District III 1000 Rio Brazos Rd., Aztec, NM 87410

District IV PO Box 2088, Santa Fe. NM 87504-2088

State of New Mexico Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION PO Box 2088 Santa Fe, NM 87504-2088

Form C-102 Revised February 21, 1994 Instructions on back

Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies


AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT


'API Number 71				'Pool Code 71599 Mesaverde/Bas:			'Pool Namo asin Dako			
'Property Code 'Property Name SAN JUAN 27-5										
'OGRID	No.	*Operator Name BURLINGTON RESOURCES OIL & GAS COMPANY						levation 5409		
			·	-	¹⁰ Surface	Location		•		
UL or lot no.	Section 29	Township 27N	Range 5W	Lot Idn	Feet from the	North/South line South	Feet from the 2035	East/Hes		RIO ARRIBA
	<u></u> .	11 [ottom	Hole L	ocation I	f Different	From Surf	ace	-	1 71111107
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/Wes	it line	County
¹² Deducated Acres	l	¹³ Joint or In	fill ¹⁴ Cons	olidation Code	²⁵ Order No.					l
NO ALLOW	VABLE W					ON UNTIL ALL EEN APPROVED	INTERESTS H BY THE DIVI		EN CON	SOLIDATED
2765.40			265	9.80'	1 1			FICATION contained Perein 15 knowledge and belief		

2765.40 ·			2659.80 ·			17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief	
	4	3	2	1	24.		
. 8	5	6	NMSF-	079392	2220.	Signature Peggy Bradfield Printed Name Title	
5298.48		2	9===			Date 18 SURVEYOR CERTIFICATION	
25.			FI	: EE	2667.72	I hereby certify that the well location shown on this plat was plotted from Field notes of actual surveys made by he or under my supervision, and that the same is true and correct to the best of my belief. NOVEMBER 22, 1997 Date of Survey Signature and Seal of Professional Surveyor	
	273	7.02 [.]	. 008 265	2035 ' 	Ĉi.	Certificate Number	

San Juan 27-5 Unit #140M Expected Production Curve Blanco Mesaverde



San Juan 27-5 Unit #140M Expected Production Curve Basin Dakota



San Juan 27-5 Unit #140M

Bottom Hole Pressures Flowing and Static BHP Cullender and Smith Method Version 1.0 3/13/94

Mesaverde	Dakota				
MV-Current	DK-Current				
GAS GRAVITY COND. OR MISC. (C/M) CC KN2 CO2 CKCO2 CKH2S CDIAMETER (IN) CEPTH (FT) SURFACE TEMPERATURE (DEG F) BOTTOMHOLE TEMPERATURE (DEG F) FLOWRATE (MCFPD) SURFACE PRESSURE (PSIA) BOTTOMHOLE PRESSURE (PSIA) BOTTOMHOLE PRESSURE (PSIA) 611.9	GAS GRAVITY COND. OR MISC. (C/M) %N2 %CO2 %H2S DIAMETER (IN) DEPTH (FT) SURFACE TEMPERATURE (DEG F) BOTTOMHOLE TEMPERATURE (DEG F) FLOWRATE (MCFPD) SURFACE PRESSURE (PSIA) BOTTOMHOLE PRESSURE (PSIA) 118				
MV-Original	DK-Original				
GAS GRAVITY COND. OR MISC. (C/M) %N2 %CO2 %H2S DIAMETER (IN) DEPTH (FT) SURFACE TEMPERATURE (DEG F) BOTTOMHOLE TEMPERATURE (DEG F) FLOWRATE (MCFPD) SURFACE PRESSURE (PSIA) 0.688 0.988 0.26 0.93 4.109	GAS GRAVITY COND. OR MISC. (C/M) %N2 %CO2 %H2S DIAMETER (IN) DEPTH (FT) SURFACE TEMPERATURE (DEG F) BOTTOMHOLE TEMPERATURE (DEG F) FLOWRATE (MCFPD) SURFACE PRESSURE (PSIA) BOTTOMHOLE PRESSURE (PSIA) 321				

Page No.: 1
Print Time: Thu Jan 29 11:16:14 1998
Property ID: 3826
Property Name: SAN JUAN 27-5 UNIT | 17 | 49641A-1
Table Name: K:\ARIES\RR98PDP\TEST.DBF

DATE	M SIWHP		5J an-5 Unit # 14017
09/24/56	1109.0	original	Mesaverde Offset
10/09/56	1098.0	O	
07/30/57	859.0		
11/06/58	861.0		
06/14/59	822.0		
09/22/60	791.0		
03/05/61	799.0		
11/02/62	754.0		
04/19/63	795.0		
04/29/64	766.0		
05/10/65	740.0		
04/19/66	707.0		
05/16/67	701.0		
05/02/68	676.0		
06/30/69	606.0		
10/07/70	588.0		
07/22/71	541.0		
06/06/72	542.0		
07/19/73	467.0		
06/04/74	462.0		
06/25/76	476.0		
08/02/78	494.0		
05/01/80	444.0		
05/31/82	466.0		
06/05/84	5 07. 0		
04/21/86	514.0		
11/27/89			
03/05/91			
11/18/91		. 1 _	
05/31/93	533.0	-current	

Page No.: 1
Print Time: Thu Jan 29 11:15:56 1998
Property ID: 1719
Property Name: SAN JUAN 27-5 UNIT | 165 | 44049A-1
Table Name: K:\ARIES\RR98PDP\TEST.DBF


DATE		6	127-5 Unit	# 140W
			Dakota	Offeet
09/07/73 11/16/73	2666.0 - CYLGLAW 2101.0		Buchic	Urraci
06/04/74	1412.0			
05/22/75 06/25/76				
07/06/77	1180.0			
05/01/79 05/04/81	1135.0 950.0			
09/13/83 11/19/85				
04/22/90	822.0			
12/01/92	992.0-Curient			

BURLINGTON RESOURCES OIL AND GAS COMPANY

San Juan 27-5 Unit #140M OFFSET OPERATOR \ OWNER PLAT


Mesaverde / Dakota Formations Commingle Well

Township 27 North, Range 5 West



1) Burlington Resources

San Juan 27-5 Unit #140M Blanco Mesaverde / Basin Dakota 27N-05W-29O



STATE OF NEW MEXICO ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT OIL CONSERVATION DIVISION

IN THE MATTER OF THE HEARING CALLED BY THE OIL CONSERVATION DIVISION FOR THE PURPOSE OF CONSIDERING:

CASE NO. 11626 ORDER NO. R-10694

APPLICATION OF BURLINGTON RESOURCES
OIL & GAS COMPANY FOR THE ESTABLISHMENT
OF A DOWNHOLE COMMINGLING "REFERENCE
CASE" FOR ITS SAN JUAN 27-5 UNIT PURSUANT
TO DIVISION RULE 303.E AND THE ADOPTION
OF SPECIAL ADMINISTRATIVE RULES THEREFOR.
SAN JUAN COUNTY, NEW MEXICO.

PIO ARRIBA

ORDER OF THE DIVISION

BY THE DIVISION:

This cause came on for hearing at 8:15 a.m. on October 17 and November 7, 1996. at Santa Fe, New Mexico, before Examiners David R. Catanach and Michael E. Stogner. respectively.

NOW, on this 12th day of November. 1996, the Division Director, having considered the testimony, the record and the recommendations of the Examiner, and being fully advised in the premises.

FINDS THAT:

- (1) Due public notice having been given as required by law, the Division has jurisdiction of this cause and the subject matter thereof.
- pursuant to the provisions of Division Rule 303.E., seeks to establish a downnole commingling "reference case" to provide exceptions for (a) marginal economic criteria. (b) pressure criteria. (c) allocation formulas and (d) modification of notification rules or a unit-wide basis for downhole commingling of Dakota. Mesaverde. Fruitland Coal and Pictured Cliffs gas production within existing or future drilled wells within the San Juan 27-5 Unit. San Juan County, New Mexico.
 - (3) Division Rule No. 303.E., amended by Order No. R-10470-A, currentistates:

- establish a "reference case" whereby the Division utilizes the data presented in the immediate case to endorse or approve certain methods of allocating production whereby the applicant need not submit additional data or justification when proposing a certain method of allocating production on Form C-107-A's subsequently filed for wells within the San Juan 27-5 Unit; and.
- d) establish a "reference case" or an administrative procedure for authorizing the downhole commingling of existing or future drilled wells within the San Juan 27-5 Unit without additional nonce to each affected interest owner as required by Division Rule No. 303.D.
- (7) In support of its request to except marginal economic criteria, the applicant presented geologic and engineering evidence and testimony which indicates that within the San Juan 27-5 Unit:
 - a) the structure and thickness of the Dakota and Pictured Cliffs formations are very consistent:
 - b) the average recoverable Dakota and Pictured Cliffs gas reserves underlying an undeveloped drill block are approximately 583 MMCFG and 426 MMCFG, respectively;
 - c) the average initial producing rate for a newly drilled or recompleted Dakota and Pictured Cliffs gas well is approximately 393 MCFGD and 63 MCFGD, respectively; and.
 - d) the estimated ultimate gas recoveries and initial producing rates from the Dakota and Pictured Cliffs formations are insufficient to justify drilling stand alone wells and/or dually completed wells to recover such gas reserves.
 - (8) The evidence and testimony presented by the applicant indicates that the Dakota and Pictured Cliffs formations within the San Juan 27-5 Unit should be properly classified as "marginal".
 - (9) In support of its request to except pressure criteria within the Dakota and Pictured Cliffs formations within the San Juan 27-5 Unit, the applicant presented engineering evidence and testimony which indicates that:

- c) providing notice to each interest owner within the San Juan 27-5
 Unit of subsequent downnole communglings is unnecessary and is
 an excessive burden on the applicant:
- d) the downhole commingling of wells within the San Juan 27-5 Unit Area will benefit working, royalty, and overriding royalty interest owners. In addition, the downhole commingling of wells within the San Juan 27-5 Unit should not violate the correlative rights of any interest owner:
- e) no interest owner appeared at the hearing in opposition to the establishment of a "reference case" or administrative procedure for notice.
- (14) An administrative procedure should be established within the San Juan 27-5 Unit for obtaining approval for subsequent downhole commingled wells without notice to Unit interest owners, provided however that, all other provisions contained within Division Rule No. 303.C. are complied with.
- (15) Approval of the proposed "reference cases" for marginal economic criteriz pressure criteria, allocation formulas and notice will lessen the burden on the applicar insofar as providing the data required pursuant to Division Rule No. 303.D. and Form C 107-A, will provide the applicant a streamlined method for obtaining downnot commingling approvals within the San Juan 27-5 Unit, and will not violate correlative rights.

IT IS THEREFORE ORDERED THAT:

(1) The application of Buriington Resources Oil & Gas Company to establia "reference case" for (a) marginal economic criteria. (b) pressure criteria. (c) allocation formulas and (d) modification of notification rules on a unit-wide basis for downling commingling of Dakota. Mesaverde. Fruitland Coal and Pictured Cliffs gas production within existing or future drilled wells within the San Juan 27-5 Unit. San Juan Counter New Mexico. is hereby approved.