DISTRICT III

P.O. Box 1980, Hobbs, NM 88241-1980

1000 Rio Brazos Rd, Aztec, NM 87410-1893

State of New Mexico Energy, Minerals and Natural Resources Department

Form C-107-A New 3-12-96

OIL CONSERVATION DIVISION

DISTRICT II 811 South First St., Artesia, NM 68210-2835 2040 S. Pacheco Santa Fe. New Mexico 87505-6429

APPROVAL PROCESS :

X Administrative ___Hearing

EXISTING WELLBORE

APPLICATION FOR DOWNHOLE COMMINGLING

__ YES __x_ NO

Burlington Resources Oil & Gas Company		PO Box 4289, Farmington, NM 87499			
Operator	Addre		4		
San Juan 28-6 Unit	182M	E 12-27N-06W	Rio Arriba		
Lease	Well No. Unit Lt	r Sec - Twp - Rge	County		
	5.00 API NO 00.000.00	·	ing Unit Lease Types: (check 1 or more)		
OGRID NO14538 Property Code	e7452 API NO30-039-26	767Federalx, State	, (and/or) ree		
The following facts are submitted in support of downhole commingling:	Upper Zone	Intermediate Zone	Lower Zone		
1. Pool Name and Pool Code	Bianco Mesaverde - 72319	- ZORIWED	Basin Dakota - 71599		
Top and Bottom of Pay Section (Perforations)	will be supplied upon completion	NGGRIVEII)	will be supplied upon completion		
3. Type of production (Oil or Gas)	gas	JAN 2 7 1938	gas		
Method of Production (Flowing or Artificial Lift)	flowing		flowing		
5. Bottomhole Pressure	(Current) a. 690 psi (see attachment)	a. DIST. 3	a. 1069 psi (see attachment)		
Oil Zones - Artificial Lift:	a. coo por (occ anacimient,				
Estimated Current Gas & Oil - Flowing: Measured Current	(Original) b. 1257 psi (see attachment)	b.	b. 3244 psi (see attachment)		
All Gas Zones: Estimated or Measured Original	b. 1207 par (ace attachment)				
6. Oil Gravity (□API) or Gas BTU Content	BTU 1215		BTU 1071		
7. Producing or Shut-in?	shut in		shut in		
Production Marginal? (yes or no)	no		yes		
* If Shut-in and oil/gas/water rates of	Date: n/a	Date:	Date: n/a		
last production	Rates:	Rates:	Rates:		
Note: For new zones with no production history, applicant shall be required to attach production estimates and supporting data			1		
* If Producing, give data and oil/gas/water water of recent test	Date: n/a	Date:	Date: n/a		
oil/gas/water water of recent test (within 60 days)	Rates:	Rates:	Rates:		
			ļ		
8. Fixed Percentage Allocation	Oil: Gas: %	Oil: Gas: %	Oit: Gas: %		
Formula -% for each zone (total of %'s to equal 100%)			will be supplied upon completion		
	will be supplied upon completion will be supplied upon completion				
attachments with supporting data	a and/or explaining method and pro	ividing rate projections or other req			
	g, and royalty interests been notifie ven written notice of the proposed o				
11. Will cross-flow occur? _x_Yes _ No If yes, are fluids compatible, will the formations not be damaged, will any cross-flowed production be recovered, and will the allocation formula be reliablex_ YesNo (If No, attach explanation)					
12. Are all produced fluids from all commingled zones compatible with each other?x_YesNo					
 13. Will the value of production be decreased by commingling? Yes _X_ No (If Yes, attach explanation) 14. If this well is on, or communitized with, state or federal lands, either the Commissioner of Public Lands or the United States Bureau of Land Management has been notified in writing of this applicationX_Yes No 					
15. NMOCD Reference Cases for Rule	ייייייייייייייייייייייייייייייייייייי	Keletetire OldetK-10030	actaonion.		
* Production curve for 6 * For zones with no pro * Data to support alloca * Notification list of all 6	be commingled showing its spacing each zone for at least one year. (If reduction history, estimated production tion method or formula. offset operators. king, overriding, and royalty intereents, data, or documents required to	ion rates and supporting data.			
I hereby certify that the informa					
SIGNATURE Sean With	TITLE: Pro	duction Engineer DAT	E: <u>1/26/98</u>		

TYPE OR PRINT NAME <u>Sean Woolverton</u> TELEPHONE NO. (505) 326-9700

District 4 PO Box 1980, Hobbs, NM 89241-1980 District 41 PO Drawer OD, Artena, NM 89211-0719

1000 Kie Brazes Rd., Azies, NM 87418

District iV

State of New Mexico

OIL CONSERVATION DIVISION PO Box 2088 Santa Fe, NM 87504-2088 Form C Revised February 21. Instructions on


Submit to Appropriate District C

State Lease - 4 Co Fee Lease - 3 Co


AMENDED REP

, 502 3000 0200 04	87504-3088		7.770	V 4 N D 4 C	ELCE DEDI	CATION DI		NDED REP
API Numb		TT TO	Pool Coo		EAGE DEDI	' Pool No		
	-	7221	9-715		anco Mesaverde/Basin Dakota			
30-039- • Property Code		1/231	9-113	, Lebenta		de/ busin		Well Number
7462			San	Juan 28-	6 Unit			182M
OGRID No.				' Operator	Neme			· Domino
14538	В	URLING	STON F		OIL & GAS	COMPANY		6421'
	, _			10 Surface		1	East/West time	1
UL or lot so. Sertion	Townsup	Range	Let ide	Feet from the	North/South time	990	West	R.A.
E 12	27-N	6-W	i I	1450	f Different Fr		West	K.A.
UL or tot on. Section	i Towasas	Range	Lot Ida	Feet from the	North/South time	Feet from the	East/West time	Country
Dedicates Acres " Jola	or infil " (Cocceridatio	a code 12	Order No.	<u></u>			
K=W/328 NO ALLOWABLE								
225. .06.5.7.25 .06.5.7.35 .06.5.7.35 .06.5.7.35 .06.5.7.35 .06.5.7.35	-0793	63	2			Regulation No. Regula	VEYOR CE	TIFICA:

San Juan 28-6 Unit #182M Expected Production Curve Blanco Mesaverde



San Juan 28-6 Unit #182M Expected Production Curve Basin Dakota



SJ 28-6 Unit #182M

Bottom Hole Pressures Flowing and Static BHP Cullender and Smith Method Version 1.0 3/13/94

Mesaverde	Dakota <u>DK-Current</u>		
MV-Current			
GAS GRAVITY COND. OR MISC. (C/M) %N2 %CO2 %H2S DIAMETER (IN) DEPTH (FT) SURFACE TEMPERATURE (DEG F) BOTTOMHOLE TEMPERATURE (DEG F) SURFACE PRESSURE (PSIA) BOTTOMHOLE PRESSURE (PSIA) 600 BOTTOMHOLE PRESSURE (PSIA) 689.5	GAS GRAVITY COND. OR MISC. (C/M) %N2 %CO2 %H2S DIAMETER (IN) DEPTH (FT) SURFACE TEMPERATURE (DEG F) BOTTOMHOLE TEMPERATURE (DEG F) FLOWRATE (MCFPD) SURFACE PRESSURE (PSIA) BOTTOMHOLE PRESSURE (PSIA)	0.627 C 0.2 1.32 0 1.5 7617 60 198 0 901	
MV-Original	<u>DK-Original</u>		
GAS GRAVITY COND. OR MISC. (C/M) %N2 %CO2 0.73 %H2S DIAMETER (IN) DEPTH (FT) SURFACE TEMPERATURE (DEG F) BOTTOMHOLE TEMPERATURE (DEG F) FLOWRATE (MCFPD) SURFACE PRESSURE (PSIA) BOTTOMHOLE PRESSURE (PSIA) 1080	GAS GRAVITY COND. OR MISC. (C/M) %N2 %CO2 %H2S DIAMETER (IN) DEPTH (FT) SURFACE TEMPERATURE (DEG F) BOTTOMHOLE TEMPERATURE (DEG F) FLOWRATE (MCFPD) SURFACE PRESSURE (PSIA) BOTTOMHOLE PRESSURE (PSIA)	0.627 C 0.2 1.32 0 1.5 7617 60 198 0 2706	

Page No.: 1

Print Time: Mon Jan 12 15:58:27 1998

Property ID: 1884

Property Name: SAN JUAN 28-6 UNIT | 182 | 44083A-1 Table Name: K:\ARIES\RR98PDP\TEST.DBF

DATE	M SIWHP	
	•	
08/28/73	2705.0-Original	
11/09/73	1878.0	
05/02/74	1124.0	
05/05/75	912.0	
07/05/77	767.0	
08/21/79	737.0	
08/12/81	665.0	
09/28/83	796.0	
09/05/85	709.0	
10/05/88	729.0	
05/08/90	864.0	
04/29/92	901.0-curvent	

San Juan 28-6 #182M Dakota CF/Set

Page No.: 1

Print Time: Mon Jan 12 15:58:44 1998

Property ID: 4081

Property Name: SAN JUAN 28-6 UNIT | 81 | 53441A-1 Table Name: K:\ARIES\RR98PDP\TEST.DBF


DATE	M SIWHP	San Juan 28-6* 18219
04/28/58 12/06/58 03/13/59 09/22/60 06/13/61 06/04/62 05/06/63 04/22/64 05/03/65 06/07/66 05/25/67 08/15/68 07/28/70	1080.0 - Criginal 707.0 850.0 775.0 732.0 722.0 641.0 696.0 630.0 670.0 650.0 650.0 621.0	Mesaverde Offset
06/22/71	571.0	
06/07/72 09/28/83	595.0 577.0	
08/01/91	612.0	
10/21/91	600.0 - current	

BURLINGTON RESOURCES OIL AND GAS COMPANY

San Juan 28-6 Unit #182M

OFFSET OPERATOR/OWNER PLAT Mesaverde / Dakota Formations Commingle Well


Township 27 North, Range 6 West



1) Burlington Resources

San Juan 28-6 Unit #182M

Blanco Mesaverde / Basin Dakota 27N-06W-12



STATE OF NEW MEXICO ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT OIL CONSERVATION DIVISION

IN THE MATTER OF THE HEARING CALLED BY THE OIL CONSERVATION DIVISION FOR THE PURPOSE OF CONSIDERING:

CASE NO. 11628 ORDER NO. R-10696

APPLICATION OF BURLINGTON RESOURCES
OIL & GAS COMPANY FOR THE ESTABLISHMENT
OF A DOWNHOLE COMMINGLING "REFERENCE
CASE" FOR ITS SAN JUAN 28-6 UNIT PURSUANT
TO DIVISION RULE 303.E. AND THE ADOPTION
OF SPECIAL ADMINISTRATIVE RULES THEREFOR.
SAN JUAN COUNTY, NEW MEXICO.

ORDER OF THE DIVISION

BY THE DIVISION:

This cause came on for hearing at 8:15 a.m. on October 17 and November 7, 1996, at Santa Fe, New Mexico, before Examiners David R. Catanach and Michael E. Stogner, respectively.

NOW, on this 12th day of November, 1996, the Division Director, having considered the testimony, the record and the recommendations of the Examiner, and being fully advised in the premises.

FINDS THAT:

- (1) Due public notice having been given as required by law, the Division has jurisdiction of this cause and the subject matter thereof.
- (2) The applicant. Burlington Resources Oil & Gas Company (Burlington), pursuant to the provisions of Division Rule 303.E., seeks to establish a downhole commingling "reference case" to provide exceptions for (a) marginal economic criteria, (b) pressure criteria, (c) allocation formulas and (d) modification of notification rules on a unit-wide basis for downhole commingling of Dakota, Mesaverde, Fruitland Coal and Pictured Cliffs gas production within existing or future drilled wells within the San Juan 28-6 Unit, San Juan County, New Mexico.
- (3) Division Rule No. 303.E., amended by Order No. R-10470-A, currently states:

- establish a "reference case" whereby the Division utilizes the data presented in the immediate case to endorse or approve certain methods of allocating production whereby the applicant need not submit additional data or justification when proposing a certain method of allocating production on Form C-107-A's subsequently filed for wells within the San Juan 28-6 Unit; and.
- d) establish a "reference case" or an administrative procedure for authorizing the downhole commingling of existing or future drilled wells within the San Juan 28-6 Unit without additional notice to each affected interest owner as required by Division Rule No. 303.D.
- (7) In support of its request to except marginal economic criteria, the applicant presented geologic and engineering evidence and testimony which indicates that within the San Juan 28-6 Unit:
 - a) the structure and thickness of the Dakota and Pictured Cliffs formations are very consistent;
 - b) the average recoverable Dakota and Pictured Cliffs gas reserves underlying an undeveloped drill block are approximately 449 MMCFG and 186 MMCFG, respectively;
 - the average initial producing rate for a newly drilled or recompleted Dakota and Pictured Cliffs gas well is approximately 254 MCFGD and 216 MCFGD, respectively; and,
 - d) the estimated ultimate gas recoveries and initial producing rates from the Dakota and Pictured Cliffs formations are insufficient to justify drilling stand alone wells and/or dually completed wells to recover such gas reserves.
- (8) The evidence and testimony presented by the applicant indicates that the Dakota and Pictured Cliffs formations within the San Juan 28-6 Unit should be properly classified as "marginal".
- (9) In support of its request to except pressure criteria within the Dakota and Pictured Cliffs formations within the San Juan 28-6 Unit, the applicant presented engineering evidence and testimony which indicates that:

- c) providing notice to each interest owner within the San Juan 28-6 Unit of subsequent downhole comminglings is unnecessary and is an excessive burden on the applicant:
- d) the downhole commingling of wells within the San Juan 28-6 Unit Area will benefit working, royalty, and overriding royalty interest owners. In addition, the downhole commingling of wells within the San Juan 28-6 Unit should not violate the correlative rights of any interest owner:
- e) no interest owner appeared at the hearing in opposition to the establishment of a "reference case" or administrative procedure for notice.
- (14) An administrative procedure should be established within the San Juan 28-6 Unit for obtaining approval for subsequent downhole commingled wells without notice to Unit interest owners, provided however that, all other provisions contained within Division Rule No. 303.C. are complied with.
- (15) Approval of the proposed "reference cases" for marginal economic criteria, pressure criteria, allocation formulas and notice will lessen the burden on the applicant insofar as providing the data required pursuant to Division Rule No. 303.D. and Form C-107-A, will provide the applicant a streamlined method for obtaining downhole commingling approvals within the San Juan 28-6 Unit, and will not violate correlative rights.

IT IS THEREFORE ORDERED THAT:

(1) The application of Burlington Resources Oil & Gas Company to establish a "reference case" for (a) marginal economic criteria. (b) pressure criteria. (c) allocation formulas and (d) modification of notification rules on a unit-wide basis for downhole commingling of Dakota. Mesaverde. Fruitland Coal and Pictured Cliffs gas production within existing or future drilled wells within the San Juan 28-6 Unit. San Juan County, New Mexico, is hereby approved.