DISTRICT I

P.O. Box 1980, Hobbs, NM 88241-1980

DISTRICT II

811 South First St., Artesia, NM 88210-2835

DISTRICT III 1000 Rio Brazos Rd, Aztec, NM 87410-1693

SIGNATURE:

TYPE OR PRINT NAME: Dan Voecks

State of New Mexico Energy, Minerals and Natural Resources Department

#### OIL CONSERVATION DIVISION

2040 S. Pacheco Santa Fe, New Mexico 87505-6429

APPLICATION FOR DOWNHOLE COMMINGLING

APPROVAL PROCESS:

\_X\_ Administrative \_\_\_Hearing **EXISTING WELLBORE** 

\_\_ YES \_\_x\_ NO

Form C-107-A New 3-12-96

PO Box 4289, Farmington, NM 87499 **Burlington Resources Oil & Gas Company** 112M 08-27N-05W Rio Arriba San Juan 27-5 Unit Unit Ltr. - Sec - Two - Rge \_\_\_\_14538\_\_\_\_ Property Code \_\_\_7454\_ API NO. 30-XXX Federal x . State OGRID NO. (and/or) Fee The following facts are submitted in support of downhole commingling: intermediate Zone Basin Dakota - 71599 Blanco Mesaverde - 72319 1. Pool Name and Pool Code 2. Top and Bottom of Pay Section (Perforations) will be supplied upon completion will be supplied upon completion gas 3. Type of production (Oil or Gas) gas 4. Method of Production (Flowing or Artificial Lift) flowing flowing F. Francisco (Current) a. 524 psi (see attachment) a. 1025 psi (see attachment) 5. Bottomhole Pressure Oil Zones - Artificial Lift:
Estimated Current
Gas & Oil - Flowing:
Measured Current الا (Original) b. 1233 psi (see attachment) b. 3085 psi (see attachment) All Gas Zones: Estimated or Measured Original BTU 1118 BTU 1205 6. Oil Gravity (API) or Gas BTU Content shut in shut in 7. Producing or Shut-In? Production Marginal? (yes or no) по yes Date: n/a Date: n/a if Shut-in and oil/gas/water rates of last production Rates: Note: For new zones with no production history applicant shall be required to attach production estimates and supporting data Date: Date: n/a \* If Producing, give data and oil/gas/water water of recent test (within 60 days) Rates Rates Gas: % Gas: % 8. Fixed Percentage Allocation Formula -% for each zone (total of %'s to equal 100%) will be supplied upon completion If allocation formula is based upon something other than current or past production, or is based upon some other method, submit attachments with supporting data and/or explaining method and providing rate projections or other required data. 10. Are all working, overriding, and royalty interests identical in all commingled zones?

If not, have all working, overriding, and royalty interests been notified by certified mail?

Yes \_x\_No
Have all offset operators been given written notice of the proposed downhole commingling?

Yes \_x\_No

No 11. Will cross-flow occur? \_x\_ Yes \_ No If yes, are fluids compatible, will the formations not be damaged, will any cross-flowed production be recovered, and will the allocation formula be reliable. \_x\_ Yes \_\_\_\_No (If No, attach explanation) 12. Are all produced fluids from all commingled zones compatible with each other? \_\_x\_ Yes \_\_ No 14. If this well is on, or communitized with, state or federal lands, either the Commissioner of Public Lands or the United States Bureau of Land Management has been notified in writing of this application. \_X\_Yes \_\_\_ No 15. NMOCD Reference Cases for Rule 303(D) Exceptions: ORDER NO(S). \_\_\_Reference Order \_\_\_\_R-10694\_ attached 16. ATTACHMENTS:

" C-102 for each zone to be commingled showing its spacing unit and acreage dedication.

" Production curve for each zone for at least one year. (If not available, attach explanation.)

" For zones with no production history, estimated production rates and supporting data.

" Data to support allocation method or formula.

" Notification list of all offset operators.

" Notification list of working, overriding, and royalty interests for uncommon interest cases.

" Any additional statements, data, or documents required to support commingling.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

TITLE: Production Engineer

TELEPHONE NO.:

**DATE: 2-3-99** 

(505) 326-9700

Oistrict I PO Box 1980. Hobbs. NM 88241-1980

District II PO Drawer DD. Antesia, NM 88211-0719

District III 1000 Rio Brazos Rd., Aztec, NM 87410

District IV

88

2618.

2691.481

OIL CONSERVATION DIVISION PO Box 2088 Santa Fe, NM 87504–2088

State of New Mexico

Energy, Minerals & Natural Resources Department

Form C-10 Revised February 21, 199 Instructions on ba Submit to Appropriate District Offi State Lease - 4 Cooi Fee Lease - 3 Copi

Date of Survey


Certificate Numberores

AMENDED REPOR


		WELL			CREAGE DEDI				
'API Nun	ber		'Pool Co	Ge		'Pool Nam	е		
30-039-		7231	19/715	99 B1aı	nco Mesaver	de/Basin	Dakot	a	
¹=roperty Code				Property					1 Number
7454			5	S MAUL MAS	27-5 UNIT		-	1	12M
CGRID No.	<del> </del>			*Operator	Name			•E]	evation
14538		BURLI	NGTON	RESOURCES	OIL & GAS	COMPANY		E	633.
				<sup>10</sup> Surface					· · ·
L or lot no. Sectio	1 1	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/Net		RIO
C   B	27N	5W		665	NORTH	1655	WE:	51	ARRII
	11 B	ottom	Hole !	Location I	f Different	From Surf	ace		
L or lot no. Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/Net	st line	County
	1								
,	<sup>13</sup> Joint or Inf								
N-W/320 NO ALLOWABLE	WILL BE A	NON-S	15.32 	HIS COMPLETI UNIT HAS BE		BY THE DIVI	SION RATOR tify that the plete to the	CERTI	SOLIDATE FICATI contained here

2673.001

# San Juan 27-5 Unit #112M Expected Production Curve Mesaverde Formation



# San Juan 27-5 Unit #112M Expected Production Curve Dakota Formation



#### San Juan 27-5 Unit #112M

Bottom Hole Pressures Flowing and Static BHP Cullender and Smith Method Version 1.0 3/13/94

Mesaverde	Dakota
MV-Current	<u>DK-Current</u>
GAS GRAVITY  COND. OR MISC. (C/M)  %N2  %CO2  %H2S  DIAMETER (IN)  DEPTH (FT)  SURFACE TEMPERATURE (DEG F)  BOTTOMHOLE TEMPERATURE (DEG F)  FLOWRATE (MCFPD)  SURFACE PRESSURE (PSIA)  BOTTOMHOLE PRESSURE (PSIA)  524.3	GAS GRAVITY COND. OR MISC. (C/M) %N2 %CO2 1.27 %H2S DIAMETER (IN) DEPTH (FT) SURFACE TEMPERATURE (DEG F) BOTTOMHOLE TEMPERATURE (DEG F) SURFACE PRESSURE (PSIA)  BOTTOMHOLE PRESSURE (PSIA)  0.656 C C C M 7836 60 1.27 7837 9837 9837 9837 9837 9837 9837 983
MV-Original	<u>DK-Original</u>
GAS GRAVITY  COND. OR MISC. (C/M)  %N2  %CO2  %H2S  DIAMETER (IN)  DEPTH (FT)  SURFACE TEMPERATURE (DEG F)  BOTTOMHOLE TEMPERATURE (DEG F)  FLOWRATE (MCFPD)  SURFACE PRESSURE (PSIA)  BOTTOMHOLE PRESSURE (PSIA)  1045  BOTTOMHOLE PRESSURE (PSIA)  1233.3	GAS GRAVITY 0.656  COND. OR MISC. (C/M) C  %N2 0.18  %CO2 1.27  %H2S 0  DIAMETER (IN) 2.375  DEPTH (FT) 7837  SURFACE TEMPERATURE (DEG F) 60  BOTTOMHOLE TEMPERATURE (DEG F) 198  FLOWRATE (MCFPD) 0  SURFACE PRESSURE (PSIA) 2525

Page No.: 1
Print Time: Wed Feb 03 12:35:08 1999

Property ID: 1467
Property Name: SAN JUAN 27-5 UNIT | 53 | 53386B-1
Table Name: Q:\PUBLIC\GENTITY\GDPNOS\TEST.DBF

DATE	CUM_GAS	M SIWHP
12/02/60	0	1045.0
12/21/60	0	1044.0
09/05/61	99000	798.0
10/30/62	221000	712.0
09/27/63	294000	733.0
04/29/64	352000	702.0
05/10/65	432000	650.0
04/19/66	493000	706.0
05/16/67	561000	645.0
08/14/68	633000	624.0
06/27/69	685830	596.0
07/28/70	725921	612.0
06/21/71	772436	510.0
06/07/72	813845	577.0
07/15/74	906103	530.0
08/16/76	988058	519.0
05/02/78	1048848	505.0
07/02/80	1116478	494.0
06/05/81	1141152	493.0
06/04/82	1162538	515.0
04/18/86	1226232	501.0
09/04/89	1283340	530.0
01/24/91	1301665	518.0
09/24/91	1308522	530.0
05/31/93	1337194	452.0

#### San Juan 27-5 Unit #112M

Mesaverde Offset

Page No.: 1
Print Time: Wed Feb 03 12:35:00 1999

Property ID: 1518
Property Name: SAN JUAN 27-5 UNIT | 85 | 50639A-1
Table Name: Q:\PUBLIC\GENTITY\GDPNOS\TEST.DBF

DATE	CUM_GAS	M SIWHP
09/01/62	0	2525.0
09/18/62	0	2581.0
01/29/63	37000	1474.0
04/29/64	139000	1151.0
05/10/65	260000	1030.0
04/19/66	385000	930.0
05/16/67	507000	902.0
05/02/68	591000	937.0
08/18/69	720415	798.0
07/28/70	802423	806.0
06/21/71	891540	744.0
06/07/72	985540	807.0
08/29/73	1082639	822.0
09/04/75	1219833	726.0
06/08/77	1363330	598.0
06/06/79	1514549	621.0
06/03/81	1629678	720.0
09/19/83	1730239	811.0
11/18/85	1817641	
07/07/88	1904756	
05/29/90	1994385	
05/28/92	2042883	852.0


### San Juan 27-5 Unit #112M

**Dakota Offset** 

#### San Juan 27-5 Unit #112M

#### Blanco Mesaverde / Basin Dakota

27N - 5W - 08




#### BURLINGTON RESOURCES OIL AND GAS COMPANY

#### San Juan 27-5 Unit #112M

#### **OFFSET OPERATOR/OWNER PLAT**

### Mesaverde & Dakota Formations Commingle well

Township 27 North, Range 5 West



1) Burlington Resources

## STATE OF NEW MEXICO ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT OIL CONSERVATION DIVISION

IN THE MATTER OF THE HEARING CALLED BY THE OIL CONSERVATION DIVISION FOR THE PURPOSE OF CONSIDERING:

> CASE NO. 11626 ORDER NO. R-10694

APPLICATION OF BURLINGTON RESOURCES
OIL & GAS COMPANY FOR THE ESTABLISHMENT
OF A DOWNHOLE COMMINGLING "REFERENCE
CASE" FOR ITS SAN JUAN 27-5 UNIT PURSUANT
TO DIVISION RULE 303.E AND THE ADOPTION
OF SPECIAL ADMINISTRATIVE RULES THEREFOR.
SAN JUAN COUNTY, NEW MEXICO.

PIO ARRIBA

#### ORDER OF THE DIVISION

#### BY THE DIVISION:

This cause came on for hearing at 8:15 a.m. on October 17 and November 7, 1996, at Santa Fe. New Mexico, before Examiners David R. Catanach and Michael E. Stogner, respectively.

NOW, on this 12th day of November. 1996, the Division Director, having considered the testimony, the record and the recommendations of the Examiner, and being fully advised in the premises.

#### FINDS THAT:

- (1) Due public notice having been given as required by law, the Division has jurisdiction of this cause and the subject matter thereof.
- (2) The applicant. Burlington Resources Oil & Gas Company (Burlington), pursuant to the provisions of Division Rule 303.E., seeks to establish a downhole commingling "reference case" to provide exceptions for (a) marginal economic criteria. (b) pressure criteria. (c) allocation formulas and (d) modification of notification rules on a unit-wide basis for downhole commingling of Dakota. Mesaverde. Fruitland Coal and Pictured Cliffs gas production within existing or future drilled wells within the San Juan 27-5 Unit. San Juan County, New Mexico.
- (3) Division Rule No. 303.E., amended by Order No. R-10470-A. currently states:

"If sufficient data exists on a lease, pool, formation, geographic area, etc., so as to render it unnecessary to repeatedly provide such data on Form C-107-A, an operator may except any of the various criteria required under Paragraph 303.D, of this rule by establishing a "reference case". The Division, upon its own motion, or by application from an operator, may establish "reference cases" either administratively or by hearing. Upon Division approval of such "reference cases" for specific criteria, subsequent applications to downhole commingie (Form C-107-A) will be required only to cite the Division order number which established such exceptions and shall not be required to submit data for those criteria."

- (4) The applicant is the current operator of the San Juan 27-5 Unit which encompasses some 23.043 acres in Township 27 North, Range 5 West, NMPM, San Juan County, New Mexico.
- (5) Within the San Juan 27-5 Unit, the applicant currently operates one hundred and one (101) Basin-Dakota Gas Pool wells, one hundred and five (105) Blanco-Mesaverde Gas Pool wells, eighty-seven (87) South Blanco-Pictured Cliffs and Tapacito-Pictured Cliffs Gas Pool wells, and four (4) Basin-Fruitland Coal Gas Pool wells.
  - (6) According to its evidence and testimony, Burlington seeks to:
  - a) establish a "reference case" for marginal economic criteria in the Dakota and Pictured Cliffs formations whereby these formations and/or pools may be identified as "marginal" on Form C-107-A's subsequently filed for wells within the San Juan 27-5 Unit. The applicant further proposes that the data provided in the immediate case serve as supplemental data or confirmation that these formations and/or pools should be classified as "marginal":
  - b) establish a "reference case" for pressure criteria in the Dakota and Pictured Cliffs formations whereby the Division may utilize data provided in the immediate case to verify the pressure data provided on Form C-107-A's subsequently filed for wells within the San Juan 27-5 Unit:

- establish a "reference case" whereby the Division unitizes the data presented in the immediate case to endorse or approve certain methods of allocating production whereby the applicant need not submit additional data or justification when proposing a certain method of allocating production on Form C-107-A's subsequently filed for wells within the San Juan 27-5 Units and.
- d) establish a "reference case" or an administrative procedure for authorizing the downhole commingling of existing or future drilled wells within the San Juan 27-5 Unit without additional nonce to each affected interest owner as required by Division Rule No. 303.D.
- (7) In support of its request to except marginal economic criteria, the applicant presented geologic and engineering evidence and testimony which indicates that within the San Juan 27-5 Unit:
  - a) the structure and thickness of the Dakota and Pictured Cliffs formations are very consistent:
  - b) the average recoverable Dakota and Pictured Cliffs gas reserves underlying an undeveloped drill block are approximately 583 MMCFG and 426 MMCFG, respectively:
  - c) the average imital producing rate for a newly drilled or recompleted Dakota and Pictured Cliffs gas well is approximately 393 MCFGD and 63 MCFGD, respectively; and.
  - d) the estimated ultimate gas recoveries and initial producing rates from the Dakota and Pictured Cliffs formations are insufficient to justify drilling stand alone wells and/or dually completed wells to recover such gas reserves.
  - (8) The evidence and testimony presented by the applicant indicates that the Dakota and Pictured Cliffs formations within the San Juan 27-5 Unit should be properly classified as "marginai".
  - (9) In support of its request to except pressure criteria within the Dakota and Pictured Cliffs formations within the San Juan 27-5 Unit, the applicant presented engineering evidence and testimony which indicates that:

- a) the average shut-in bottominole pressure within the Dakota and Pictured Cliffs formations at the time of initial development were approximately 3.141 psi and 1.118 psi, respectively; and.
- b) the average current shut-in bottomhole pressure within the Dakota and Pictured Cliffs formations are approximately 1.032 psi and 441 psi, respectively.
- (10) There is sufficient pressure data available within the San Juan 27-5 Unit so as to except pressure criteria as proposed by the applicant.
- (11) The applicant testified that various allocation methods will be unliked for downhole commingled wells within the San Juan 27-5 Unit depending on the circumstances. Some of the methods and circumstances are described as follows:
  - the subtraction method will likely be utilized in those instances involving the Basin-Fruitiand Coal Gas Pool and in those instances where a zone with a well established decline rate is commingled with a newly completed zone;
  - b) a fixed allocation formula will be utilized in those instances where production history for both zones is available, or in those instances where newly completed zones are tested and stabilized flow rates obtained.
  - (12) The allocation methods proposed by the applicant are routinely utilized by industry and approved by the Division and therefore the proposal to except allocation formulas should be approved.
  - (13) In support of its request to establish a "reference case" or administrative procedure for providing notice within the San Juan 27-5 Unit the applicant presented evidence and testimony which indicates that:
    - a) the interest ownership between two zones within a given wellbore in the San Juan 27-5 Unit is generally not common:
    - b) pursuant to Division Rule No. 303.D. applicant is currently required to notify all interest owners within the San Juan 27-5 Unit every time a Form C-107-A is submitted to the Division. There is a considerable number of such interest owners within the unit:

- c) providing notice to each interest owner within the San Juan 27-5
  Unit of subsequent downnoise communitings is unnecessary and is
  an excessive burden on the applicant:
- d) the downhole commingting of wells within the San Juan 27-5 Unit Area will benefit working, royalty, and overriding royalty interest owners. In addition, the downhole comminging of wells within the San Juan 27-5 Unit should not violate the correlative rights of any interest owner:
- e) no interest owner appeared at the hearing in opposition to the establishment of a "reference case" or administrative procedure for notice.
- (14) An administrative procedure should be established within the San Juan 27-5 Unit for obtaining approval for subsequent downhole commingled wells without notice to Unit interest owners, provided however that, all other provisions contained within Division Rule No. 303.C. are complied with.
- (15) Approval of the proposed "reference cases" for marginal economic criteria, pressure criteria, allocation formulas and notice will lessen the burden on the applicant insofar as providing the data required pursuant to Division Rule No. 303.D. and Form C-107-A, will provide the applicant a streamlined method for obtaining downhole comminging approvals within the San Juan 27-5 Unit, and will not violate correlative rights.

#### IT IS THEREFORE ORDERED THAT:

(1) The application of Eurilington Resources Oil & Gas Company to establish a "reference case" for (a) marginal economic criteria. (b) pressure criteria. (c) allocation formulas and (d) modification of notification rules on a unit-wide basis for downhold comminging of Dakota. Mesaverde, Fruitiand Coal and Pictured Cliffs gas production within existing or future drilled wells within the San Juan 27-5 Unit, San Juan County New Mexico, is hereby approved.

- (2) Upon filing of Division Form No. C-107-A's for wells subsequently downhole commungled within the San Juan 27-5 Unit Area, the applicant shall not be required to submit supporting data to justify the classification of the Pictures Cliffs and Dakota formations as "marginal", supporting data to verify the Pictures Cliffs and Dakota pressure information provided, and support or justification for utilizing a given method or formula for allocation of production, provided however, in the event any of the data described above appearing on Form C-107-A appears to be beyond the data range provided in this case, the Division may require the submittal of additional supporting data.
- (3) In order to obtain Division authorization to downhole commungle wells within the San Juan 27-5 Unit, the applicant shall file a Form C-107-A with the Santa Fe and Aziec Offices of the Division. Such application shall contain all the information required under Rule No. 303.C. of the Division Rules and Regulations, provided however that the applicant shall not be required to provide notice to all interest owners within the San Juan 27-5 Unit of such proposed commingling.
- (4) Juristiction of this cause is retained for the entry of such further orders as the Division may deem necessary.

DONE at Santa Fe. New Mexico. on the day and year hereinabove designated.

STATE OF NEW MEXICO
OIL CONSERVATION DIVISION

WILLIAM I/ LEMAY

Director