#### DISTRICT I

P.O. Box 1980, Hobbs, NM 88241-1980

DISTRICT II

811 South First St., Artesia, NM 88210-2835

DISTRICT III

2040 S. Pacheco Santa Fe, New Mexico 87505-6429

Form C-107-A New 3-12-96

#### APPROVAL PROCESS:

\_X\_ Administrative \_\_\_Hearing

EXISTING WELLBORE

State of New Mexico Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION

1000 Rio Brazos Rd, Aztec, NM 87410-1693	M 87410-1693 APPLICATION FOR DOWNHOLE COMMINGLING			
Burlington Resources Oil & G	Sas Company	PO Box 4289, Farmingto	n, NM 87499	
Operator		Address		
San Juan 27-5 Unit	190M	O 25-27N-05W	Rio Arriba	_
Lease	Well No.	Unit Ltr Sec - Twp - Rge	County	
			Spacing Unit Lease Types: (check 1 or more)	
OGRID NO14538 Proper	ty Code7454 API NC	)30-XXXFederalx	, State, (and/or) Fee	

ne following facts are submitted in upport of downhole commingling:	Upper Zone	Intermediate Zone	Lower Zone
Pool Name and Pool Code	Blanco Mesaverde - 72319		Basin Dakota - 71599
Top and Bottom of Pay Section (Perforations)	will be supplied upon completion		will be supplied upon completion
Type of production (Oil or Gas)	gas	to the state of th	gas
Method of Production (Flowing or Artificial Lift)	flowing		flowing
Bottomhole Pressure  Oil Zones - Artificial Lift: Estimated Current	(Current) a. 592 psi (see attachment)	a. 19 10 10 10 10 10 10 10 10 10 10 10 10 10	a 247 psi (see attachment)
ias & Oil - Flowing: Measured Current III Gas Zones: stimated or Measured Original	(Original) b. 1326 psi (see attachment)	b. JAN 2 8 1	by 3233/psi (see attachment)
. Oil Gravity (API) or Gas BTU Content	BTU 1217	UE COE	BTU 1211
. Producing or Shut-In?	shut in		shut in
Production Marginal? (yes or no)	no		yes
If Shut-In and oil/gas/water rates of last production  be: For new zones with no production history, splicant shall be required to attach production timestes and supporting data	Date: n/a Rates:	Date: Rates:	Date: n/a Rates:
If Producing, give data and ill/gas/water water of recent test within 60 days)	Date: n/a Rates:	Date: Rates:	Date: n/a Rates:
. Fixed Percentage Allocation Formula -% for each zone (total of %'s to equal 100%)	Oil: Gas: % will be supplied upon completion	Oil: Gas: %	Oil: Gas: % will be supplied upon completion
If allocation formula is based un attachments with supporting date. Are all working, overriding, and roll foot, have all working, overridin Have all offset operators been given.	pon something other than currer a and/or explaining method and po by alty interests identical in all com g, and royalty interests been notify yen written notice of the proposed	mingled zones?  ied by certified mail?  downhole commingling? Ye	d upon some other method, some o
production be recovered, and wi	li the allocation formula be reliable	ompatible, will the formations no ex YesNo (If No, atta	ach explanation)
Are all produced fluids from all co	mmingled zones compatible with	each other?x_Yes N	0

applicant shall be required to attach production estimates and supporting data			
* If Producing, give data and	Date: n/a	Date:	Date: n/a
oil/gas/water water of recent test (within 60 days)	Rates:	Rates:	Rates:
(within 60 days)			
8. Fixed Percentage Allocation Formula -% for each zone	Oil: Gas: %	Oil: Gas: %	Oil: Gas: %
(total of %'s to equal 100%)	will be supplied upon completion		will be supplied upon completion
<ul> <li>10. Are all working, overriding, and roll frot, have all working, overriding Have all offset operators been given.</li> <li>11. Will cross-flow occur? _x production be recovered, and with the large fluids from all control of the large fluids.</li> <li>12. Are all produced fluids from all control of the large fluids.</li> <li>13. Will the value of production be determined.</li> <li>14. If this wall is on or communities.</li> </ul>	oyalty interests identical in all coming, and royalty interests been notified with military properties. The proposed Yes Noif yes, are fluids coll the allocation formula be reliable or mingled zones compatible with correased by commingling? Yes with state or federal lands, eith	mingled zones? Yes ed by certified mail? Yes downhole commingling?x_Yes mpatible, will the formations notx_YesNo (If No, atta each other?x_YesNo sx_No (If Yes, attach explanter the Commissioner of Public Lie	s_x_No s_x_No s_x_No sNo be damaged, will any cross-flowed ch explanation)
Land Management has been notif	ied tu muttud of this abblication: -	A163 NO	
15. NMOCD Reference Cases for Rule	303(D) Exceptions: ORDER NO(S	S)Reference OrderR-1069	attacheu
* Production curve for c * For zones with no pro * Data to support alloca	be commingled showing its space each zone for at least one year. (If duction history, estimated produc- tion method or formula. offset operators. rking, overriding, and royalty intersents, data, or documents required	not available, attach explanation.) tion rates and supporting data.	
I hereby certify that the informa	tion above is true and comple	ete to the best of my knowled	ge and belief.
SIGNATURE:	TITLE: Prod	uction Engineer DATE: 1	-25-99
TYPE OR PRINT NAME: Dan	Voecks TELEPHON	E NO.: (505) 326-9700	

Oistrict I PO Box 1980, Hobbs, NM 88241-1980

District II PO Drawer DD. Antesia, NM 88211-0719

District III 1000 Rio Brazos Ad., Aztec. NM 87410

District IV PO Box 2088, Santa Fe, NM 87504-2088

'API Number

State of New Mexico Energy, Minerals & Natural Resources Department

Revised February 21. Instructions on Submit to Appropriate District O:

3Pool Name

State Lease - 4 Cc Fee Lease - 3 Cc

Form C

OIL CONSERVATION DIVISION PO Box 2088 Santa Fe, NM 87504-2088


AMENDED REP(

#### WELL LOCATION AND ACREAGE DEDICATION PLAT


\*Pool Code

	API NUMBER					POUT CODE								
	0-039		_	1 -	723	19/715	99	Bla	nco Mesave	erde	/Basin	Dakot	a	
	roperty Co	ode	³Property Name SAN JUAN 27-5 UNIT						Well Number					
/	454					5	AN JUA	4N 5	/-5 UNII		_			190M
,	OGRID No							erator						levat 100
1	4538			BUF	RLI	NGTON	RESOU	RCES	OIL & GAS	s cc	IMPANY		,	7163
<u> </u>	<del>4.7.70</del>		· · · · ·			1	O Surfa	ace	Location		-			
UL OF	lot no.	Section	Townshap	Ran	nge	Lot Idn	Feet from	n the	North/South line	Fe	et from the	East/Wes	t line	RIC
	0	25	27N	5	N		103	5	SOUTH		1705	EAS	ST	ARRI
			11 🖯	ott	.om	Hole L	ocatio	n I	f Different	Fr	om Surf	ace		<u>, , , , , , , , , , , , , , , , , , , </u>
UL or	lot no.	Sect ion	Townshap	Ran	nge	Lot Idn	Feet from	n the	North/South line	Fe	et from the	East/Wes	t line	County
MV Degic	- E/3	20	13 Joint or In	fill	14 Conec	olidation Code	<sup>15</sup> Order	No.						
	- E/3													
NO	ALLOWA	BLE W	ILL BE A	ASSI	GNE	O TO TH	S COMP	LETIC	ON UNTIL ALL	INT	ERESTS H	AVE BE	EN CON	NSOLIDAT
			OR A	NON	√ST	ANDARD	UNIT HA	AS BE	EN APPROVED	BY	THE DIVI	SION		
16		2638	. 68 '				2	638	. 68					FICAT
			I			1			1		I hereby cent	ify that the plete to the t	information cest of my	n contained her- knowjedge and :
						ı								
			1								İ			
			-											
				·										
. 56			<u> </u>				<del></del>			$\perp$	↓			
84	नि		16. 7. 7. 7						'		Signatur	e		
258	Int		臨市場	-			NM	SF-C	79492		Peggy		ield	
	Ш	18 1	j						1		Printed		A 1-:	
		ي, ٻخ ل	Z {   190	e,	· .						Regula Title	atory	Admi	nistra
		7 -	ļ.			11			T t		litte			
	\-					_ '_			İ	. 4	Date			
			1 -3		_ '	25=			η	.08		EVOD (	COTT	CTCAT
			1						; ]	96	18 SURV	ify that the	well locat	FICAT] Son snown on t
										51	or under my	from field not supervision, a	tes of actual no that the heliaf	e) surveys made e same 16 true
			1		٠.			ł			Correct to 0	e Dest UI my	Deller.	
									il					
1.						NMS	F-079	493			AUG	UST 1	2, 19	98
78						<b>!</b>					Date of	Survey		
1						<del> -</del>					Signature and	Seal of Page	-20	
2661							9	<del></del>	1705'		4	/3E/	WEL	TANDO
26			1			'	1	Ì	1			W/W	MET	2/201-
							Ū.				A	2/2/	6.85 P	9
							035'				1//			
			t t			I	2		1			KARK (	20	15
					534	40.06					Certific	ata an	ber	MAL

# San Juan 27-5 Unit #190M Expected Production Curve Mesaverde Formation



# San Juan 27-5 Unit #190M Expected Production Curve Dakota Formation



#### San Juan 27-5 Unit #190M

Bottom Hole Pressures Flowing and Static BHP

Cullender and Smith Method Version 1.0 3/13/94

Mesaverde	Dakota				
MV-Current	<u>DK-Current</u>				
GAS GRAVITY  COND. OR MISC. (C/M)  %N2  0.18  %CO2  0.77  %H2S  0  DIAMETER (IN)  DEPTH (FT)  SURFACE TEMPERATURE (DEG F)  BOTTOMHOLE TEMPERATURE (DEG F)  FLOWRATE (MCFPD)  SURFACE PRESSURE (PSIA)  BOTTOMHOLE PRESSURE (PSIA)  591.6	GAS GRAVITY COND. OR MISC. (C/M) %N2 %CO2 1.01 %H2S DIAMETER (IN) DEPTH (FT) SURFACE TEMPERATURE (DEG F) BOTTOMHOLE TEMPERATURE (DEG F) SURFACE PRESSURE (PSIA)  BOTTOMHOLE PRESSURE (PSIA)  842.7				
MV-Original	DK-Original				
GAS GRAVITY  COND. OR MISC. (C/M)  %N2  0.18  %CO2  0.77  %H2S  0 DIAMETER (IN)  DEPTH (FT)  SURFACE TEMPERATURE (DEG F)  BOTTOMHOLE TEMPERATURE (DEG F)  FLOWRATE (MCFPD)  SURFACE PRESSURE (PSIA)  0.713  C  0.713  C  0.713  C  0.713  C  0.77  60  137  5697  137  FLOWRATE (MCFPD)  0  SURFACE PRESSURE (PSIA)  1325.8	GAS GRAVITY COND. OR MISC. (C/M) %N2 %CO2 1.01 %H2S 0 DIAMETER (IN) DEPTH (FT) SURFACE TEMPERATURE (DEG F) BOTTOMHOLE TEMPERATURE (DEG F) FLOWRATE (MCFPD) SURFACE PRESSURE (PSIA)  BOTTOMHOLE PRESSURE (PSIA) 3232.8				

Page No.: 5

Print Time: Tue Jan 19 16:34:07 1999

Property ID: 1426

Property Name: SAN JUAN 27-5 UNIT | 28 | 53358B-1 Table Name: Q:\PUBLIC\GENTITY\GDPNOS\TEST.DBF

DATE	CUM GAS	M SIWHP
08/04/58	0	1120.0
08/27/58	0	1119.0
09/22/59	57000	806.0
05/29/60	93000	727.0
05/28/61	130000	714.0
03/07/62	145000	773.0
04/12/63	163000	781.0
05/07/64	178000	762.0
05/10/65	193000	755.0
04/19/66	225000	637.0
05/16/67	255000	571.0
05/02/68	274000	608.0
08/28/70	310451	612.0
11/09/70	312556	629.0
04/08/71	318185	606.0
08/09/72	336882	578.0
12/06/83	485355	561.0
10/20/86	513366	
09/08/89	538192	
05/06/91	554109	521.0
05/20/91	554067	509.0

#### San Juan 27-5 Unit #190M

Mesaverde Offset

Page No.: 2

Print Time: Tue Jan 19 16:34:06 1999

Property ID: 1349

Property Name: SAN JUAN 27-5 UNIT | 127 | 52254A-1 Table Name: Q:\PUBLIC\GENTITY\GDPNOS\TEST.DBF

	CUM GAS	
*************		11 T . 1111
	••••••• Martine	PC 1
	Mcf	FDL

***************************************	MCL	PSI	
06/29/71	0	2584.0	
11/03/71	72220	1271.0	
08/09/72	185466	1009.0	
02/10/73	227761	1104.0	
08/20/73	275222	1040.0	
12/10/73	300936	1104.0	
06/24/75	446244	747.0	
08/08/77	631469	768.0	
09/27/79	788561	753.0	
04/20/81	907623	747.0	
09/21/83	1045015	882.0	
11/05/85	1125918	989.0	
06/05/86	1169778	771.0	
10/11/88	1278827	828.0	
06/29/90	1347521	827.0	
06/17/94	1538436	690.0	

#### San Juan 27-5 Unit #190M


Dakota Offset

#### BURLINGTON RESOURCES OIL AND GAS COMPANY

### OFFSET OPERATOR \ OWNER PLAT San Juan 27-5 Unit #190M

## Mesaverde/Dakota Formations Commingled well

**Township 27 North, Range 5 West** 



1) Burlington Resources

San Juan 27-5 Unit #190M 27N - 5W - 25

<b>83</b> ⁴⁵		⊕ ?7v sec.⊠	61⊕223	S2A ⊕	**************************************	ME 25A 25A 25A	23A 110E 110 250 C 250 250 250 250 250 250 250 250 250 250	**************************************
82 45 ∰∰ °	6 Seal Seal M	5 88 9	78E SIA 283 (8) P	***	4 P <sup>60A</sup> 808 1  808 E⊠	3 100E 68 278 25 84 69 20 P		1 100 SE PA'85
128M M (25)	<b>∞</b>	i.	250 PO	<b>, 644</b>	ES ESS⊕ <sup>2</sup> x <sub>g</sub>	11.3E 11.3E 101A 2E		104M R
	7 COM (SE)	112 8	70u 88	<b>2</b> 4	9 \$28 8894 \$32 11	10 10 10 10 10 10 10 10 10 10 10 10 10 1	11 105 23 26 M	12 102 103 103 104 105 105 105 105 105 105 105 105 105 105
153m 22 m	18 1376 1376	1 3 參図 123	24 114 <b>⊕</b> ⊠	253 <sup>404</sup> 253 <sup>40</sup> 253 <sup>40</sup> 251 <sup>5</sup>	38 p 99 16 22 00 90M 22 M	95 96 98 98 98 98 98 98 98 98 98 98 98 98 98	₩ <b>250</b> 14	13 (%) 29 (10)
19 133 <b>69</b> 283 P	50 138 P 1386 1386	1300d 556 130 20 556 69 <sup>19</sup>	137 377 256 89 377 13704 250 M	125 <b>33</b> P	122 35 30 p	22 118 22 118 28 23	23 120M 23 120M 253	24 116 139 24
30 30 34 34 34 34	13 164 ∰ ∰	165a 29	4 140 (523) P-PA	28 51 P 223 121	i	27 28 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	1300E 1300  SSS 23  26  27  88	25
31 35 35 36 37 38 30 30 30	67A	p∰ <sup>8A</sup> 32 .		\$ 35A \$ 35A \$ 35 \$ 3	142 🖼 🍪 58	58A 5 143 34 170 56 55 P	20 145 P 35	36 146 146 148

# STATE OF NEW MEXICO ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT OIL CONSERVATION DIVISION

IN THE MATTER OF THE HEARING CALLED BY THE OIL CONSERVATION DIVISION FOR THE PURPOSE OF CONSIDERING:

CASE NO. 11626 ORDER NO. R-10694

APPLICATION OF BURLINGTON RESOURCES
OIL & GAS COMPANY FOR THE ESTABLISHMENT
OF A DOWNHOLE COMMINGLING "REFERENCE
CASE" FOR ITS SAN JUAN 27-5 UNIT PURSUANT
TO DIVISION RULE 303.E AND THE ADOPTION
OF SPECIAL ADMINISTRATIVE RULES THEREFOR.
SAN JUAN COUNTY, NEW MEXICO.

PIO ARRIBA

### ORDER OF THE DIVISION

#### BY THE DIVISION:

This cause came on for hearing at 8:15 a.m. on October 17 and November 7, 1996, at Santa Fe, New Mexico, before Examiners David R. Catanach and Michael E. Stogner, respectively.

NOW, on this 12th day of November. 1996, the Division Director, having considered the testimony, the record and the recommendations of the Examiner, and being fully advised in the premises.

#### FINDS THAT:

- (1) Due public notice having been given as required by law, the Division has jurisdiction of this cause and the subject matter thereof.
- pursuant to the provisions of Division Rule 303.E., seeks to establish a downhole comminging "reference case" to provide exceptions for (a) marginal economic criteria. (b) pressure criteria. (c) allocation formulas and (d) modification of notification rules on a unit-wide basis for downhole commingling of Dakota. Mesaverde. Fruitland Coal and Pictured Cliffs gas production within existing or future drilled wells within the San Juan 27-5 Unit. San Juan County, New Mexico.
  - (3) Division Rule No. 303.E., amended by Order No. R-10470-A. currently states:

"If sufficient data exists on a lease, pool, formation, geographic area, etc., so as to render it unnecessary to repeatedly provide such data on Form C-107-A, an operator may except any of the various criteria required under Paragraph 303.D, of this rule by establishing a "reference case". The Division, upon its own motion, or by application from an operator, may establish "reference cases" either administratively or by hearing. Upon establish "reference cases" for specific criteria. Division approval of such "reference cases" for specific criteria, subsequent applications to downhole commingle (Form C-107-A) will be required only to cite the Division order number which established such exceptions and shall not be required to submit data for those criteria.

- (4) The applicant is the current operator of the San Juan 27-5 Unit which encompasses some 23.043 acres in Township 27 North, Range 5 West, NMPM. San Juan County, New Mexico.
- (5) Within the San Juan 27-5 Unit, the applicant currently operates one hundred and one (101) Basin-Dakota Gas Pool wells, one hundred and five (105) Blanco-Mesaverde Gas Pool wells, eighty-seven (87) South Blanco-Pictured Cliffs and Tapacito-Pictured Cliffs Gas Pool wells, and four (4) Basin-Fruitland Coal Gas Pool wells.
  - (6) According to its evidence and testimony, Burlington seeks to:
  - establish a "reference case" for marginal economic criteria in the Dakota and Pictured Cliffs formations whereby these formations and/or pools may be identified as "marginal" on Form C-107-A's subsequently filed for wells within the San Juan 27-5 Unit. The applicant further proposes that the data provided in the immediate case serve as supplemental data or confirmation that these formations and/or pools should be classified as "marginal";
    - b) establish a "reference case" for pressure criteria in the Dakota and Pictured Cliffs formations whereby the Division may utilize data provided in the immediate case to verify the pressure data provided on Form C-107-A's subsequently filed for wells within the San Juan 27-5 Unit:

- establish a "reference case" whereby the Division unitizes the data presented in the immediate case to endorse or approve certain methods of allocating production whereby the applicant need not submit additional data or justification when proposing a certain method of allocating production on Form C-107-A's subsequently filed for wells within the San Juan 27-5 Unit; and.
  - d) establish a "reference case" or an administrative procedure for authorizing the downhole comminging of existing or future drilled wells within the San Juan 27-5 Unit without additional nonce to each affected interest owner as required by Division Rule No. 303.D.
- (7) In support of its request to except marginal economic criteria, the applicant presented geologic and engineering evidence and testimony which indicates that within the San Juan 27-5 Unit:
  - a) the structure and thickness of the Dakota and Pictured Cliffs formations are very consistent:
  - b) the average recoverable Dakota and Pictured Cliffs gas reserves underlying an undeveloped drill block are approximately 583 MMCFG and 426 MMCFG, respectively;
  - c) the average initial producing rate for a newly drilled or recompleted Dakota and Pictured Cliffs gas well is approximately 393 MCFGD and 63 MCFGD, respectively; and.
  - d) the estimated ultimate gas recoveries and initial producing rates from the Dakota and Pictured Cliffs formations are insufficient to justify drilling stand alone wells and/or dually completed wells to recover such gas reserves.
  - (8) The evidence and testimony presented by the applicant indicates that the Dakota and Pictured Cliffs formations within the San Juan 27-5 Unit should be properly classified as "marginal".
  - (9) In support of its request to except pressure criteria within the Dakota and Pictured Cliffs formations within the San Juan 27-5 Unit, the applicant presented engineering evidence and testimony which indicates that:

- a) the average shut-in bottomhole pressure within the Dakota and Pictured Cliffs formations at the time of initial development were approximately 3.141 psi and 1.118 psi, respectively; and
- b) the average current shut-in bottomhole pressure within the Dakota and Pictured Cliffs formations are approximately 1.032 ps; and 441 psi, respectively.
- (10) There is sufficient pressure data available within the San Juan 27-5 Unit so as to except pressure criteria as proposed by the applicant.
- (11) The applicant testified that various allocation methods will be unifized for downhole commingled wells within the San Juan 27-5 Unit depending on the circumstances. Some of the methods and circumstances are described as follows:
  - a) the subtraction method will likely be utilized in those instances involving the Basin-Fruitland Coal Gas Pool and in those instances where a zone with a well established decline rate is commingled with a newly completed zone:
  - b) a fixed allocation formula will be utilized in those instances where production history for both zones is available, or in those instances where newly completed zones are tested and stabilized flow rates obtained.
  - (12) The allocation methods proposed by the applicant are routinely utilized by industry and approved by the Division and therefore the proposal to except allocation formulas should be approved.
  - (13) In support of its request to establish a "reference case" or administrative procedure for providing notice within the San Juan 27-5 Unit the applicant presented evidence and testimony which indicates that:
    - a) the interest ownership between two zones within a given wellbore in the San Juan 27-5 Unit is generally not common:
    - b) pursuant to Division Rule No. 303.D., applicant is currently required to notify all interest owners within the San Juan 27-5 Unit every time a Form C-107-A is submitted to the Division. There is a considerable number of such interest owners within the unit:

- providing notice to each interest owner within the San Juan 27-5
  Unit of subsequent downhole communitings is unnecessary and is an excessive burden on the applicant:
- d) the downhole commingling of wells within the San Juan 27-5 Unit Area will benefit working, royalty, and overriding royalty interest owners. In addition, the downhole commingling of wells within the San Juan 27-5 Unit should not violate the correlative rights of any interest owner:
  - e) no interest owner appeared at the hearing in opposition to the establishment of a "reference case" or administrative procedure for notice.
- (14) An administrative procedure should be established within the San Juan 27-5 Unit for obtaining approval for subsequent downhole commingled wells without notice to Unit interest owners, provided however that, all other provisions commined within Division Rule No. 303.C. are complied with.
- pressure criteria, allocation formulas and notice will lessen the burden on the applicant pressure criteria, allocation formulas and notice will lessen the burden on the applicant insofar as providing the data required pursuant to Division Rule No. 303.D. and Form C-107-A, will provide the applicant a streamlined method for obtaining downhole comminging approvals within the San Juan 27-5 Unit, and will not violate correlative rights.

### IT IS THEREFORE ORDERED THAT:

(1) The application of Burlington Resources Oil & Gas Company to establish a "reference case" for (a) marginal economic criteria. (b) pressure criteria. (c) allocation formulas and (d) modification of notification rules on a unit-wide basis for downhold commingling of Dakota. Mesaverde. Fruitland Coal and Pictured Cliffs gas production within existing or future drilled wells within the San Juan 27-5 Unit. San Juan County New Mexico, is hereby approved.

- downhole commungied within the San Juan 27-5 Unit Area, the applicant shall not be required to submit supporting data to justify the classification of the Pictured Cliffs and Dakota formations as "marginal", supporting data to verify the Pictured Cliffs and Dakota pressure information provided, and support or justification for utilizing a given method or formula for allocation of production, provided however, in the event any of the data formula for allocation of Form C-107-A appears to be beyond the data range provided in this case, the Division may require the submittal of additional supporting data.
  - (3) In order to obtain Division authorization to downhole commungle weils within the San Juan 27-5 Unix, the applicant shall file a Form C-107-A with the Santa Fe and Aztec Offices of the Division. Such application shall contain all the information required under Rule No. 303.C. of the Division Rules and Regulations, provided however that the applicant shall not be required to provide notice to all interest owners within the San Juan 27-5 Unit of such proposed commingling.
    - (4) Jurisdiction of this cause is retained for the entry of such further orders as the Division may deem necessary.

DONE at Santa Fe. New Mexico. on the day and year hereinabove designated.

STATE OF NEW MEXICO OIL CONSERVATION DIVISION

WILLIAM J/ LEMAY

Director