#### DISTRICT !

P.O. Box 1980, Hobbs, NM 88241-1980

DISTRICT II

811 South First St., Artesia, NM 88210-2835

DISTRICT III

State of New Mexico Energy, Minerals and Natural Resources Department OIL CONSERVATION DIVISION

Form C-107-A New 3-12-96

### APPROVAL PROCESS:

\_X\_ Administrative \_\_\_Hearing

**EXISTING WELLBORE** 

Basin Dakota - 71599

### YES x NO

### 2040 S. Pacheco Santa Fe, New Mexico 87505-6429 APPLICATION FOR DOWNHOLE COMMINGLING

1000 Rio Brazos Rd, Aztec, NM 87410-1693	RIO Brazos Rd, Aztec, NM 87410-1693  APPLICATION FOR DOWNHOLE COMMINGLING				
Burlington Resources Oil & Ga	s Company	PO Box 4289, Farmingto	on, NM 87499		
Operator	<del></del>	Address			
San Juan 27-5 Unit	128M	O 27-27N-05W	Rio Arriba		
Lease	Well No.	Unit Ltr Sec - Twp - Rge	County Spacing Unit Lease Types: (check 1 or more)		
OGRID NO14538 Property	Code7454 API NO.	30-X <del>X</del> XFederalx	_, State, (and/or) Fee		
The following facts are submitted in support of downhole commingling:	n Upper Zone	Intermedia Zone	te Lower Zone		

Blanco Mesaverde - 72319

, , , , , , , , , , , , , , , , , , , ,	4		i de la companya de
Top and Bottom of Pay Section (Perforations)	will be supplied upon completion		will be supplied upon completion
3. Type of production (Oil or Gas)	gas		gas
4. Method of Production (Flowing or Artificial Lift)	flowing		flowing
Bottomhole Pressure     Oil Zones - Artificial Lift:	(Current) a. 640 psi (see attachment)	)EOULE	a. 845 psi (see attachment)
Gas & Oil - Flowing:  Measured Current All Gas Zones: Estimated or Measured Original	(Original) b. 1282 psi (see attachment)	JAN 20 503	b. 3141 psi (see attachment)
6. Oil Gravity (API) or Gas BTU Content	BTU 1215	OLL GOLD.	BTU 1136
7. Producing or Shut-In?	shut in	Bus	shut in
Production Marginal? (yes or no)	no		yes
If Shut-In and oil/gas/water rates of last production  Note: For new zones with no production history.	Date: n/a Rates:	Date: Rates:	Date: n/a Rates:
Note: For new zones with no production history, applicant shall be required to attach production estimates and supporting data			
* If Producing, give data and oll/gas/water water of recent test (within 60 days)	Date; n/a Rates:	Date: Rates:	Date: n/a Rates:
8. Fixed Percentage Allocation	Oil: Gas:	Oil: Gas:	Oil: Gas:
Formula -% for each zone (total of %'s to equal 100%)	will be supplied upon completion		will be supplied upon completion
Have all offset operators been given the second of the sec	oyalty interests identical in all coming, and royalty interests been notificated with the proposed of the proposed.  Yes No If yes, are fluids could be reliable to the proposed of the proposed.	mingled zones?Yes ed by certified mail?Yes downhole commingling?x_Yes mpatible, will the formations notxYesNo (If No, attaeach other?x_YesNo	:_xNo :_xNo :No be damaged, will any cross-flowed ch explanation)
<ol> <li>Will the value of production be de</li> <li>If this well is on, or communitize</li> </ol>	d with, state or federal lands, eith	er the Commissioner of Public La	·
Land Management has been notifi 15. NMOCD Reference Cases for Rule	ed in writing of this application	X_Yes No	
16. ATTACHMENTS:	b be commingled showing its spaci pach zone for at least one year. (If duction history, estimated product tion method or formula. offset operators. king, overriding, and royalty intere ents, data, or documents required	ng unit and acreage dedication	
I hereby certify that the informa	tion above is true and comple	te to the best of my knowled	ge and belief.
SIGNATURE:	TITLE: Prod	uction Engineer DATE: 1-	25-99

TELEPHONE NO.:

TYPE OR PRINT NAME: Dan Voecks

(505) 326-9700

Oistrict I PO 8c% 1980, Hobbs, NM 88241-1980

District II PO Drawer CC, Artesia, NM 88211-0719

District III 1000 Rio Brazos Ad., Aztec, NM 87410

District IV PO Box 2088. Santa Fe, NM 87504-2088 State of New Mexico Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION PO Box 2088 Santa Fe, NM 87504-2088 Form C-Revised February 21, 1 Instructions on C it to Appropriate District Of


Submit to Appropriate District Of-State Lease - 4 Cor Fee Lease - 3 Cor

AMENDED REPO


### WELL LOCATION AND ACREAGE DEDICATION PLAT

	1,	API Numbe	<u> </u>		*Pool C	nde			Pool Nami	е	
30	- -039-		72319/71599 Blanco Mesaverde/								
	Property		<del></del>	1,743	19//1	. <u>599   BI</u> Propert	<u>anco Mesav</u> Ly Name	erde	/Basin	Dakota	Well Number
74	54					SAN JUAN	27-5 UNIT				128M
ļ. —	'OGRID I	No.				*Operato	or Name				*Elevation
1 /4	538			BURLI	NGTON	I RESOURCE	S OIL & GA	s co	MPANY		6602
						<sup>10</sup> Surface	Location				
u. c	r lat na.	Section	Township	Range	Lot Idn	Feet from the	North/South line	- 1	et from the	East/West line	County
	0	27	27N	5W		810	SOUTH		1850	EAST	ARRIE
			11 E	Bottom	Hole	Location	If Differen		om Surf		
UL (	or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Fe	et from the	East/West line	County
L						16					
M♥	Al T	294.6	<sup>13</sup> Joint or In	nfill "Cons	olidation Co	ode <sup>15</sup> Order No.					
	<u>-S/31</u>										
NC	) ALLOW	NABLE W	ILL BE OR A	ASSIGNE NON-ST	T OT C	HIS COMPLET UNIT HAS E	ION UNTIL AL BEEN APPROVEI	_ INT	ERESTS H THE DIVI	AVE BEEN C SION	CONSOL IDATE
16				527	1.42						TIFICATI
			1	02.					I hereby cent true and com	tify that the informe plete to the best of	ition contained here: my knowledge and be
l	4	••		3	İ	2	1		ĺ		
	4			J ,		_	+				
					À	NMSE	-079403				
98		1 1 1	1.1	i komist St <u>a</u>	9	MMOE	1				
0	- —	100	7.7.2	- <del></del>					Signatur	`e	
28		NMSF-	079394	ts st	.; 'I		1		Peggy	Bradfie	ld
2		$(\widehat{a})^{k} \otimes (\widehat{a})^{k} \otimes ($	4	o ELL	.0				Printed	Name	
	5			ං <b>ච</b> ි	1	7	8			<u>atory Adr</u>	<u>ministra</u>
			1						Title		
								26	Date		
<u></u>			<u> </u>	_=	27	<u> </u>	<u> </u>	ري. — در	18 SURV	EYOR CER	TIFICATI
							İ	79	I hereby cer	tify that the well h	ocation shown on th:
							1	4	or under my correct to t	supervision, and that he best of my belief	the same is true a
			İ			10	9				
							I		. 11 11	Y 28, <u>19</u>	98
4		NMSF-	079394			NMSF	-079403		Date of		
					┼-	<del></del>	- +	- —	Signature an	Sen C. EDT	Strata
173									/.	Survey SMEX	182
25						A	1850'		<u> </u>		200
						11	13			1/2/88 \$ 7)	205
						Ö	1	-			7 E 1
			1	E 4		ā			12		137
				54	12.00	·			] Cert(ifi	Number Number	MAY

## San Juan 27-5 Unit #128M Expected Production Mesaverde Formation



# San Juan 27-5 Unit #128M Expected Production Dakota Formation



### San Juan 27-5 Unit #128M

Bottom Hole Pressures Flowing and Static BHP Cullender and Smith Method Version 1.0 3/13/94

Mesaverde	Dakota				
MV-Current	DK-Current				
GAS GRAVITY COND. OR MISC. (C/M) %N2 %CO2 0.19 %CO2 0.68 %H2S 0 DIAMETER (IN) 2 DEPTH (FT) 5433 SURFACE TEMPERATURE (DEG F) BOTTOMHOLE TEMPERATURE (DEG F) 137 FLOWRATE (MCFPD) 0 SURFACE PRESSURE (PSIA)  BOTTOMHOLE PRESSURE (PSIA) 639.7	GAS GRAVITY COND. OR MISC. (C/M) %N2 %CO2 1.06 %H2S DIAMETER (IN) DEPTH (FT) SURFACE TEMPERATURE (DEG F) BOTTOMHOLE TEMPERATURE (DEG F) FLOWRATE (MCFPD) SURFACE PRESSURE (PSIA)  BOTTOMHOLE PRESSURE (PSIA)  845.1				
MV-Original	<u>DK-Original</u>				
GAS GRAVITY  COND. OR MISC. (C/M)  %N2  0.19  %CO2  0.68  %H2S  0  DIAMETER (IN)  DEPTH (FT)  SURFACE TEMPERATURE (DEG F)  BOTTOMHOLE TEMPERATURE (DEG F)  FLOWRATE (MCFPD)  SURFACE PRESSURE (PSIA)  BOTTOMHOLE PRESSURE (PSIA)  1093  BOTTOMHOLE PRESSURE (PSIA)	GAS GRAVITY COND. OR MISC. (C/M) %N2 0.15 %CO2 1.06 %H2S 0 DIAMETER (IN) DEPTH (FT) SURFACE TEMPERATURE (DEG F) BOTTOMHOLE TEMPERATURE (DEG F) FLOWRATE (MCFPD) SURFACE PRESSURE (PSIA)  BOTTOMHOLE PRESSURE (PSIA)  3140.7				

Q:\AREA\IMVPUD\COMGLS\BHP.xls

Page No.: 5

Print Time: Wed Jan 20 09:00:10 1999

Property ID: 1423

Property Name: SAN JUAN 27-5 UNIT | 27 | 53357A-1 Table Name: Q:\PUBLIC\GENTITY\GDPNOS\TEST.DBF

	CUM_GAS Mcf		
06/24/57	0	1093.0	San Juan 27-5 Unit #128
07/23/57	0	1163.0	Odir oddir Er o Olik ii TEK
01/15/58		616.0	Mesaverde Offset
08/29/58		895.0	Wesaverde Shiset
09/22/59		778.0	
03/06/60		768.0	
10/28/61		828.0	
08/06/62	80000	848.0	
04/19/63	84000	856.0	
08/27/64	98000	771.0	
05/10/65	105000	736.0	
04/19/66	119000	682.0	
08/04/67	132000	670.0	
05/02/68	140000	639.0	
08/28/70	165199	593.0	
04/08/71		572.0	
08/09/72		544.0	
12/06/83	266614	567.0	
04/18/86	276912	604.0	
09/08/89	293893	604.0	
07/16/91	304965	542.0	
07/31/91	304965	554.0	

Page No.: 2

Print Time: Wed Jan 20 09:00:10 1999


Property ID: 1352
Property Name: SAN JUAN 27-5 UNIT | 129 | 52396A-1
Table Name: Q:\PUBLIC\GENTITY\GDPNOS\TEST.DBF

DATE	CUM_GAS		
05/28/71	0	2570.0	San Juan 27-5 Unit #128M
11/03/71	71177	1291.0	Dakota Offset
08/09/72	151098	966.0	
05/16/73	207918	857.0	
06/24/75	342968	764.0	
08/08/77	455648	747.0	
05/02/79	538796	760.0	
04/20/81	620276	821.0	
09/21/83	703547	782.0	
11/18/85	780137	747.0	
10/13/88	870347	962.0	
05/29/90	932077	802.0	
07/02/92	987509	705.0	

#### BURLINGTON RESOURCES OIL AND GAS COMPANY

## San Juan 27-5 Unit #128M OFFSET OPERATOR/OWNER PLAT Down-hole Commingle

### Mesaverde (E/2) / Dakota (S/2) Formations Well



1) Burlington Resources

### San Juan 27-5 Unit #128M Blanco Mesaverde / Basin Dakota

27N	-	5W	-	27
-----	---	----	---	----

<b>⊗</b> 45∧ c	** SS & SSA	61 (## EEE	52A ₽	1E 50	<sup>84€</sup> ⊠⊜ <sup>25A</sup>	109	23A 110E C	110 200	or edita Maraby € r	106 <b>6</b>
6 82 45 ∰∰9 P	500 80 82 83 9 53 90 p	5 76€ 51A 8⊠ ∰	`⊕ <sub>23</sub> ⊠	4 p⊗ 80A 1 1 53 53 53 53 53 53 53 53 53 53 53 53 53	1	3 218 28 9	23 📆 111	· 2	100 = 22 100 = 22 100 = 22 100 = 22 100 = 22	10 (23) M
1266 M (25)	₩ ₩	883 <sup>70</sup>	p 64A	ss SSSS ² <sub>Yg</sub>	113E (5) (23) 1138 M	113 101A 🔀	₩ 99E	14 99	104M	104
7 69 N	M ESS ESS 112	8 3 <b>20</b>	85 64 p 64	9 \$2 <sup>28</sup> *****	101 (113A 113C (113A	1018 1018 101E	105 833 M	11 105M ESS M	12 102 103 1002	<u>.</u> 6
163m 88 m 63 88 47 18 1378 63 88 89 88 69	49 A A A A A A A A A A A A A A A A A A A	24 114 <b>※</b> ⊠	83 40 M M M M M M M M M M M M M M M M M M	16 23 90 90M 23 M	96 SS 196 106E	99E 33 M 15 D PA'96 53 106	98 23 M 96E 23	103 6 14 103E	57 23 34 13 4 17 24 24 24 24 24 24 24 24 24 24 24 24 24	•
133 \$ 138 19 133 \$ 138	- 82			122 30 30 p	117M SSS M	9 117 9 11 99 2	115M M 120 SS 639 16	115 (23) 10 10 23 120M MSS	24 \$28 \$3	31 116 20 P
34A ⊗ 34A 30	184 165 <u>1</u>	140 \$22 P-PA	28	71 88 124			130£	130 130	<b>⊠</b> <sup>12Æ</sup>	z ∰ ∰ 18
141 34	165	29	51 P 221	et 143	128 88	*128M	129 27 😂		≥ 26 ≥ 26	110-1800
31 89 <sup>57A</sup> 89 <sup>67A</sup>	5 p⊕ th.	32 .	, <b>®</b> 35 <b>A</b>	142 🔀 🍪 p	56A 689 730 34	5 2 143	3 12	20 145 P <b>32</b>	36 ★18 ₩-₽A	36 ∰ P-464.

### STATE OF NEW MEXICO ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT OIL CONSERVATION DIVISION

IN THE MATTER OF THE HEARING CALLED BY THE OIL CONSERVATION DIVISION FOR THE PURPOSE OF CONSIDERING:

CASE NO. 11626 ORDER NO. R-10694

APPLICATION OF BURLINGTON RESOURCES
OIL & GAS COMPANY FOR THE ESTABLISHMENT
OF A DOWNHOLE COMMINGLING "REFERENCE
CASE" FOR ITS SAN JUAN 27-5 UNIT PURSUANT
TO DIVISION RULE 303.E AND THE ADOPTION
OF SPECIAL ADMINISTRATIVE RULES THEREFOR.
SAN JUAN COUNTY, NEW MEXICO.

PIO ARRIBA

### ORDER OF THE DIVISION

#### BY THE DIVISION:

This cause came on for hearing at 8:15 a.m. on October 17 and November 7, 1996, at Sama Fe. New Mexico. before Examiners David R. Catanach and Michael E. Stogner, respectively.

NOW, on this 12th day of November, 1996, the Division Director, having considered the testimony, the record and the recommendations of the Examiner, and being fully advised in the premises.

### FINDS THAT:

- (1) Due public notice having been given as required by law, the Division has jurisdiction of this cause and the subject matter thereof.
- pursuant to the provisions of Division Rule 303.E., seeks to establish a downnoise communging "reference case" to provide exceptions for (a) marginal economic criteria. (b) pressure criteria. (c) allocation formulas and (d) modification of notification rules on a unit-wide basis for downnoise commingling of Dakota. Mesaverde. Fruitland Coal and Pictured Cliffs gas production within existing or future drilled wells within the San Juan 27-5 Unit. San Juan County, New Mexico.
- (3) Division Rule No. 303.E., amended by Order No. R-10470-A. currently states:

"If sufficient data exists on a lease, pool, formation, geographic area, em., so as to render it unnecessary to repeatedly provide such data on Form C-107-A, an operator may except any of the various criteria required under Paragraph 303.D, of this rule by establishing a "reference case". The Division, upon its own motion, or by application from an operator, may establish "reference cases" either administratively or by hearing. Upon Division approval of such "reference cases" for specific criteria, subsequent applications to downhole commingie (Form C-107-A) will be required only to cite the Division order number which established such exceptions and shall not be required to submit data for those criteria."

- (4) The applicant is the current operator of the San Juan 27-5 Unit which encompasses some 23,043 acres in Township 27 North, Range 5 West, NMPM, San Juan County, New Mexico.
- (5) Within the San Juan 27-5 Unit, the applicant currently operates one hundred and one (101) Basin-Dakota Gas Pool wells, one hundred and five (105) Blanco-Mesaverde Gas Pool wells, eighty-seven (87) South Blanco-Pictured Cliffs and Tapacito-Pictured Cliffs Gas Pool wells, and four (4) Basin-Fruitland Coal Gas Pool wells.
  - (6) According to its evidence and testimony, Burlington seeks to:
  - a) establish a "reference case" for marginal economic criteria in the Dakota and Pictured Cliffs formations whereby these formations and/or pools may be identified as "marginal" on Form C-107-A's subsequently filed for wells within the San Juan 27-5 Unit. The applicant further proposes that the data provided in the immediate case serve as supplemental data or confirmation that these formations and/or pools should be classified as "marginal";
  - b) establish a "reference case" for pressure criteria in the Dakota and Pictured Cliffs formations whereby the Division may utilize data provided in the immediate case to verify the pressure data provided on Form C-107-A's subsequently filed for wells within the San Juan 27-5 Unit:

- establish a "reference case" whereby the Division unitizes the data presented in the immediate case to endorse or approve certain methods of allocating production whereby the applicant need not submit additional data or justification when proposing a certain method of allocating production on Form C-107-A's subsequently filed for wells within the San Juan 27-5 Unit: and.
  - d) establish a "reference case" or an administrative procedure for authorizing the downhole commungiting of existing or funite drilled wells within the San Juan 27-5 Unit without additional nonce to each affected interest owner as required by Division Rule No. 303.D.
- (7) In support of its request to except marginal economic criteria, the applicant presented geologic and engineering evidence and testimony which indicates that within the San Juan 27-5 Unit:
  - a) the structure and thickness of the Dakota and Pictured Cliffs formations are very consistent:
  - b) the average recoverable Dakota and Pictured Cliffs gas reserves underlying an undeveloped drill block are approximately 583 MMCFG and 426 MMCFG, respectively;
  - c) the average initial producing rate for a newly drilled or recompleted Dakota and Pictured Cliffs gas well is approximately 393 MCFGD and 63 MCFGD, respectively; and.
  - d) the estimated ultimate gas recoveries and initial producing rates from the Dakota and Pictured Cliffs formations are insufficient to justify drilling stand alone wells and/or dually completed wells to recover such gas reserves.
  - (8) The evidence and testimony presented by the applicant indicates that the Dakota and Pictured Cliffs formations within the San Juan 27-5 Unit should be properly classified as "marginal".
  - (9) In support of its request to except pressure criteria within the Dakota and Pictured Cliffs formations within the San Juan 27-5 Unit, the applicant presented engineering evidence and testimony which indicates that:

- a) the average shut-in bottomhole pressure within the Dakota and Pictured Cliffs formations at the time of initial development were approximately 3.141 psi and 1.118 psi, respectively; and.
- b) the average current shut-in bottominole pressure within the Dakota and Pictured Cliffs formations are approximately 1.032 ps1 and 441 psi, respectively.
- (10) There is sufficient pressure data available within the San Juan 27-5 Unit so as to except pressure criteria as proposed by the applicant.
- (11) The applicant testified that various allocation methods will be unliked for downhole commingled wells within the San Juan 27-5 Unit depending on the circumstances. Some of the methods and circumstances are described as follows:
  - a) the subtraction method will likely be utilized in those instances involving the Basin-Fruitland Coal Gas Pool and in those instances where a zone with a well established decline rate is commingled with a newly completed zone:
  - b) a fixed allocation formula will be utilized in those instances where production history for both zones is available, or in those instances where newly completed zones are tested and stabilized flow rates obtained.
  - (12) The allocation methods proposed by the applicant are routinely utilized by industry and approved by the Division and therefore the proposal to except allocation formulas should be approved.
  - (13) In support of its request to establish a "reference case" or administrative procedure for providing notice within the San Juan 27-5 Unit the applicant presented evidence and testimony which indicates that:
    - a) the interest ownership between two zones within a given weilbore in the San Juan 27-5 Unit is generally not common:
    - b) pursuant to Division Rule No. 303.D., applicant is currently required to nonify all interest owners within the San Juan 27-5 Unit every time a Form C-107-A is submitted to the Division. There is a considerable number of such interest owners within the unit:

- c) providing notice to each interest owner within the San Juan 27-5

  Unit of subsequent downnole communglings is unnecessary and is
  an excessive burden on the applicant:
- d) the downhole commingling of wells within the San Juan 27-5 Unit Area will benefit working, royalty, and overriding royalty interest owners. In addition, the downhole commingling of wells within the San Juan 27-5 Unit should not violate the correlative rights of any interest owner:
- e) no interest owner appeared at the hearing in opposition to the establishment of a "reference case" or administrative procedure for potice.
- (14) An administrative procedure should be established within the San Juan 27-5 Unit for obtaining approval for subsequent downhole comminged wells without notice to Unit interest owners, provided however that, all other provisions contained within Division Rule No. 303.C. are complied with.
- pressure criteria, allocation formulas and notice will lessen the burden on the applicant pressure criteria, allocation formulas and notice will lessen the burden on the applicant insofar as providing the data required pursuant to Division Rule No. 303.D. and Form C-107-A, will provide the applicant a streamlined method for obtaining downnote comminging approvals within the San Juan 27-5 Unit, and will not violate correlative rights.

### IT IS THEREFORE ORDERED THAT:

(1) The application of Burilington Resources Oil & Gas Company to establish a "reference case" for (a) marginal economic criteria. (b) pressure criteria. (c) allocation formulas and (d) modification of notification rules on a unit-wide basis for downhold commingling of Dakota. Mesaverde. Fruitiand Coal and Pictured Cliffs gas production within existing or future drilled wells within the San Juan 27-5 Unit. San Juan County New Mexico, is hereby approved.

CASE NO. 11626 Order No. R-10694 Page -6-

- downhole commungied within the San Juan 27-5 Unit Area, the applicant shall not be required to submit supporting data to justify the classification of the Pictures Cliffs and Dakota formations as "marginai", supporting data to verify the Pictures Cliffs and Dakota pressure information provided, and support or justification for utilizing a given method or formula for allocation of production, provided however, in the event any of the data described above appearing on Form C-107-A appears to be beyond the data range provided in this case, the Division may require the submittal of additional supporting data.
  - (3) In order to obtain Division authorization to downhole commingle wells within the San Juan 27-5 Unit, the applicant shall file a Form C-107-A with the Santa Fe and Aziec Offices of the Division. Such application shall contain all the information required under Rule No. 303.C. of the Division Rules and Regulations, provided however that the applicant shall not be required to provide notice to all interest owners within the San Juan 27-5 Unit of such proposed commingling.
    - (4) Jurisdiction of this cause is retained for the entry of such further orders as the Division may deem necessary.

DONE at Santa Fe. New Mexico, on the day and year hereinabove designated.

STATE OF NEW MEXICO OIL CONSERVATION DIVISION

WILLIAM J/ LeMAY

Director