

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0135
Expires: November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

5. Lease Serial No.
NMSF 079298-B

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
SAN JUAN 28-7 128F

9. API Well No.
30-039-26954

10. Field and Pool, or Exploratory
BLANCO MV/BASIN DAKOTA

11. County or Parish, and State
RIO ARRIBA COUNTY, NM

SUBMIT IN TRIPLICATE - Other instructions on reverse side.

1. Type of Well
☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator
CONOCO INC. Contact: DEBORAH MARBERRY
E-Mail: deborah.moore@usa.conoco.com

3a. Address
P.O. BOX 2197 DU 3066
HOUSTON, TX 77252
3b. Phone No. (include area code)
Ph: 281.293.1005
Fx: 281.293.5466

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Sec 12 T27N R7W NWNE 685FNL 1965FEL

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Drilling Operations
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Casing was set in this well as per the attached.

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #11280 verified by the BLM Well Information System
For CONOCO INC., sent to the Farmington

Name (Printed/Typed) DEBORAH MARBERRY

Title SUBMITTING CONTACT

Signature (Electronic Submission)

Date 05/10/2002

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ****

OCD FYI

CONOCO

Well Name: SAN JAUN 28-7 128FAPI #: 3003926954Spud Date: 27-Apr-02Spud Time: 11:00TD Date: 5/4/2002Rig Release Date: 5-May-02

7 1/16" 5M x 2 1/16" Tree Adapter/Cap

11" 3M x 7 1/16" 5M Tubing Head

11" 3M x 11" 3M Casing Spool

9-5/8" 8 RD x 11" 3M Casing Head

Surface Casing Date set: 04/27/02

Size 9 5/8 in
 Set at 284 ft # Jnts: 6
 Wt. 36 ppf Grade J-55
 Hole Size 12 1/4 in
 Wash Out 17 %
 Est. T.O.C. 0 ft

Csg Shoe 284 ft
 TD of surface 295 ft

☒ New
☐ Used

Notified BLM @ 1800 hrs on 4/25/02
 Notified NMOCD @ 1800 hrs on 4/25/02

Intermediate Casing Date set: 05/01/02

Size 7 in
 Set at 5320 ft # Jnts: 85
 Wt. 20 ppf Grade J-55
 Hole Size 8 3/4 in
 Wash Out 20 %
 Est. T.O.C. 0

Csg Shoe 3520 ft
 TD of intermediate 3530 ft

☒ New
☐ Used

Notified BLM @ 1800 hrs on 4/28/02
 Notified NMOCD @ 1800 hrs on 4/28/02

Production Casing Date set: 05/04/02

Size 4 1/2 in
 Wt. 10.5 ppf Grade J-55 from 0 to 7693 ft
 Wt. 10.5 ppf Grade J-55 from 0 to 7693 ft
 Hole Size 6 1/4 in # Jnts: 180
 Wash Out: 0 %
 Est. T.O.C. 1500 ft
 Marker jnt @ 7233 ft

☐ New
☐ Used

Notified BLM @ 1000 hrs on 5/3/2002
 Notified NMOCD @ 1030 hrs on 5/3/2002

FC 7690 ft
 Csg Shoe 7693 ft

TD 7,693 ftMud Wt. @ TD AIR ppg**Cement** Date cmt'd: 4/27/2002

Lead : _____
 Tail : 139 SKS TYPE III+2% CaCl2+
25 PPS CELLO-FLAKE
 Displacement vol. & fluid.: 21.7 WATER
 Bumped Plug at: NO PLUG
 Pressure Plug bumped: NO PLUG
 Returns during job: YES
 CMT Returns to surface: 14 BBLs
 Floats Held: Yes No
 W.O.C. for 29 hrs (plug bump to drlg cmt)

Cement Date cmt'd: 5/1/2002

Lead : 546 SX PRE LITE FM+2% BWOC CaCl2+
25 LBS/SX CELLOFLAKE+8% BWOC BENTONIT
 Tail : 87 SX TYPE III+2% BWOC CaCl2+
25 LBS/SX CELLO FLAKE
 Displacement vol. & fluid.: 139.2
 Bumped Plug at: 139.7
 Pressure Plug bumped: 980
 Returns during job: YES
 CMT Returns to surface: 1 BBL
 Floats Held: X Yes No
 W.O.C. for 15 hrs (plug bump to drlg cmt)

Cement Date cmt'd: 5/4/2002

Lead : _____
 Tail : 385sxPreLiteHFM+3lb/skCSE+3%bwocR-3
+25lb/skcelloFL+45%bwocCD-32+65%bwocFL-52
 Displacement vol. & fluid.: 122.3
 Bumped Plug at: 860
 Pressure Plug bumped: 1680/1490
 Returns during job: N
 CMT Returns to surface: N
 Floats Held: X Yes No

COMMENTS:Surface: NO INSERT BAFFLE PLATE WAS RUNIntermediate: HAD PARTIAL LOSSES DURING CEMENT JOB.Production: DOUBLE BUMPED PLUG, TAGGED PLUG WITH WIRELINE @ 7690'**CENTRALIZERS:**Surface: 1/1 FIRST 3 JOINTS, 1/2 JOINTS TO SURFACETotal: 5Intermediate: 1/1 FIRST 2 JOINTS, 1/5 TO CSG, 1/1 FIRST 2 JOINTS IN CASINGTotal: 19Production: NO CENTRALIZERSTotal: 0

MAY 23 2002

MAY 23 2002

N/A

N/A

Well Information System

Final Submission Confirmation

You have saved a FINAL version of a Sundry Notice, which will be sent to the BLM.

Current status of Transaction Number **11280**:

Sundry Notice Type: **SUBSEQUENT REPORT-Drilling Operations**

Date Sent: **5/10/2002**

Current status of submission: **RECVD**

Sent to BLM office: **Farmington**

Lease number: **NMSF 079298-B**

Submitted attachments: **1**

Well name(s) and number(s):

SAN JUAN 28-7 #128F

To edit, view, or add a note, [click here](#)

To use this Sundry Notice to file another [click here](#).

To view or print this Sundry Notice, [click here](#).

To add/view or remove attachments previously submitted for this Sundry Notice, [click here](#).

To return to the Previous Submissions screen, [click here](#).

To return to the Operator Main Menu, [click here](#).

MAY 23 2002



MAY 23 2002

