

## UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

P. O. Box 965 Farmington, New Mexico

May 4, 1955



El Paso Natural Gas Company Box 997 Farmington, New Hexico

Re: Santa Pe 080385

Gentlemen:

Receipt is acknowledged of your "Notice of Intention to Drill" dated May 4, 1995 covering your well No. hl Rinson Unit in ME, sec. 35, T. 27 No., R. 7 Wo, No. P. Mo, Rio Arriba County, New Mexico, So. Blanco poel.

Your proposed work is hereby approved subject to compliance with the provisions of the "Oil and Gas Operating Regulations" revised May 25, 1962, a copy of which will be sent to you on request, and subject to the following conditions:

- 1. Drilling operations so authorised are subject to the attached sheet for general conditions of approval.
- 2. Furnish copies of all less.

Very truly yours,

(Orig. Sgd.) A. P. KLEEMAN

A. P. Kleeman Acting District Engineer

AFE leeman tag





## OSPARTMENT OF THE FEATURE

CHIRAL JAAGURUSE

and the second of the second o

I ar proposed terk is her or corecold subject to the proposed subject to the first of the first or corected and the first increased the subject of the first increased and the first increased and rule in the collision of the indicate and rule.

- in a company of the second property of the control of the control
  - ·蘇斯 Cut To got un veitrum ()

, m

0.1<u>0.12. (.).</u>

ender i de la companya de la company

Form (Feb.	<b>-38</b> 1951	11 <b>a</b>

(SUBMIT IN TRIPLICATE)

## UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office	Santa 1	î e
Lease No	080385	
Unit	Rincon	Unit

## SUNDRY NOTICES AND REPORTS ON WELLS

2014		1 11			
NOTICE OF INTENTION TO	DRILL			OF WATER SHUT-OFF	
NOTICE OF INTENTION TO	CHANGE PLANS	su	BSEQUENT REPORT	OF SHOOTING OR ACIE	DIZING
NOTICE OF INTENTION TO	TEST WATER SHUT-OFF	1 11		OF ALTERING CASING	ž 1
NOTICE OF INTENTION TO	RE-DRILL OR REPAIR WELL	su	BSEQUENT REPORT	of Re-Drilling OR K	EPÀIR
NOTICE OF INTENTION TO	SHOOT OR ACIDIZE	su	BSEQUENT REPORT (	OF ABANDONMENT	
	PULL OR ALTER CASING	1 11	IPPLEMENTARY WELL	HISTORY	
	ABANDON WELL	1 !!			
	(INDICATE ABOVE BY CHEC	K MARK NATURE	OF REPORT, NOTICE,	OR OTHER DATA)	
				May b,	, 195
E Section 35	is located <b>990</b> ft.	<b>7</b> W	NMPM	ft. from E	line of sec. 35
(1/2 Sec. and Sec. No.	•	(Range)	•	•	
o. Blanco (Field)		County or Subdiv	ision)	(State or T	erritory)
tate names of and expects	ed depths to objective sands; ing points, to drill a well	ETAILS O show sizes, weig and all other im	F WORK  hts,'and lengths of p portant proposed wo  Pictured Cli	iff formation	seing retary
tate names of and expects It is intended tools to the co mard-oil fracts Casing Programs 9 5/8"	ed depths to objective sands; ing points, it to drill a well assing point and the entire page.	DETAILS O show sizes, weige and all other im thru the c drill t y section	F WORK  hts,'and lengths of p portant proposed wo  Pictured Cli he pay sect! Total Dep	iff formation ion with each pth 3130'.	n using rotary is tools and to i to surface.
It is intended tools to the caurd-wil fracture of 5/8" 5 1/2" The ME 1/4 of 8 (ME/4) SF 08036	od depths to objective sands; ing points, it to drill a well asing point and the entire parties at 120° with 12° at 3060° with 7° section 35 is ded 35.	perails of show sizes, weight and all other im thru the in thru the interpretation of short and interpretation in the interpretation in the interpretation of short and interpretation	F WORK  hts/and lengths of p portant proposed wo  Pictured Cli he pay secti Total Dep  egular cemen egular cemen this well.	iff formation ion with each oth 3130'.  Int circulated ont, 75 enchs	e using rotary is tools and to i to surface. Posmix.
itate names of and expects It is intended tools to the control fracts Sasing Programs 9 5/8" 5 1/2" The ME 1/4 of S (ME/4) SF 08036	ed depths to objective sands; ing points, it to drill a well asing point and the entire parties at 120° with 12° at 3060° with 7° section 35 is ded 35.	proval in writing	F WORK  hts/and lengths of p portant proposed wo  Pictured Cli he pay secti Total Dep  egular cemen egular cemen this well.	iff formation ion with each oth 3130'.  Int circulated ont, 75 enchs	e using rotary is tools and to i to surface. Posmix.
itate names of and expects It is intended tools to the caserd-wil fracts Sasing Programs 9 5/8" 5 1/2" The ME 1/4 of S (ME/4) SF 08036	od depths to objective sands; ing points, it to drill a well asing point and the entire parties at 120° with 12° at 3060° with 7° section 35 is ded 35.	proval in writing	F WORK  hts/and lengths of p portant proposed wo  Pictured Cli he pay secti Total Dep  egular cemen egular cemen this well.	iff formation ion with each oth 3130'.  Int circulated ont, 75 enchs	e using rotary is tools and to i to surface. Posmix.
tate names of and expects  It is intended tools to the call mard-oil fracts  Sasing Programs  9 5/8"  5 1/2"  The ME 1/4 of S  (ME/4) SF 08036	ed depths to objective sands; ing points, in to drill a well asing point and the sand point and the contine parties at 120' with 12' at 3260' with 7 section 35 is ded 35.	proval in writing	F WORK  hts/and lengths of p portant proposed wo  Pictured Cli he pay secti Total Dep  egular cemen egular cemen this well.	iff formation ion with each oth 3130'.  Int circulated ont, 75 enchs	e using rotary is tools and t i to surface. Posmix.
tate names of and expects  It is intended  Coels to the co  Mrd-oil fracts  Sasing Programs  9 5/8"  5 1/2"  The ME 1/4 of S  ME/4) SF 06036  Tunderstand that this  Company 21 Pass	ed depths to objective sands; ing points, in to drill a well asing point and the sand point and the contine parties at 120' with 12' at 3260' with 7 section 35 is ded 35.	proval in writing	F WORK  hts/and lengths of p portant proposed wo  Pictured Cli he pay secti Total Dep  egular cemen egular cemen this well.	iff formation ion with each oth 3130'.  Int circulated ont, 75 enchs	e using rotary is tools and to i to surface. Posmix.
tate names of and expects  It is intended  Coels to the co  Mrd-oil fracts  Sasing Programs  9 5/8"  5 1/2"  The ME 1/4 of S  ME/4) SF 06036  Tunderstand that this  Company 21 Pass	ed depths to objective sands; ing points, in to drill a well asing point and the sand point and the contine parties at 120' with 12' at 3260' with 7 section 35 is ded 35.	proval in writing	F WORK  hts/and lengths of p portant proposed wo  Pictured Cli he pay secti Total Dep  egular cemen egular cemen this well.	iff formation ion with each oth 3130'.  Int circulated ont, 75 enchs	to surface.  Posmix.