

OK

District I	State Of New Mexico	SUBMIT 1 COPY TO
P.O. Box 1980, Hobbs, NM	Energy, Minerals and Natural Resources Department	APPROPRIATE
District II		DISTRICT OFFICE
P.O. Drawer, Artesia, NM 88211	OIL CONSERVATION DIVISION	AND 1 COPY TO
District III	P.O. Box 2088	SANTA FE OFFICE
1000 Rio Brazos Rd. Aztec, NM 87410	Santa Fe, New Mexico 87504-2088	(Revised 3/9/94)

PIT REMEDIATION AND CLOSURE REPORT

Operator:	<u>Conoco Inc.</u>	Telephone:	<u>505-324-5813</u>
Address:	<u>3315 Bloomfield Hwy - Farmington, NM 87401</u>		
Facility Or:	<u>San Juan 28-7 #128</u>		
Well Name			
Location:	Unit or Qtr/Qtr Sec	<u>A</u> Sec <u>12</u> T <u>27N</u> R <u>7W</u> County <u>Rio Arriba</u>	
Pit Type:	Separator	Dehydrator	Other <u>BDP</u>
Land Type:	BLM	☒ State	Fee
Pit Location:	Pit dimension:	length <u>10'</u>	width <u>10'</u> depth <u>3'</u>
(Attach diagram)	Reference:	wellhead ☒	other
	Footage from reference:	<u>129'</u>	
	Direction from reference:	<u>110°</u> Degrees ☒	East of <u>North</u>
			West ☒ South

Depth To Ground Water: (Vertical distance from contaminants to seasonal high water elevation of ground water)	Less than 50 feet (20 points)	
	50 feet to 99 feet (10 points)	
	Greater than 100 feet (0 points)	
	Total	<u>0</u>
Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or; less than 1000 feet from all other water sources)	Yes (20 points)	
	No (0 points)	
	Total	<u>0</u>
Distance To Surface Water: (Horizontal distance to perennial lakes, ponds, rivers, streams, creeks, irrigation canals and ditches)	Less than 200 feet (20 points)	(20 points)
	200 feet to 1000 feet (10 points)	(10 points)
	Greater than 1000 feet (0 points)	(0 points)
	Total	<u>0</u>
	RANKING SCORE (TOTAL POINTS):	<u>0</u>



Date Remediation Started: August 20, 1999 Date Completed: August 20, 1999

Remediation Method: Excavation: _____

Approx. cubic yards _____

(Check all appropriate sections)

Landfarm _____

Insitu Bioremediation _____

Other _____

Remediation Location: Onsite _____

Offsite _____

(ie. landfarmed onsite,
name and location of
offsite facility)

General Description Of Remedial Action:

Took sample 3' below bottom of pit.

Ground Water Encountered:

No ☒

Yes _____

Depth _____

Final Pit:

Sample location

3' below center of pit

Closure Sampling:

Sample depth

3' below bottom

(if multiple samples

attach sample results

and diagram of sample

locations and depths)

Sample date Aug. 20, 1999 Sample time 3:00pm

Sample Results

Benzene (ppm)

.0507

Total BTEX (ppm)

.440

Field headspace (ppm)

not taken

TPH

5.7

Ground Water Sample:

Yes _____

No ☒

(If yes, attach sample results)

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST
OF MY KNOWLEDGE AND BELIEF

DATE

February 8, 2000

PRINTED NAME

Shirley L. Ebert

SIGNATURE

Shirley L. Ebert

AND TITLE

SHEAR Specialist

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR THE FUTURE OF THE ENVIRONMENT

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Conoco	Project #:	707003-090
Sample ID:	Vent Pit	Date Reported:	08-26-99
Laboratory Number:	F984	Date Sampled:	08-20-99
Chain of Custody No:	7202	Date Received:	08-25-99
Sample Matrix:	Soil	Date Extracted:	08-25-99
Preservative:	Cool	Date Analyzed:	08-26-99
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	0.5	0.2
Diesel Range (C10 - C28)	5.2	0.1
Total Petroleum Hydrocarbons	5.7	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: 28 - 7 #128.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Conoco	Project #:	707003-090
Sample ID:	Vent Pit	Date Reported:	08-26-99
Laboratory Number:	F984	Date Sampled:	08-20-99
Chain of Custody:	7202	Date Received:	08-25-99
Sample Matrix:	Soil	Date Analyzed:	08-26-99
Preservative:	Cool	Date Extracted:	08-25-99
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	50.7	0.9
Toluene	16.0	0.8
Ethylbenzene	21.6	0.8
p,m-Xylene	300	1.1
o-Xylene	52.2	0.5
Total BTEX	440	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Trifluorotoluene	100 %
	Bromofluorobenzene	100 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: 28 - 7 #128.


Analyst


Review

7202

ENVIROTECH INC.

5796 U.S. Highway 64
Farmington, New Mexico 87401
(505) 632-0615

Lease Name: San Juan 28-7 # 128

Operator: David Hartman

Date: 2-23-99

Site Security
(Indicate North)

