Form 9-331 (Feb. 1951)



(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office	Santa	Fe
	079360	
• •	Rincon	

NOTICE OF INTERTION TO CHANGE PLANS NOTICE OF INTERTION TO CHANGE PLANS NOTICE OF INTERTION TO TEST WATER SHUT-OFF NOTICE OF INTERTION TO RECORLL OR REPAIR WELL NOTICE OF INTERTION TO SECOND OR ACIDIZE SUBSEQUENT REPORT OF ALTERING CASING. NOTICE OF INTERTION TO SECOND OR ACIDIZE NOTICE OF INTERTION TO PULL OR ALTER CASING. NOTICE OF INTERTION TO HOUL OR ALTER CASING. NOTICE OF INTERTION TO ADARDON WELL (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) MATCH 8 19 66 //ell No. 136 is located 1180 ft. from Subsequent REPORT of ALTERING CASING. NOTICE OF INTERTION TO HOUL OR ALTER CASING. NOTICE OF INTERTION TO HOUL OR ALTER CASING. NOTICE OF INTERTION TO HOUR OR ALTER CASING. NOTICE OF INTERTION TO HOUL OR ALTER CASING. NOTICE OF INTERTION TO HOUL OR ALTER CASING. NOTICE OF INTERTION TO BE COLUMN TO HOUSE AND HOUSE	NOTICE OF INTENTION	I TO DRILL	CURCEAUTH	DEBODT OF WATER SUIT OF
NOTICE OF INTENTION TO TEST WATER SHUT-OFF. NOTICE OF INTENTION TO REDBILL OR REPAIR WELL SUBSEQUENT REPORT OF R-DRILLING OR REPAIR NOTICE OF INTENTION TO SHOOT OR ACIDIZE NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO ABANDON WELL (INDICATE ABOVE BY CHECK MARK MATURE OF REPORT, NOTICE, OR OTHER DATA) March 8 , 19 60 (INDICATE ABOVE BY CHECK MARK MATURE OF REPORT, NOTICE, OR OTHER DATA) March 8 , 19 60 NE/4 Sec. 23 27N 7W N.M.P.M. (INDICATE ABOVE BY CHECK MARK MATURE OF REPORT, NOTICE, OR OTHER DATA) Wildcat Delkota (Vision (County or Subdivision) (Vision (Vision of Territory) The elevation of the derrick floor above sea level is 6628. ft. DETAILS OF WORK Late names of and expected depths to objective sandes show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting politic, and all other imperiant proposed work) Late names of and expected depths to objective sandes show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting politic, and all other imperiant proposed work) Late names of and expected depths to objective sandes show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting politic, and all other imperiant proposed work) Late names of and expected depths to objective sandes show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting politic, and all other imperiant proposed work) Late names of and expected depths to objective sandes show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting politic, and all other imperiant proposed work) Late names of and expected depths to objective sandes show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting to the depth of th				
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL NOTICE OF INTENTION TO SHOOT OR ACIDIZE. SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR. SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR. SUBSEQUENT REPORT OF REAMBONAMENT. SUPPLEMENTARY WELL HISTORY. Frac. Water (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) March 8 19 60 March 8				
NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO ABANDON WELL (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER BATA) March 8 19 60 March 8 March 8 19 60 March 8 19 60 March 8 March 8 19 60 March 8 New Mexico (Field) (Weiddian) Mew Mexico (Field) (Weiddian) Mew Mexico (Field) (State or Territory) Me elevation of the derrick floor above sea level is 6628. ft. DETAILS OF WORK Late names of and expected depths to objective seasis, show sizes, weights, and lengths of proposed casings, indicate mudding jobs, comenting point, and all inher imperation proposed work) Late names of and expected depths to objective seasis, show sizes, weights, and lengths of proposed casings, indicate mudding jobs, comenting point, and all inher imperation proposed work) Late names of and expected depths to objective seasings, show sizes, weights, and lengths of proposed casings, indicate mudding jobs, comenting point, and all inher imperation proposed work) Late names of and expected depths to objective seasings, show sizes, weights, and lengths of proposed casings, indicate mudding jobs, comenting points, and all inher imperation proposed work) Late names of and expected depths to objective seasings, show sizes, weights, and lengths of proposed casings, indicate mudding jobs, comenting points, and all inher imperation proposed work) Late names of and expected depths to objective seasings, show sizes, weights, and lengths of proposed casings, indicate mudding jobs, comenting points, and all inher imperation proposed work) Late names of and expected depths to objective seasings, show sizes, weights, and lengths of proposed casings, indicate mudding jobs, comenting to proposed casings, show sizes, weights, and lengths of proposed casings, show sizes, weig	NOTICE OF INTENTION	N TO RE-DRILL OR REPAIR WEL	i H	
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) March 8 19 60 [Vell No. 136 is located 1160 ft. from No. 100 ft. from	NOTICE OF INTENTION	TO SHOOT OR ACIDIZE	SUBSEQUENT	REPORT OF ABANDONMENT
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAYA) March 8 . 19.60 /ell No. 136	NOTICE OF INTENTION	TO PULL OR ALTER CASING		
/ell No. 136 is located 1180 ft. from No. 136 ine and 990 ft. from E line of sec. 23 NE/4 Sec. 23 27N	NOTICE OF INTENTION	TO ABANDON WELL	Frac. W	vater
/ell No. 136 is located 1160 ft. from No. line and 990 ft. from E line of sec. 23 NE/4 Sec. 23 27N 7W N.M.P.M. (% Sec. and Sec. No.) Wildcat Dekota Rio Arriba New Mexico (Field) (County or Bubdivision) He elevation of the derrick floor above sea level is 6628 ft. DETAILS OF WORK Late names of and expected depths to objective sands; show alses, weights, and lengths of proposed casings, indicate mudding jobs, comenting points, and all other important proposed vork) 2-23-60 Total Depth 7700'. C.O.T.D. 7660'. Oil fractured Dakota perf. int. 7568-7576; 7582-88; 7610-7618; 7628-7644 w/35,000 gallons oil and 20,000# sand BD none, max. pr. 4000#, avg. tr. pr. 3700, 3850#. I.R. 23.4 BFM. Flush 8,300 gallons. Dropped 1 set of 15 balls for 2 stages. 2-27-60 Temporary bridge plug at 7550'. Oil fractured Graneros perf. int. 7414-7424; 7430-7440; 7446-7454; 7466-7466 w/31,145 gallons oil and 30,000# sand BD pr. 2800#, max. pr. 4000#, avg. tr. pr. 4000, 3900#. I.R. 24-7 RFM. Flush 6500 gellons. Dropped 1 set of 20 balls for 2 stages. Understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. El Paso Natural Gas Company ddress Box 997 Farmington, New Mexico		(INDICATE ABOVE BY CH	ECK MARK NATURE OF REPORT	T, NOTICE, OR OTHER DATA)
NE/4 Sec. 23 27N 7W N.M.P.M. (Kasse) (State or Territory) (S			***************************************	March 8 , 19 60
(Twp.) (Range) (Meridian) Wildcat Dakota Rio Arriba New Mexico (Field) (County or Subdivision) (State or Territory) the elevation of the derrick floor above sea level is 6628 ft. DETAILS OF WORK tate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work) 2-23-60 Total Depth 7700'. C.O.T.D. 7660'. Oil fractured Dakota perf. int. 7568-7576; 7582-88; 7610-7618; 7628-7644 w/35,000 gallons oil and 20,000% sand BD none, max. pr. 4000%, avg. tr. pr. 3700, 3850%. I.R. 23.4 BHM. Flush 8,30 gallons. Dropped 1 set of 15 balls for 2 stages. 2-27-60 Temporary bridge plug at 7550'. Oil fractured Graneros perf. int. 7414-7424; 7430-7440; 7446-7454; 7466-7466 w/31,145 gallons oil and 30,000% sand BD pr. 2800%, max. pr. 4000%, avg. tr. pr. 4000, 3900%. I.R. 24.7 RFM. Flush 6500 gellons. Dropped 1 set of 20 balls for 2 stages. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. El Paso Natural Gas Company ddress Box 997 Farmington. New Mexico	Vell No. 136	is located 1180	ft. fromNline and	1 990 ft. from E line of sec. 23
Wildcat Dakota (Field) (County or Subdivision) Rio Arriba (County or Subdivision) (State or Territory) Rio Arriba (State or Territory) Rio Arriba (Rio Arriba (County or Subdivision) (State or Territory) Rio Arriba (Rio Arriba (State or Territory) Rio Arriba (Rio Arriba (State or Territory) Rio Arriba (Rio Arriba (Rio Arriba (State or Territory) Rio Arriba (State or Territory) Rio Arriba (Rio Arriba (Rio Arriba (State or Territory) Rio Arriba (State or Territory) Rio Arriba (State or Territory) Rio Arriba (Rio Arri			7w ´	N.M.P.M.
(Field) (County or Subdivision) (State or Territory) the elevation of the derrick floor above sea level is 6628 ft. DETAILS OF WORK tate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work) 2-23-60 Total Depth 7700'. C.O.T.D. 7660'. Oil fractured Dakota perf. int. 7568-7576; 7582-88; 7610-7618; 7628-7644 w/35,000 gallons oil and 20,000# sand BD none, max. pr. 4000#, avg. tr. pr. 3700, 3850#. I.R. 23.4 BIM. Flush 8,30 gallons. Dropped 1 set of 15 balls for 2 stages. 2-27-60 Temporary bridge plug at 7550'. Oil fractured Graneros perf. int. 7414-7424; 7430-7440; 7446-7454; 7466-7466 w/31,145 gallons oil and 30,000# sand BD pr. 2800#, max. pr. 4000#, avg. tr. pr. 4000, 3900#. I.R. 24-7 RPM. Flush 6500 gellons. Dropped 1 set of 20 balls for 2 stages. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. El Paso Natural Gas Company Ompany Farmington. New Mexico	(1/2 Sec. and Sec.	No.) (Twp.)	• • • •	
DETAILS OF WORK tate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work) 2-23-60 Total Depth 7700'. C.O.T.D. 7660'. Oil fractured Dekota perf. int. 7568-7576; 7582-88; 7610-7618; 7628-7644 w/35,000 gallons oil and 20,000# sand BD none, max. pr. 4000#, avg. tr. pr. 3700, 3850#. I.R. 23.4 BFM. Flush 8,30 gallons. Dropped 1 set of 15 balls for 2 stages. 2-27-60 Temporary bridge plug at 7550'. Oil fractured Graneros perf. int. 7414-7424; 7430-7440; 7446-7454; 7466-7466 w/31,145 gallons oil and 30,000# sa BD pr. 2800#, max. pr. 4000#, avg. tr. pr. 4000, 3900#. I.R. 24-7 BPM. Flush 6500 gellons. Dropped 1 set of 20 balls for 2 stages. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. El Paso Natural Gas Company ddress Farmington. New Mexico	Wildcat Dako	ta 	(County or Rubdivision)	
El Paso Natural Gas Company ompany Box 997 ddress Farmington, New Mexico UhiGhini elenEd J.J. HeleRSON	BD none, max gallons. Dr 2-27-60 Tem 7414-7424; 7 BD pr. 2800#	opped 1 set of 15 porary bridge plu 430-7440; 7446-74 max. pr. 4000#,	tr. pr. 3700, 38 balls for 2 stag g at 7550'. 0il 54; 7466-7466 w/3 avg. tr. pr. 400	350#. I.R. 23.4 BFM. Flush 8,30 ges. fractured Graneros perf. int. 31,145 gallons cil and 30,000# sa 30,3900#. I.R. 24.7 RFM.
Box 997 ddress Box 997 ddress Chillian Leven Ed J. J. H. LERSON				
Box 997 ddress UhiGian LevenEd J.J. THELERSON	El Pas		_	logical Survey before operations may be commenced.
Farmington, New Mexico UhiGiant SignEd J.J. HELERSON	Box 00	7		
	Alabana //			

U. S. GOVERNMENT PRINTING OFFICE 16-8437-5

g grapher i de la compresión de la compr

om out of the long order

and the state of t