UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

5. LEASE	÷		Ξ.		
SF078056		-	`	-	
6. JE INDIAN, AL	LOT	TF	E O	RTRIBE	NAME

GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME			
SUNDRY NOTICES AND REPORTS ON WELLS	7. UNIT AGREEMENT NAME .			
	Central Bisti Lower Gallup Un			
Do not use this form for proposals to drill or to deepen or plug back to a different eservoir. Use Form 9–331–C for such proposals.)	8. FARM OR LEASE NAME			
1. oil gas other	9. WELL NO.			
	52			
2. NAME OF OPERATOR	10. FIELD OR WILDCAT NAME			
Hixon Development Company	- i			
3. ADDRESS OF OPERATOR	Bisti Lower Gallup			
P.O. Box 2810, Farmington, NM	11. SEC., T., R., M., OR BLK. AND SURVEY OR			
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17	AREA			
below.)	Section 31-T26N-R12W			
AT SURFACE: 660' FSL, 1980' FEL, 31-26-12	12. COUNTY OR PARISH 13. STATE			
AT TOP PROD. INTERVAL:	San Juan New Mexico			
AT TOTAL DEPTH:	14. API NO.			
6. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE,				
REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD)			
Reform on other similar				
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	6162' DF .			
rest water shut-off				
FRACTURE TREAT				
SHOOT OR ACIDIZE	IVED :			
REPAIR WELL	(NOTE: Report results of multiple completion or zone			
PULL OR ALTER CASING ☐ ☐ ☐ APPS (
CHANGE ZONES				
(other) <u>Convert to WI</u>				
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly starincluding estimated date of starting any proposed work. If well is a measured and true vertical depths for all markers and zones pertine. It is proposed to convert the subject Water injection will be confined to to Gallup perforations 4828-46'. The Louise 4886-91', 4896-4907' will be isolated plug and/or squeezed with cement. Carepaired if necessary. The Zone I perbe acidized with 1000 gallons 15% HCl changed to WI-52.	well to water injection he Zone I of the Lower wer Gallup perforations with a mechanical bridge sing will be tested and rforations 4828-46' will Well name will be			
Subsurface Safety Valves Manua and Type	DIV.			
Subsurface Safety Valve: Manu. and Type OIL COIN. 18. Uberaby certify that the foregoing is true and correct DIST. 3				
18. Thereby termy that the loregoing is the and correct	ineer4/16/84			
SIGNED VIA CLEAN COLLECTION OF THE P				
(This space for Federal or State of	ffice use)			
ADDROUGD DV	DATE			
APPROVED BY TITLE CONDITIONS OF APPROVAL, IF ANY:				

*See Instructions on Reverse Side

aht

APR 27 1984
Shuffllcker