

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

P. O. Box 965 Farmington, New Mexico

May 16, 1956

The British-American Oil Producing Company Box 180 Denver 1, Colorado

Re: Santa Pe 078156

Centlemen:

Receipt is asknowledged of your "Notice of Intention to Drill" dated May 1h, 1956 covering your well No. 1 "B" Salge in Mil May see. 3h, T. 26 No. R. 13 Wo, No. M. P. Mo, San Juan County, New Mexico, Wildest peol.

Your proposed work is hereby approved subject to compliance with the provisions of the "Oil and Gas Operating Regulations" revised May 25, 1962, a copy of which will be sent to you on request, and subject to the following conditions:

- Drilling operations so authorised are subject to the attached sheet for general conditions of approval.
- 2. Furnish copies of all legs.

Very truly yours,

Orig. 5:15.7 1. 19.

Jerry W. Long Acting District Engineer

JWLong : ac





UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

্বীত সক্তম ১০ ১৭ ১০ চিকেট এখা ১৮ চিকেটিল ১৪

Mary Mary Mary

The Stitish-American Oil Producing Company Sex 180 December 1, Colorado

CHEST & STORY 18"

terms (free?

Pageths is actionwisdeed on sour motion of (stantion to print) dated on the coverter soor will be less in the second of the coverter soor will be an improved the coverter of the coverter of

Your oruposed work in hereby to proved subject to countiance with the provisions of the "Oil and des terreling Pageleous" ravised may 25, 1012, a comp of waish will be sent to y a on request, our subject to the following conditions:

- 1. Drilling open tions so authorized are so her to the attention of action of action of actions of actions.
 - ?. furnish contes of all legs.

Very truly yours,


Jung . Cong Acting District Suffeet

- The second

Deigno de



Form 9-881 a (Feb. 1951)



(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land	Office Seate	*•
Lagge	No. OTELSE	
	Pederal Sa	Lgo

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	101
IOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
OTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	1
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	L	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
IOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			
(NUMBER ADDITED BY OUR	FOR MARK NAT	URE OF REPORT, NOTICE, OR OTHER DATA)	
(INDICATE ABOVE BY CH	ECK MARK RAI	ORE OF REPORT, NOTICE, OR OTHER DATA)	
		May Ik.	19
(% Sec. and Sec. No.) (Twp.)	(Ran		
(Field)	(County or Sul	bdivision) (State or Territory)	
1 .: (3 1 :10 1	1 1	· ima c	
e elevation of the derrick floor above	e sea level	18	
	DETAILS	OF WORK	
ate names of and expected depths to objective sanding points drill & test subject well to	s; show sizes, w s, and all other	reights, and lengths of proposed casings; indicate mudding je important proposed work) Imp SS. Section Contages 9-5/8*	obs, cemen
drill A test subject well to drill A test subject well to drill A test subject well to do easing to be set at approximate. Product well to be set at approximately the least producing to arough the Gallup and cumment we approximately to 5120°. Problems the constitution to 1000° above TD. Laberold or Geolograph from \$10° to TD. 250° intervals. Basth Massare Hances, prior to DEL, and a	the Gell 220° K 41on Gen 14h 125 18T 11 18T 12 18T 11 18T 11 18T 11 18T 11	reights, and lengths of proposed casings; indicate mudding is important proposed work) lap 58. Surface Contagt 9-5/8 0 8 a commend with 175 cast a circular of 186, 1-55 casting to a contraliners a rotating type sove sex with 35 gal. Garings Full at content of sands based on electric from 17 to surface contag. Pota colog some safetail E8. Prilling 18 Surveys: 4 90 intervals to 100 518 of drill pipe at appear.	D 32.3 isted to no set richers ist hol i log ill fre ling; j thes i aber 1000
drill & test subject well to drill & test subject well to drill & test subject well to do easing to be set at approximates. NOS & hours. Product wells to least producing so grouph the Gallup and conset we approximate the Gallup and conset we constitute the Slip. Problems to 1000' above TD. Laterola we Gallagraph from Slo' to TD. 250' intervals. Bath Massac Hances, prior to DST, and a Completion Frances.	the Gell 220° K 210° Cen 210°	reights, and lengths of proposed casings; indicate mudding is important proposed work) Imp 58. Surface Conjunt: 9-5/8" (B & concreted with 1/3 car & circulatings 50 () list, 1-55 casing to a contraliners & retaking type serve car with 35 gal. Garings Full at content of samis based on electrical from 10 to surface coming. Between as Detail E8. Drilling 1 Surveys: 4 50 intervals to 10 surface from 514 of drill pipe at appear. 15 caples: Gallact 10 samples from time by the Goological Survey before operations may be coming by the Goological Survey before operations may be coming by the Goological Survey before operations may be coming by the Goological Survey before operations may be coming by the Goological Survey before operations may be coming to the content of the content	D 32.3 inted to me not statement i log statement j thes j thes j abov etasy.
drill & test subject well to drill & test subject well to drill & test subject well to do easing to be set at approximation, WOC Sh hours. Product rough the lessest producing se grouph the Gallup and conset we a \$50° to \$120°. Problems the Gallup and conset we a \$50° to \$120°. Problems the Gallup and conset we generate the Barrier the Book in The Solicity and a Constant for the Book prior to Book must receive a support of the Barrier to Book and a Constant that this plan of work must receive a support	the Gell 220° K 210° Cen 210°	reights, and lengths of proposed casings; indicate mudding is important proposed work) Imp 58. Surface Conjunt: 9-5/8" (B & concreted with 1/3 car & circulatings 50 () list, 1-55 casing to be contraliners & retaking type serve car with 35 gal. Garings Full at content of samis based on electrical from 10 to surface cosing. Detailed serve as \$50 intervals to \$50 servers: 4	D 32.3 isted to se est isted to se hold i log id. fre land i abov stary. menced.
drill & test subject well to drill & test subject well to iC easing to be set at approximately the leasest producing secretary the leasest producing secretary the Galling and consent we 1560' to 5110'. Problems the 1000' above TD. Laborole is Gaolograph from 210' to TD. 250' intervals. Basth Masses Manage, prior to 151, and a Completion Fragment Masses.	the Gell 220° K 210° Cen 210°	reights, and lengths of proposed casings; indicate mudding is important proposed work) Imp 58. Surface Conjunt: 9-5/8" (B & concreted with 1/3 car & circulatings 50 () list, 1-55 casing to be contraliners & retaking type serve car with 35 gal. Garings Full at content of samis based on electrical from 10 to surface cosing. Detailed serve as \$50 intervals to \$50 servers: 4	D 32.3 isted to se est isted to se hold i log id. fre land i abov stary. menced.
drill & test subject well to be set at approximate the least producing points of the set at approximate the least producing se rough the least producing se rough the Gallup and conset we 1960' to 5120'. Problem on 1960' to 5120'. Problem in 1960' above 10. Laborate the 1990' above 10. Laborate the 1990' intervals. Depth Manual Manual Completion Francisco. Programs Manual Completion Francisco.	the Gell 220° K 210° Cen 210°	reights, and lengths of proposed casings; indicate mudding is important proposed work) Imp 58. Surface Conjunt: 9-5/8" (B & concreted with 1/3 car & circulatings 50 () list, 1-55 casing to a contraliners & retaking type serve car with 35 gal. Garings Full at content of samis based on electrical from 10 to surface coming. Between as Detail E8. Drilling 1 Surveys: 4 50 intervals to 10 surface from 514 of drill pipe at appear. 15 caples: Gallact 10 samples from time by the Goological Survey before operations may be coming by the Goological Survey before operations may be coming by the Goological Survey before operations may be coming by the Goological Survey before operations may be coming by the Goological Survey before operations may be coming to the content of the content	D 32.3 isted to se est takens isted isted takens ta

n de la composition La composition de la La composition de la

and the second of the second o

and the state of t

and the second of the second o

and the visit of the control of the

Address

andre de la companya de la capación de la companya La companya de la co

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-128

	•		Well Loca	tion and/or Gas	Proration Plat	; Dat	. ME M. S	
Operator	British Ame	rican Oil P	roducing Co	mpany Lease	sales.			
Well No	24	Section	34	Township .	26 North	Range	13 West	NMPM
Located	660	Feet Fron	n North	Line,	660	Feet From	n <u>West</u>	Line,
	San Juan	-	Count	y, New Mexico.	G. L. Eleva	ation <u>62</u>	70	
Name of 1	Producing For	mation	à (anyortes	Po-	ol Mark MAS	De	dicated Acres	age
	I.—	(Note: All	distances m	ust be from out	er boundaries	of Section)		
		G						
		₫ 3 1	1		1			
		660'- -	:					
						<u> </u>		•
			i I			,		
			!	:	1			
			1		!			
		÷	1		!			
			<u> </u>	 34				
		1.2 1.0	!		<u> </u>			
			1		ļ 1			
NC)TE		Ì		1			•
This secti form is to			1					
used for g	gas		1					
ĺ			1					
ľ			1					
			į i		i			
↓			1		1			. ••
1. Is t	his Well a Du	SCALE: 1'			This is to acr	stifu that th		Barrell Commencer
				l l	This is to cer from field no			
	he answer to (illy completed				under my sup			
Yes		wens within	the demonited	acreage.	correct to the			# 2 1 1 1
Name	Market de				.		3051	V
Position			Japan da	_	Date Surveyed	i flay 12,	1956	1
Represent	344 340 ₆ -3	uner L od	Levels		anul	Ernest V	. Echohawk	Sp
Address		· · · · · · · · · · · · · · · · · · ·			Reg. La		, N. Mex., R	eg. No. 1545

CENTED DICE.