

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office San Joaquin
Lease No. 076091
Unit West Platte Unit

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	<u>Convert to water injection</u>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

September 26, 19 60


Well No. 26 is located 1900 ft. from N line and 1900 ft. from W line of sec. 27
6 SE 1/4 27 26N 13W R4PN
 (1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Blair County San Joaquin New Mexico
 (Field) (County or Subdivision) (State or Territory)

The elevation of the ~~drill~~ floor above sea level is 6216 ft. G.L.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Full present rods and tubing. Run plastic lined 2" ID tubing out approx. 25' above perforations with Lane Wells formation operator type TIV-8 packer. Hookup well head for water injection.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company British-American Oil Producing Company
 Address P. O. Drawer 330
Farmington, N.M.
 By Joe E. Stone
 Title Field Superintendent