

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Santa Fe  
Lease No. 078091  
Unit Douthit

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/> SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

February 26, 1957

Douthit  
Well No. "B" #9 is located 980 ft. from [S] line and 660 ft. from [E] line of sec. 28

C NE SE, Sec. 28 26N 13W New Mexico P.M.  
( $\frac{1}{4}$  Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Bisti-Gallup San Juan County New Mexico  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is \_\_\_\_\_ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding, the cementing points, and all other important proposed work)

To drill & test subject well to the Gallup. Surface Casing: 9-5/8" OD, ASW casing to be set at 220' KB & cemented with 175 sac & circulated to surface. WOC 24 hours. Pre-duction Casing: 5-1/2" OD 14#, J-55 casing to be set thru the lowest producing zone. Use Centralizers and rotating type scratchers thru the Gallup & cement with 100 sac Pozmix "3" with 2% gal. Coring: None. Testing: DST if content of sands based on electric log is questionable. Logging: Combination ES-Induction Log from TD to surface casing. Detail thru Pictured Cliffs, Ft. Lookout, & Gallup. Microlog same as Detail ES. Gamma Ray in conjunction with perforating. Drilling Time: Use Geolograph from 210' to TD. Drift Surveys: At 50' intervals to 300'; thereafter at 250' intervals. Depth Measurements: SIM of drill pipe at 150' above the Mancos, prior to DST, & at TD. Samples: Collect 10' samples from 1300' to TD. Completion Program: Whenever practicable, completion will be with rotary.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company THE BRITISH-AMERICAN OIL PRODUCING COMPANY

Address P. O. Box 180

Denver 1, Colorado

By J. E. Stettin

Title District Engineer



NEW MEXICO  
OIL CONSERVATION COMMISSION

Form C-128

Well Location and/or Gas Proration Plat

Date \_\_\_\_\_

Operator BRITISH AMERICAN OIL PRODUCING COMPANY Lease DOUTHIT "B"

Well No. 9 Section 28 Township 26 NORTH Range 13 WEST, NMPM

Located 1980 Feet From the SOUTH Line, 660 Feet From the EAST Line,

SAN JUAN County, New Mexico. G. L. Elevation 6232.7 UNGRADED.


Name of Producing Formation Gallup Sand Pool Bisti Gallup Dedicated Acreage \_\_\_\_\_

(Note: All distances must be from outer boundaries of Section)

		28	

660'

1980'



NOTE

This section of form is to be used for gas wells only.



SCALE: 1" = 1000'

1. Is this Well a Dual Comp. ? Yes \_\_\_ No \_\_\_.
2. If the answer to Question 1 is yes, are there any other dually completed wells within the dedicated acreage ? Yes \_\_\_ No \_\_\_.

Name \_\_\_\_\_  
Position \_\_\_\_\_  
Representing \_\_\_\_\_  
Address \_\_\_\_\_

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Date Surveyed 13 FEBRUARY 1957  
James P. Leese  
Registered Professional Engineer and/or  
Land Surveyor James P. Leese  
N. Mex. Reg. No. 1142