APPROVIL	
(0	lrig Spd 1 1 11 10Mp
	DISTRICT ENGLISH LR

## (SUBMIT IN TRIPLICATE)

Land Office Santa Fe

Lesse No. 078630

Unit Foster-Riddle

## **UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY**

su	NDRY NOTICES		RTS ON WELLS
NOTICE OF INTENTIO	I TO DRILL	SUBSEQUENT RE	PORT OF WATER SHUT-OF SHOOTING OR ACIDIZING AND SHOOTING OR ACIDIZING AND SHOOTING CASING TEOLOGICAL SHOOTING CASING THE OLD SHOOTING CASING CASI
NOTICE OF INTENTION	TO CHANGE PLANS	SUBSEQUENT RE	N 20 1 SV
NOTICE OF INTENTION	TO TEST WATER SHUT-OFF	SUBSEQUENT RE	PORT OF SHOOTING OR ACIDIZING STATE OF SHOOTING OR ACIDIZING STATE OF SHOOTING OR REPORT OF REDRILLING OR REPORT OF ABANDONMENT FARMING OF SENDENCE OF
NOTICE OF INTENTION	TO RE-DRILL OR REPAIR WELL	SUBSEQUENT RE	PORT OF REDRILLING OR REPORT
NOTICE OF INTENTION	TO SHOOT OR ACIDIZE	SUBSEQUENT RE	PORT OF ABANDONMENT
NOTICE OF INTENTION	TO PULL OR ALTER CASING	SUPPLEMENTAR	WELL HISTORY
NOTICE OF INTENTION	TO ABANDON WELL	Subsequ	ent Report of Sand-011
			Treatment x
	(INDICATE ABOVE BY CHECK N	MARK NATURE OF REPORT, N	Nay 25th 19 56
SW/4 NE/4 Sec. and Sec.	ec. 25 26N	from $N$ line and $N$ line and $N$	1660 ft. from $\binom{E}{W}$ line of sec. 25.  N.M. P.M.
Ballard		San Juan	New Mexico
(Field)	(Co	ounty or Subdivision)	(State or Territory)
(State names of and exp	ected depths to objective sands; sho	TAILS OF WORK ow sizes, weights, and length all other important propo	ns of proposed casings; indicate mudding jobs, cement- sed work)
3-18-56	from 21941 to 22 and 15,000# sand oil. Breakdown 1100#, final pre barrels per minu flowing 167 MCF/	36' with 9,62; flushed wit pressure 1650 ssure 1100#, te under pre day.	ay. Sand-oil treated 25 gallons diesel oil in 2,435 gallons diesel oil in 2,435 gallons diesel of, treating pressure; injection rate 33.8 essure. After treatment
	is plan of work must receive approv		ical Survey lefor Decisions in The complement.
	West Broadway		Mino ARCI.
Farm	ington, New Mexic		le Vice-President

CEDIOCION WIN WILKIED COLOR WILKIED

