



# NEW MEXICO ENERGY, MINERALS and NATURAL RESOURCES DEPARTMENT

GARY E. JOHNSON  
Governor  
Jennifer A. Salisbury  
Cabinet Secretary


Lori Wrotenbery  
Director  
Oil Conservation Division

ADMINISTRATIVE ORDER NO. PMX-206

## *APPLICATION OF DUGAN PRODUCTION CORP. TO EXPAND ITS PRESSURE MAINTENANCE PROJECT IN THE BISTI-LOWER GALLUP POOL IN SAN JUAN COUNTY, NEW MEXICO*

JA

### ADMINISTRATIVE ORDER OF THE OIL CONSERVATION DIVISION



Under the provisions of Division Orders No. R-1638, as amended, Dugan Production Corp. has made application to the Division on August 21, 2000 for permission to expand its West Bisti Unit Pressure Maintenance Project in the Bisti-Lower Gallup Pool in San Juan County, New Mexico.

#### THE DIVISION DIRECTOR FINDS THAT:

- (1) The application has been filed in due form.
- (2) Satisfactory information has been provided that all offset operators have been duly notified of the application.
- (3) No objection has been received within the waiting period as prescribed by Rule 701(B).
- (4) The proposed injection well is eligible for conversion to injection under the terms of Rule 701.
- (5) The proposed expansion of the above referenced Pressure Maintenance Project will not cause waste nor impair correlative rights.
- (7) The application should be approved.

IT IS THEREFORE ORDERED THAT:

The applicant, Dugan Production Corp. be and the same is hereby authorized to inject water into the Gallup formation at approximately 5,028 feet to approximately 5,048 feet through 2 3/8-inch plastic lined tubing set in a packer located within 100 feet of the uppermost injection perforations in the following described well for purposes of secondary recovery to wit:

**West Bisti Unit Well No. 127**  
API No. 30-045-05684  
1980 FNL & 1980 FEL, Unit 'G', Section 28  
Injection Interval: 5,028 feet to 5,048 feet (Perforated)  
Maximum Injection Pressure: (.2 psi/ft) 1006 psig  
Township 26 North, Range 13 West, NMPM  
San Juan County, New Mexico.

IT IS FURTHER ORDERED THAT:

The operator shall take all steps necessary to ensure that the injected water enters only the proposed injection interval and is not permitted to escape to other formations or onto the surface.

Prior to commencing injection operations into the well, the casing shall be pressure tested from the surface to the packer setting depth to assure the integrity of said casing.

The casing-tubing annulus shall be loaded with an inert fluid and equipped with a pressure gauge at the surface or left open to the atmosphere to facilitate detection of leakage in the casing, tubing or packer.

The injection well or system shall be equipped with a pressure limiting device which will limit the wellhead pressure on the injection well to .2 psi per foot of depth to the uppermost injection perforation.

The Director of the Division may authorize an increase in injection pressure upon a proper showing by the operator of said well that such higher pressure will not result in migration of the injected fluid from the Lower Gallup formation. Such proper showing shall consist of a valid step-rate test run in accordance with and acceptable to this office.

The operator shall notify the supervisor of the Aztec district office of the Division of the date and time of the installation of injection equipment and of the mechanical integrity tests so that the same may be inspected and witnessed.

The operator shall immediately notify the supervisor of the Aztec district office of the Division of the failure of the tubing, casing or packer in said well and shall take such steps as may

Administrative Order PMX-206

Dugan Production Corp.

September 5, 2000

Page 3

be timely and necessary to correct such failure or leakage.


The subject well shall be governed by all provisions of Division Orders No. R-1638, as amended, and Rules 702-706 of the Division Rules and Regulations not inconsistent herewith.

PROVIDED FURTHER THAT, jurisdiction is retained by the Division for the entry of such further orders as may be necessary for the prevention of waste and/or protection of correlative rights or upon failure of the operator to conduct operations (1) to protect fresh water or (2) consistent with the requirements in this order, whereupon the Division may, after notice and hearing, terminate the injection authority granted herein.

The injection authority granted herein shall terminate one year after the effective date of this order if the operator has not commenced injection operations into the subject well, provided however, the Division, upon written request by the operator, may grant an extension thereof for good cause shown.

DONE at Santa Fe, New Mexico, on this 5<sup>th</sup> day of September, 2000.

STATE OF NEW MEXICO  
OIL CONSERVATION DIVISION



LORI WROTENBERY  
Director

S E A L

LW/MWA/kv

cc: Oil Conservation Division - Aztec /  
Case File No. 1867 (Order No. R-1638)