## (SUBMIT IN TRIPLICATE)

## **UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY**

	Budget Bureau No. 42-R358.4. Approval expires 12-31-60.
Land Of	fice
Loaso d	ortari but, Dunibit
Unit	

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REP	ORT OF WATER SHUT-OFF		
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REP	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.		
NOTICE OF INTENTION TO TEST WATER SHUT-O	OFF SUBSEQUENT REP	ORT OF ALTERING CASING		
NOTICE OF INTENTION TO RE-DRILL OR REPAIR	R WELL SUBSEQUENT REP	ORT OF RE-DRILLING OR REPAIR		
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REP	ORT OF ABANDONMENT	·	
NOTICE OF INTENTION TO PULL OR ALTER CAS	SING SUPPLEMENTARY	WELL HISTORY		
NOTICE OF INTENTION TO ABANDON WELL				
(INDICATE APOVE)	BY CHECK MARK NATURE OF REPORT, NO			
, INDICATE ABOVE I	BY CHECK MARK NATURE OF REPORT, NO	TICE, OR OTHER DATA)		
		My St,	1957	
			, , , ,	
Well No. is located is located	ft. from line and	ft. from   line of sec.		
		( <b>W</b> )		
	ſwp.) (Range)	(Meridian)		
Time Golding 7//	Sun Jam	How Howshop		
(Field)	(C	(State on Maniteur)		
(Field)	(County or Subdivision)	(State or Territory)		
GROUND LEVE	<b>L</b>			
The elevation of the districk floor al	bove sea level is 6319.5 ft. o	UNGIZADED	os, comení	
The elevation of the districk floor al	bove sea level is 6319.5 ft. o  DETAILS OF WORK sands; show sizes, weights, and lengths	UNGIZADED	coment (D) (Lane, gran, outer ton	
The elevation of the districk floor al	bove sea level is 6319.5 ft. o  DETAILS OF WORK sands; show sizes, weights, and lengths	UNGIZADED	coment (B <sub>p</sub> (Inco., great, i come is been ion I	
The elevation of the districk floor al	bove sea level is 6319.5 ft. o  DETAILS OF WORK sands; show sizes, weights, and lengths	UNGIZADED	o, coment (B), green, i coment is hom ion is walkeg gh to	
The elevation of the districk floor al	bove sea level is 6319.5 ft. o  DETAILS OF WORK sands; show sizes, weights, and lengths	UNGIZADED	coment (B), (Inco., great, i count is hon ion is walkeg ph to cor;	
The elevation of the districk floor al	bove sea level is 6319.5 ft. o  DETAILS OF WORK sands; show sizes, weights, and lengths	UNGIZADED	o, coment (D <sub>p</sub> (Zhane, garwa, i come is been is been ion L archag gh to to cor:	
The elevation of the districk floor al	bove sea level is 6319.5 ft. o  DETAILS OF WORK sands; show sizes, weights, and lengths	UNGIZADED	coment (0, class, great, i come is been ion is walkeg gh to i inte o cor:	
The elevation of the districk floor al	bove sea level is 6319.5 ft. o  DETAILS OF WORK sands; show sizes, weights, and lengths	UNGIZADED	committee of the commit	
The elevation of the derrick-floor all (State names of and expected depths to objective it to derrick floor) to be seen appear. 220° Ki and the control of t	bove sea level is 63/9.5 ft. of  DETAILS OF WORK  sands; show sizes, weights, and lengths points, and all other important propose  and computed with 175  on, he is a size of the computed with 175  on the computed with 175  there rich proposed with 175  there is a second with 175  the with proposed with 175  there is a second with 175  there is a	of proposed casings; indicate mudding job d work).  The first Casings 9-5/8 and circulated to sure to be set through to sure the Calling and large If contents of sund ings If contents at E-Dahad A. Locheut, Salling, Michael S. Locheut, S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut,	coment (D), stace, power, come is been seen is seen is	
The elevation of the districk floor al	bove sea level is 63/9.5 ft. of DETAILS OF WORK  sands; show sizes, weights, and lengths point; and all other important propositions and all other important propositions with 175 carries with 1	of proposed casings; indicate mudding job d work).  The first Casings 9-5/8 and circulated to sure to be set through to sure the Calling and large If contents of sund ings If contents at E-Dahad A. Locheut, Salling, Michael S. Locheut, S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut,	coment (B, chare, great, i case is been den li waleg ph to corr	
The elevation of the derrick floor all (State names of and expected depths to objective it to derrick floor). It is to be set appear, 220° King.  The derill and took subjective it is a set appear, 220° King.  The set appear of the set of the set appear of the set	bove sea level is 63/9.5 ft. of  DETAILS OF WORK  sands; show sizes, weights, and lengths points, and all other important propose  and computed with 175  on, he is a size of the computed with 175  on the computed with 175  there rich proposed with 175  there is a second with 175  the with proposed with 175  there is a second with 175  there is a	of proposed casings; indicate mudding job d work).  The first Casings 9-5/8 and circulated to sure to be set through to sure the Calling and large If contents of sund ings If contents at E-Dahad A. Locheut, Salling, Michael S. Locheut, S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut,	CO, character of the land of t	
The elevation of the district floor all (State names of and expected depths to objective it to deal and test subjective it to be set appear. 220° Ki and test subjective it to be set appear. 220° Ki and the set appear. 220° Ki and the set appear. 220° Ki and the set appear and relating the set appear and relating to the set appear and it is less is quantification. But it is less is quantification, betailed it is a set appear and it is a complete it is produced by the set appear and it is a set appear and it is plan of work must recompany.  Company	bove sea level is 63/9.5 ft. of DETAILS OF WORK  sands; show sizes, weights, and lengths point; and all other important propositions and all other important propositions with 175 carries with 1	of proposed casings; indicate mudding job d work).  The first Casings 9-5/8 and circulated to sure to be set through to sure the Calling and large If contents of sund ings If contents at E-Dahad A. Locheut, Salling, Michael S. Locheut, S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut,	coment (B, chara, press, come to has don I wolleg ph to	
The elevation of the derrick floor all (State names of and expected depths to objective it to derrick floor all the derill and test subjective it to be set appear. 220° King for the control of the cont	bove sea level is 63/9.5 ft. of DETAILS OF WORK  sands; show sizes, weights, and lengths point; and all other important propositions and all other important propositions with 175 carries with 1	of proposed casings; indicate mudding job d work).  The first Casings 9-5/8 and circulated to sure to be set through to sure the Calling and large If contents of sund ings If contents at E-Dahad A. Locheut, Salling, Michael S. Locheut, S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut, Salling, Michael S. Locheut,	coment (0), character production is dead in dead in dead in dead in dead in de	

Title ....

# NEW MEXICO OIL CONSERVATION COMMISSION

# Well Location and Acreage Dedication Plat

Section A.		Date 5-23-57
Located 1980 Feet From t County SAN JUAN G. L. Name of Producing Formation 1. Is the Operator the only ow Yes No 2. If the answer to question o consolidated by communitiza "yes," Type of Consolidatio	Section 28 Township he NORTH Line, 660 Fe Elevation 6319.5 NN. Dedicat Pool ner* In the dedicated acreage of ne is "no," have the interests tion agreement or otherwise? Y	et From the ST Line ed Acreage Acres utlined on the plat below?  of all the owners been
below: Owner	Land Des	cription
Section B	PIL CON COM. DIST. 3	This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.  Brish American Oil Production (Operator)  Address  This is to certify that the well location shown on the plat in Section B was plotted from field notes of actual surveys made by me or under my supervision and that the same is true and correct to the best of my knowledge and belief.  Date Surveyed  Registered Professional Engineer and/or Land Surveyor.

### INSTRUCTIONS FOR COMPLETION:

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3, Section A, please use space below

<sup>\* &</sup>quot;Owner" means the person who has the right to drill into and to produce from any pool and to appropriate the production either for himself or for himself and another. (65-3-29 (e) NMSA 1953 Comp.)