

UNITED STATES DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

P. O. Box 965 Parmington, New Mexico

March 8, 1956

El Paso Natural Gas Company Box 997 Farmington, New Mexico

Re: New Mexico 09810

Gentlemen:

Receipt is acknowledged of your "Netice of Intention to Drill" dated March 6, 1956 covering your well No. 6 NcConnell in NEL sec. 25, T. 26 N., R. 9 W., N. M. P. M., San Juan County, New Mexico, Ballard P.C.

Your proposed work is hereby approved subject to compliance with the provisions of the "Oil and Gas Operating Regulations" revised May 25, 19k2, a copy of which will be sent to you on request, and subject to the following conditions:

- 1. Drilling operations so authorised are subject to the attached sheet for general conditions of approval.
- 2. Furnish copies of all logs.


3/2.2/

Very truly yours,

(Orig. Sgd.) P. T. McCRUILL

P. T. McGrath District Engineer OIL COM. COM. DIGT. 3

PTMcGrathuac





UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

grant as the control of the control

Control of the Control

Life of the second

outron de la composition della composition della

。然后,一个一个人们就是一个人的一个一个人的一个人的一个人的一个人的一个人的一个人的一个人的一个人。 ● 1987年(1987年)(1987

way I make the same ways.

্ৰ ক্ষাৰ্থ কৰে। বিভাগ কুলি কোনো বিভাগ বিভাগ

E S

المراكب والمعاولة والمراجعة



Form (Feb	9-83 0. 1951	1 a
Γ		

(SUBMIT IN TRIPLICATE)

Land Office	Nev	Maxico
Lease No.	છુછી	K O
	McC	o nne ll
	Lease No	Lease No.

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

NOTICE OF INTENTION TO CHANGE PLANS. NOTICE OF INTENTION TO TEST WATER SHUT-OFF. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTION TO POLL OR REPAIR WELL. SUBSEQUENT REPORT OF ASANDONMENT. SUBSEQUENT REPORT OF ALTERIAGE ASING.	NOTICE OF INTENTION TO D	ORILL	SUBSEQUENT	REPORT OF WATER SH	UT-OFF	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF. NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL NOTICE OF INTENTION TO SHOULD OR ACIDEZ. NOTICE OF INTENTION TO SHOULD OR ACIDEZ. NOTICE OF INTENTION TO PULL OR ACTER CASING. NOTICE OF INTENTION TO ABANDON WELL. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF REPORT OF REPORT OF ALTERNATION OF ALTERNATION OF REPORT OF REPORT OF ALTERNATION OF ALTERNATION OF REPORT OF ALTERNATION OF ALTERNATI	I -		SUBSEQUENT	REPORT OF SHOOTING	OR ACIDIZING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTION TO ABANDON WELL (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) Well No. 6 is located 1190 ft. from Superior of Repair (Notice, OR OTHER DATA) Well No. 6 is located 1190 ft. from Superior of Report, NOTICE, OR OTHER DATA) Well No. 6 is located 1190 ft. from Superior of Report, NOTICE, OR OTHER DATA) Well No. 6 is located 1190 ft. from Superior of Report, NOTICE, OR OTHER DATA) Well No. 6 is located 1190 ft. from Superior of Report, NOTICE, OR OTHER DATA) Well No. 6 is located 1190 ft. from Superior of Report, NOTICE, OR OTHER DATA) Well No. 6 is located 1190 ft. from Superior of Report, NOTICE, OR OTHER DATA) Well No. 6 is located 1190 ft. from Superior of Report, NOTICE, OR OTHER DATA) Well No. 6 is located 1190 ft. from Superior of Report, NOTICE, OR OTHER DATA) Well No. 6 is located 1190 ft. from Superior of Report, NOTICE, OR OTHER DATA) Well No. 6 is located 1190 ft. from Superior of Report, NOTICE, OR OTHER DATA) Well No. 6 is located 1190 ft. from Superior of Report, NOTICE, OR OTHER DATA) Well No. 6 is located 1190 ft. from Superior of Report, NOTICE, OR OTHER DATA) Well No. 6 is located 1190 ft. from Superior of Report, NOTICE, OR OTHER DATA) Well No. 6 is located 1190 ft. from Superior of Report, NOTICE, OR OTHER DATA) Well No. 6 is located 1190 ft. from Superior of Report, NOTICE, OR OTHER DATA) Well No. 6 is located 1190 ft. from Superior of Report, NOTICE, OR OTHER DATA) Well No. 6 is located 1190 ft. from Superior of Report, NOTICE, OR OTHER DATA) Well No. 6 is located 1190 ft. from Superior of Report, NOTICE, OR OTHER DATA) Well No. 6 is located 1190 ft. from Superior of Report, NOTICE, OR OTHER DATA) Well No. 6 is located 1190 ft. from Superior of Report, NOTICE, OR OTHER DATA) Well	1		SUBSEQUENT	REPORT OF ALTERING	ÆÁSING	
NOTICE OF INTENTION TO PULL OR ALTER CASING NOTICE OF INTENTION TO ABANDON WELL (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MA	1) 11	REPORT OF RE-DRILLI	NG OR REPAIR	
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT	NOTICE OF INTENTION TO S	SHOOT OR ACIDIZE	SUBSEQUENT	REPORT OF ABANDON	MENT.	
Well No. 6 is located 1190 ft. from Name and 1190 ft. from Elline of sec. 25 Well No. 6 is located 1190 ft. from Name and 1190 ft. from Elline of sec. 25 Well No. 6 is located 1190 ft. from Name and 1190 ft. from Elline of sec. 25 Well No. 6 is located 1190 ft. from Name and 1190 ft. from Elline of sec. 25 Well No. 6 is located 1190 ft. from Name and 1190 ft. from Elline of sec. 25 Well No. 6 is located 1190 ft. from Name and 1190 ft. from Elline of sec. 25 Well No. 6 is located 1190 ft. from Name and 1190 ft. from Elline of sec. 25 Well No. 6 is located 1190 ft. from Name and 1190 ft. from Elline of sec. 25 Well No. 6 is located 1190 ft. from Name and 1190 ft. from Elline of sec. 25 Well No. 6 is located 1190 ft. from Name and 1190 ft. from Elline of sec. 25 Well No. 6 is located 1190 ft. from Name and 1190 ft. from Elline of sec. 25 Well No. 6 is located 1190 ft. from Name and 1190 ft. from Elline of sec. 25 Well No. 6 is located 1190 ft. ft. from Name and 1190 ft. from Elline of sec. 25 Ball and Sec. No. 7 (Fred) ft. from Name and 1190 ft. from Elline of sec. 25 I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company El Poso Netural Gos Company Address Box 997	NOTICE OF INTENTION TO P	PULL OR ALTER CASING	SUPPLEMENT/	ARY WELL HISTORY		
Well No. 6 is located 119% ft. from Niline and 119% ft. from Line of sec. 25 Well No. 6 is located 119% ft. from Niline and 119% ft. from Line of sec. 25 Well No. 6 is located 119% ft. from Niline and 119% ft. from Line of sec. 25 Well No. 6 is located 119% ft. from Niline and 119% ft. from Line of sec. 25 Well No. 6 is located 119% ft. from Line of sec. 25 Well No. 6 is located 119% ft. from Line of sec. 25 Well No. 6 is located 119% ft. from Line of sec. 25 Well No. 6 is located 119% ft. from Line of sec. 25 Well No. 6 is located 119% ft. from Line of sec. 25 Ballard P.C. 3an Juan New New Sec. 25 Bet 120 is located 119% ft. from Line of sec. 25 Well No. 6 is located 119% ft. from Line of sec. 25 DETAILS OF WORK (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate midding John; semanting points, and all other important proposed work) It is intended to 6rill a well thru the Pictured Cliff formation using rotary tools to the casing Foint and to drill the pay section with cable tools and to water fracture the entire pay section. T.B. 2020. Casing .Fugram: 9 5.8 at 120 with 125 macks regular commute circulated to surface 5 1/2 at 1920 with 75 sacks regular commute. 75 sacks Posmix The BE/4 of Section 25 is dedicated to this well. El. 4 M. 69640. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company El Peace Betweel Gas Company Address Box 997	NOTICE OF INTENTION TO A	ABANDON WELL				
Well No. 6 is located 119% ft. from Niline and 119% ft. from Line of sec. 25 Well No. 6 is located 119% ft. from Niline and 119% ft. from Line of sec. 25 Well No. 6 is located 119% ft. from Niline and 119% ft. from Line of sec. 25 Well No. 6 is located 119% ft. from Niline and 119% ft. from Line of sec. 25 Well No. 6 is located 119% ft. from Line of sec. 25 Well No. 6 is located 119% ft. from Line of sec. 25 Well No. 6 is located 119% ft. from Line of sec. 25 Well No. 6 is located 119% ft. from Line of sec. 25 Well No. 6 is located 119% ft. from Line of sec. 25 Ballard P.C. 3an Juan New New Sec. 25 Bet 120 is located 119% ft. from Line of sec. 25 Well No. 6 is located 119% ft. from Line of sec. 25 DETAILS OF WORK (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate midding John; semanting points, and all other important proposed work) It is intended to 6rill a well thru the Pictured Cliff formation using rotary tools to the casing Foint and to drill the pay section with cable tools and to water fracture the entire pay section. T.B. 2020. Casing .Fugram: 9 5.8 at 120 with 125 macks regular commute circulated to surface 5 1/2 at 1920 with 75 sacks regular commute. 75 sacks Posmix The BE/4 of Section 25 is dedicated to this well. El. 4 M. 69640. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company El Peace Betweel Gas Company Address Box 997		(NUMBER OF THE PARTY CHECK	MARK NATURE OF REPORT	NOTICE OF OTHER D	ATA)	
Well No. 6 is located 1190 ft. from [N] line and 1190 ft. from [E] line of sec. 25 EX Section 25 268 34 MAPM (6) Sec and Sec. No.) (Twp.) (Range) (Meridian) (Seas or Terrifory) Ballard P.C. (Field) (County or Subdivision) (State or Terrifory) The elevation of the derrick floor above sea level is 6291 ft. DETAILS OF WORK (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate modding jobn; semanting points, and all other important proposed work) It is intended to drill a well thru the Pictured Cliff formation using rotary tools to the easing Point and to drill the pay section with cable tools and to water fracture the entire pay section. T.D. 2020. Casing .rogram: 9 5.3 at 120 with 125 cacks regular coment circulated to surface 5 1/2 at 1920 with 75 sacks regular coment, 75 sacks Posmix The ES/4 of Section 25 is dedicated to this well. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company El Pass Sectural Cas Company Address Sox 397		(INDICATE ABOVE BY CHECK	MARK NATURE OF REPORT	, NOTICE, OR OTHER D		- 6
Section 25 (i) Sec. and Sec. No.) (i) Sec. and Sec. No.) (ii) (Range) (iii) (Range) (iiii) (Range) (iiiii) (Range) (iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii					Maren 6,	, 19
Section 25 (i) Sec. and Sec. No.) (i) Sec. and Sec. No.) (ii) (Range) (iii) (Range) (iiii) (Range) (iiiii) (Range) (iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii			(NI)		(17 1)	**
Ballard P.C. Ballard P.C. (County or Subdivision) (State or Terribry) The elevation of the derrick floor above sea level is 6291 ft. DETAILS OF WORK (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate midding form; semanting points, and all other important proposed work) It is intended to drill a well thru the Pictured Cliff formation using rotary tools to the casing Point and to drill the pay section with cable tools and to water fracture the entire pay section. T.D. 2020'. Casing Progrem: 9 5.3 at 120 with 125 sacks regular coment circulated to surface 5 1/2 at 1920' with 75 sacks regular coment, 75 sacks Pommix The May of Section 25 is dedicated to this well. E. A. B. 1980. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company El Pess Betural Cas Company Address Box 997	Well No6	is located 1190 ft.	fromline and	1190 ft. fron	n Eline of s	ec. 😂
Bellard P.C. (Field) (County or Subdivision) (State or Territory) (State or Territor	ME Section 25	26W		RMEM	()	and the second second
(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate midding folia; semanting points, and all other important proposed work) It is intended to Grill a well turn the Fictured Cliff forsation using rotary tools to the casing Point and to drill the pay section with cubic tools and to water fracture the entire pay section. T.B. 2020. Casing Progres: 9 5 8 at 120 with 125 sacks regular coment circulated to surface 5 1/2 at 1920 with 75 sacks regular coment, 75 sacks Posmix The Half of Section 25 is dedicated to this well. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company El Post Between Cas Company Address Box 997	(1/4 Sec. and Sec. No.)	(Twp.)	(Range)	(Meridi an)	Marie Marie Viere	
The elevation of the derrick floor above sea level is DETAILS OF WORK (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate modding jobs; semanting points, and all other important proposed work) It is intended to drill a well thru the Fictured Cliff formation using rotary tools to the casing Foint and to drill the pay section with cable tools and to water fracture the entire pay section. T.B. 2020. Casing program: 9 5 8 et 120 with 125 sacks regular cement circulated to surface 5 1/2 at 1920 with 75 sacks regular cement, 75 sacks Posmix The HE/4 of Section 25 is dedicated to this well. El. 4 M 09640. Lunderstand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company El Page Beturni Gas Company Address Box 997						t
DETAILS OF WORK (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate modding jobs; sementing points, and all other important proposed work) It is intended to Grill a well thru the Fictured Cliff forsation using rotary tools to the casing Foint and to drill the pay section with cable tools and to water fracture the entire pay section. T.B. 2020. Casing rogram: 958 at 120 with 125 cacks regular cament circulated to surface. 51/2 at 1920 with 75 sacks regular cament, 75 sacks Pozmin The NE/4 of Section 25 is dedicated to this well. EL 1 1000000. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company Address Box 997	(Field)	(0	ounty or Subdivision)	(i	state or Territory) 🦠	Section 1995
DETAILS OF WORK State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate modding low; semanting points, and all other important proposed work) It is intended to Grill a well thru the Fictured Cliff foresation using rotary tools to the casing Foint and to drill the pay section with cable tools and to water fracture the entire pay section. T.B. 2020. Casing rogram: 9 5 8 at 120 with 125 macks regular communicated to surface. 5 1/2 at 1920 with 75 sacks regular communicated to surface. 5 1/2 at 1920 with 75 sacks regular communicated to surface. The H2/4 of Section 25 is dedicated to this well. E. A M 09640. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company RI Page Between Gas Company Address Box 997	The elevation of the	derrick floor above so	ea level is 6291	ft.		
State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate middling form; semanting points, and all other important proposed work) It is intended to drill a well thru the Fictured Cliff formation using rotary tools to the casing Foint and to drill the pay section with cubic tools and to water fracture the entire pay section. T.D. 2020. Casing rogram: 9 5 8 at 120 with 125 sacks regular cement circulated to surface. 5 1/2 at 1920 with 75 sacks regular cement, 75 sacks Formix The H2/4 of Section 25 is dedicated to this well. Ex. 4 M 09040. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company El Posts Betural Gas Company Address Box 997					š.,	
It is intended to drill a well thru the Pictured Cliff forsation using rotary tools to the easing Foint and to drill the pay section with cable tools and to water fracture the entire pay section. T.D. 2020. Casing .rogrem: 9 5.8 at 120 with 125 macks regular coment circulated to surface. 5 1/2 at 1920 with 75 macks regular coment, 75 macks Pozmix The HS/4 of Section 25 is dedicated to this well. HE/4 MM 09040. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company El Pozo Metural Cas Company Address Box 997	The elevation of the					and the second
It is intended to drill a well thru the Pictured Cliff forsation using rotary tools to the easing Foint and to drill the pay section with cable tools and to water fracture the entire pay section. T.D. 2020. Casing .rogram: 9 5.8 at 120 with 125 sacks regular coment circulated to surface. 5 1/2 at 1920 with 75 sacks regular coment, 75 sacks Pozmix The HS/4 of Section 25 is dedicated to this well. HE/4 MM 09040. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company El Pesco Metural Gas Company Address Box 997	The elevation of the				100 - 100 -	
tools to the easing foint and to drill the pay section with cable tools and to water fracture the entire pay section. T.D. 2020. Casing .rogram: 9 5 8 at 120 with 125 sacks regular coment circulated to surface. 5 1/2 at 1920 with 75 sacks regular coment, 75 sacks Pozzaix The H2/4 of Section 25 is dedicated to this well. HE/4 MM 09040. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company El Pesso Betural Gas Company Address Box 997		DI	ETAILS OF WOR	K	ıgs; indicate middin	g jobs cement-
tools to the easing foint and to drill the pay section with cable tools and to water fracture the entire pay section. T.D. 2020. Casing .rogram: 9 5 8 at 120 with 125 sacks regular coment circulated to surface. 5 1/2 at 1920 with 75 sacks regular coment, 75 sacks Pozzaix The H2/4 of Section 25 is dedicated to this well. HE/4 MM 09040. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company El Pesso Betural Gas Company Address Box 997		DI	ETAILS OF WOR	K	gs; indicate moddin	gjots; demant-
Casing .rogram: 958 at 120 with 125 sacks regular cement circulated to surface. 51/2 at 1920 with 75 sacks regular cement, 75 sacks Pozmix The HE/A of Section 25 is dedicated to this well. ME/A ME 096AG. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company El Pesso Matural Gas Company Address Box 997	(State names of and expected	Dl depths to objective sands; sl ing points, as	ETAILS OF 'WOR how sizes, weights, and len and all other important pro	K gths of proposed casir posed work)		The state of the s
Casing .rogrem: 9 5 8 at 120° with 125 sacks regular coment circulated to surface. 5 1/2° at 1920° with 75 sacks regular coment, 75 sacks Posmix The H2/4 of Section 25 is dedicated to this well. ME/4 MM 09840. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company El Posso Matural Cas Company Address Box 997	(State names of and expected	Didepths to objective sands; sing points, as	ETAILS OF WOR	K agths of proposed casir posed work) ki Cliff fore	ation using	rowy
9 5 8 at 120° with 125 sacks regular cament circulated to surface 5 1/2° at 1920° with 75 sacks regular cament, 75 sacks Pozmix The H2/4 of Section 25 is dedicated to this well. HE/4 M 09640. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company El Pesso Betural Gas Company Address Box 997	State names of and expected It is intended tools to the cas	Didepths to objective sands; sing points, as to drill a well to ling Foint and to	ETAILS OF WOR how sizes, weights, and len all other important pro	K gths of proposed casir posed work) kd Cliff fors section with	ation using	rowy
The HE/4 of Section 25 is dedicated to this well. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company Address Box 997	State names of and expected It is intended tools to the cas	Didepths to objective sands; sing points, as to drill a well to ling Foint and to	ETAILS OF WOR how sizes, weights, and len all other important pro	K gths of proposed casir posed work) kd Cliff fors section with	ation using	rowy
The HE/A of Section 25 is decidented to this well. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company Address Box 997	(State names of and expected It is intended tools to the cas water fracture t	Didepths to objective sands; all ing points, at the critic pay se	ETAILS OF WOR how sizes, weights, and lend all other important production the Ficture of Arill the pay	K gths of proposed casin posed work) cd Cliff fore section with	ation using cable tool	rotary a and to
I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company Address Address	State names of and expected It is intended tools to the cas water fracture tools arogram:	Didepths to objective sands; all ing points, as to drill a well to ling foint and to he entire pay se	ETAILS OF WOR how sizes, weights, and lend all other important production the Ficture drill the pay extica. T.D. 20	K Ights of proposed casin posed work) Id Cliff fors section with 20	ation using cable tool	rotary s and to
I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company Address Address	(State names of and expected It is intended tools to the cas water fracture tools regres:	Didepths to objective sands; all ing points, as to drill a well to ling foint and to he entire pay se	ETAILS OF WOR how sizes, weights, and lend all other important production the Ficture drill the pay extica. T.D. 20	K Ights of proposed casin posed work) Id Cliff fors section with 20	ation using cable tool	rotary s and to
I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company El Post Betural Cas Company Address	(State names of and expected It is intended tools to the cas water fracture tools regree: 9 5 8 5 1/2	Didepths to objective sands; all ing points, and to drill a well to ling froint and to the entire pay se at 120° with 125 at 1920° with 75	ETAILS OF WOR how sizes, weights, and len had all other important product the Picture dirili the pay action. T.D. 20 sacks regular sacks regular	K gths of proposed casir posed work) Rd Cliff fors section with 20°. coment circu coment, 75 a	ation using cable tool	rotary s and to
Company El Pose Metural Cas Company Address Son 997	State names of and expected It is intended to tools to the cas water fracture to Casing regrees: 9 5 8 5 1/2 The HS/4 of Section	Didepths to objective sands; all ing points, and to drill a well to ling froint and to the entire pay se at 120° with 125 at 1920° with 75	ETAILS OF WOR how sizes, weights, and len had all other important product the Picture dirili the pay action. T.D. 20 sacks regular sacks regular	K gths of proposed casir posed work) Rd Cliff fors section with 20°. coment circu coment, 75 a	ation using cable tool	rotary s and to
Company El Peso Metural Cas Company Address 997	(State names of and expected It is intended to tools to the cas water fracture to Casing regrees: 9 5 8 5 1/2 The HS/4 of Section	Didepths to objective sands; all ing points, and to drill a well to ling froint and to the entire pay se at 120° with 125 at 1920° with 75	ETAILS OF WOR how sizes, weights, and len had all other important product the Picture dirili the pay action. T.D. 20 sacks regular sacks regular	K gths of proposed casir posed work) Rd Cliff fors section with 20°. coment circu coment, 75 a	ation using cable tool	rotary s and to
Company El Pose Metural Cas Company Address Son 997	State names of and expected It is intended to tools to the cas water fracture to Casing regrees: 9 5 8 5 1/2 The HS/4 of Section	Didepths to objective sands; all ing points, and to drill a well to ling froint and to the entire pay se at 120° with 125 at 1920° with 75	ETAILS OF WOR how sizes, weights, and len had all other important product the Picture dirili the pay action. T.D. 20 sacks regular sacks regular	K gths of proposed casir posed work) Rd Cliff fors section with 20°. coment circu coment, 75 a	ation using cable tool	rotary s and to
Address Box 997	It is intended tools to the cas water fracture to Casing .rogram: 9 5 8 5 1/2 The HE/A of Section 19840.	Didepths to objective sands; all ing points, and to drill a well to ling foint and to the entire pay se at 120° with 125 at 1920° with 75°	ETAILS OF WOR how sizes, weights, and len all other important product the Picture drill the pay etion. T.D. 20 sacks regular sacks regular sacks regular	K In the of proposed casin posed work) In the control of the con	ation using cable tool	rotary a and to
	It is intended tools to the cas water fracture to Casing regrees: 9 5 8 5 1/2 The HE/A of Section 1 understand that this plant	Didepths to objective sands; all depths to objective sands; all conting points, and to define fourt and to the entire pay see at 120° with 125 at 1920° with 75	ETAILS OF WOR how sizes, weights, and len all other important product the Picture drill the pay ction. T.D. 20 sacks regular sacks regular sacks regular coval in writing by the Georgean and the coval i	K In the of proposed casin posed work) In the control of the con	ation using cable tool	rotary a and to
	It is intended tools to the cas water fracture to Casing rogram: 9 5 8 5 1/2 The HS/4 of Sect HE/4 M 09840.	Didepths to objective sands; all depths to objective sands; all conting points, and to define fourt and to the entire pay see at 120° with 125 at 1920° with 75	ETAILS OF WOR how sizes, weights, and len all other important product the Picture drill the pay ction. T.D. 20 sacks regular sacks regular sacks regular coval in writing by the Georgean and the coval i	K In the of proposed casin posed work) In the control of the con	ation using cable tool	rotary a and to
Farmington, New Maxico By	(State names of and expected It is intended tools to the case water fracture to Casing rogram: 958 51/2 The HS/4 of Sect HE/4 M 09040. I understand that this place Company El Poss	depths to objective sands; all ing points, as ing points, as to drill a well to he entire pay se at 120° with 125 at 1920° with 75° tion 25° is dediced an of work must receive approximate the continuous formula and the continuous formula	ETAILS OF WOR how sizes, weights, and len all other important product the Picture drill the pay ction. T.D. 20 sacks regular sacks regular sacks regular coval in writing by the Georgean and the coval i	K In the of proposed casin posed work) In the control of the con	ation using cable tool	rotary a and to
	It is intended tools to the case water fracture to Casing regrees: 9 5 8 5 1/2 The HS/4 of Sect HE/4 M 09840. I understand that this place.	depths to objective sands; all ing points, as ing points, as to drill a well to he entire pay se at 120° with 125 at 1920° with 75° tion 25° is dediced an of work must receive approximate the continuous formula and the continuous formula	ETAILS OF WOR how sizes, weights, and len all other important product the Picture drill the pay ction. T.D. 20 sacks regular sacks regular sacks regular coval in writing by the Georgean and the coval i	K In the of proposed casin posed work) In the control of the con	ation using cable tool	rotary a and to

CIL CONSERVATION COMMISSION

WELL LOCATION AND/OR GAS PROPATION PLAT

NMPN	W	S9	_RANG		26N	SHIP.	_ TOWN	25		_ SECTION	6	LL NC.
LINE	EAST	FROM_	_FEET		1 190	LINE.		NORTH	M	_ FEET FR	1190	CATED_
1	6281	ATICU_	ELEV	L.	C		EXICO	NEW	UN TY ,	co	SAN JUAN	
160 ACRE	REAGE	red ach	ED I CA'	 D	BALLAR	OOL _	LIFF P	URED	PICT	FORMATION.	PRODUCING	ME OF
(1941 PL	ion.	f secti	ies o	igát.	er bou	m Quit	e fro	must	nces	All dista	Note:	
				777	```}	77777	7				Γ	
ngs.	الميسم ويمو ، والملتمون د				o,		3			!		
a co	_ c 1			_ 1	_ [1	7		 -			
	CE	KOF	-	119	J	1	3				·	
	MAR	No.			IMO.		7	1				
W	auti .	1/2 1		 	\	, 	4.		<u> </u>	- 		
	Kote	E URM			Ì) 		
2 2 1956	MAR 2			~~		25	TON	SE		.		
N. COM.	IL CON	1/0	(1111)	///	11111	11111	1///					
ST. 3	DIST	N N	<u> </u>			-+	-		 			
This sect				;								
fire is t	i.	-	_			+				-	-	
for gas w	1	•										
		1 .	 :			-+	-+-	- +	+-		-	
						1						
• 🛊		J										
i					1 mile	ual	ches e	e 4 ir	Scale			

the same are true and correct to the best of my knowledge and belief.

Date Surveyed Registered Frofessional Engineer andXXXX

Land Surveyor

2. If the answer to jugation I is yes, are there any other dually complete wells within the dedicated acreage.

Position Potroleum Engl

Representing

Box 997, Farmington, N.M. Adoress

(Seal)