uistrict III 1000 Rio Brazos Rd. Aztec, Ny 67410 2 8 1997 State of New Mexico
Energy, Minerals and Natural Resources Department

SUBMIT I COPY TO APPROPRIATE DISTRICT OFFICE AND I COPY TO SANTA FE OFFICE

OIL CONSERVATION DIVISION


2040 South Pacheco Street Santa Fe, New Mexico 87505

PIT REMEDIATION AND CLOSURE REPORT

Axmio	ved			
Operator: PN	M Gas Services (Williams) Telephone: 324	1-3764	
Address: 603 W. I	Elm Street Farmington, NM 8740	1		
Facility or Well Name:	Foster #2 Drip			
Location: Unit	D Sec 24	T <u>26N</u> R	8 W County San Juan	1
Pit Type: Separa	Dehydrator	Other	Drip	 -
Land Type: BLM	State 5	Fee Other		
Pit Location:	Pit dimensions: length 2	20 width 20	depth 3	
(Attach diagram)	Reference: wellhead 💽	other		·
	Footage from reference: 12	24'		
	Direction from reference: 70	Degrees <u>•</u> East		
		Wes	of t South	
Depth to Ground Wate	er:	Less than 50 feet 50 feet to 99 feet Greater than 100 feet	(20 poin (10 poin (0 poin	its)
(Vertical distance from contaminants to seasonal high water elevation of ground water		Greater than 100 feet	(o po	
	DEGELAR	(0)		
Wellhead Protection Area: [] JUL 3 1 1997		Yes No	(20 poi (0 poi	_
(Less than 200 feet from a private domestic water source, or, less than 1,0 feet from all other water sources)	·· OIL COM. DI DIST. 3	₩.	\	
Distance to Surface W	ater:	Less than 200 feet 200 feet to 1,000 feet	(20 poir (10 poir	nts)
(Horizontal distance to perennial lakes, ponds, rivers, streams, creeks, irrigation	n	Greater than 1.000 feet	(0 poin	ots) 0
canals and ditches		RANKING SCORE (T	OTAL POINTS) :	0

Foster #2 Drip			Date Completed:	
Date Remediation Started:			Date Completed.	
Remediation Method:	Excavation		Approx. Cubic Yar	d
(Check all appropriate	Landfarmed		Amount Landfarme	ed (cubic yds)
sections)	Other			
Remediation Location: (i.e., landfarmed onsite, name and location of offsite facility)	Onsite		Offsite	
Backfill Material Location:				
General Description of Ren	nedial Action:			
No remedial action necessa	ry; field headspace a	nd lab analysis below E	BLM/OCD standards.	
Ground Water Encountered	ed: No	Yes		Depth
Final Pit Closure Sampling:	Sample Location	Middle of pit.		
(if multiple samples, attach sample result and diagram of	Sample depth _	8'		
sample locations and depths.)	Sample date	6/2/97	Sample time	11:30:00 AM
	Sample Results			
	Benzene	(ppm)		
	Total BTF	EX (ppm)		
	Field head	space (ppm) 0		
	TPH (ppm)	0.00	Method _	8015A
Vertical Extent (ft)		Risk Assessr	nent form attached	Yes No
Ground Water Sample:	Yes	No	(If yes, see atta	ached Groundwater Site ort)
I HEREBY CERTIFY TH KNOWLEDGE AND MY		ΓΙΟΝ ABOVE IS TRU	JE AND COMPLETE	E TO THE BEST OF MY
DATE July 28, 1997 SIGNATURE	mus fr	ush	PRINTED NAM AND TITLE	E Denver Bearden Administrator III

Foster #2 Drip Williams Field Services Sec. 24, 26N, 8W, O 6-2-97



End of excavation:

8' middle of pit clean soil
clean dosed



LAB: (505) 325-1556 OFF: (505) 325-5667

ANALYTICAL REPORT

Attn:

Denver Bearden

Date:

4-Jun-97

Company: PNM Gas Services

COC No.:

5891

Address:

Sample No.:

14807

City, State: Farmington, NM 87401

603 W. Elm

Job No.:

2-1000

Project Name:

PNM Gas Services - Foster #2 Drip

Project Location:

9706021130

Date:

2-Jun-97 Time:

11:30

Sampled by: Analyzed by:

GC DC

Date:

4-Jun-97

Sample Matrix:

Soil

Laboratory Analysis

Parameter	Results as	Unit of Measure	Limit of Quantitation	Unit of Measure
Diesel Range Organics (C10 - C28)	ND	mg/kg	5	mg/kg

ND - Not Detected at Limit of Quantitation

Quality Assurance Report

DRO QC No.: 0519-STD

Continuing Calibration Verification

	Method	Unit of	True	Analyzed		RPD
Parameter	Blank	Measure	Value	Value	RPD	Limit
Diesel Range (C10 - C28)	ND	ppm	200	192	4.3	15%

Matrix Spike

maura opini						
	1- Percent	2 - Percent			RPD	
Parameter	Recovered	Recovered	Limit	RPD	Limit	
					}	
Diesel Range (C10-C28)	96	102	(70-130)	6	20%	

Method - SW-846 EPA Method 8015A mod. - Nonhalogenated Volatile Hydrocarbons by Gas Chromatography

Approved by: S/4/02