

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB NO. 1004-0135  
Expires: November 30, 2000

**SUNDRY NOTICES AND REPORTS ON WELLS**  
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.*

**SUBMIT IN TRIPLICATE - Other instructions on reverse side.**

|  |   |
|--|---|
| 1. Type of Well<br><input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other | 5. Lease Serial No.<br>NM 02901                               |
| 2. Name of Operator<br>CONOCO INC.   | 6. If Indian, Allottee or Tribe Name                          |
| 3a. Address<br>P.O. BOX 2197 DU 3066<br>HOUSTON, TX 77252  | 7. If Unit or CA/Agreement, Name and/or No.                   |
| 3b. Phone No. (include area code)<br>Ph: 281.293.1005<br>Fx: 281.293.5466  | 8. Well Name and No.<br>FOSTER 2                              |
| 4. Location of Well (Footage, Sec., T., R., M., or Survey Description)<br>Sec 24 T26N R8W NWNW 1190FNL 1130FWL                   | 9. API Well No.<br>30-045-05767                               |
|  | 10. Field and Pool, or Exploratory<br>BALLARD PICTURED CLIFFS |
|  | 11. County or Parish, and State<br>SAN JUAN COUNTY, NM        |

**12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

| TYPE OF SUBMISSION                                   | TYPE OF ACTION                                |  |  |   |
|--|---|--|--|---|
| <input checked="" type="checkbox"/> Notice of Intent | <input type="checkbox"/> Acidize              | <input type="checkbox"/> Deepen                      | <input type="checkbox"/> Production (Start/Resume) | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Subsequent Report           | <input type="checkbox"/> Alter Casing         | <input type="checkbox"/> Fracture Treat              | <input type="checkbox"/> Reclamation               | <input type="checkbox"/> Well Integrity |
| <input type="checkbox"/> Final Abandonment Notice    | <input type="checkbox"/> Casing Repair        | <input type="checkbox"/> New Construction            | <input type="checkbox"/> Recomplete                | <input type="checkbox"/> Other          |
|  | <input type="checkbox"/> Change Plans         | <input checked="" type="checkbox"/> Plug and Abandon | <input type="checkbox"/> Temporarily Abandon       |   |
|  | <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Plug Back                   | <input type="checkbox"/> Water Disposal            |   |

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Conoco proposes to plug and abandon this well using the attached procedure. Also attached is a proposed and current wellbore schematic.

|   |                          |
|---|--------------------------|
| 14. I hereby certify that the foregoing is true and correct.<br><b>Electronic Submission #10294 verified by the BLM Well Information System<br/>For CONOCO INC., sent to the Farmington</b> |                          |
| Name (Printed/Typed) DEBORAH MARBERRY   | Title SUBMITTING CONTACT |
| Signature (Electronic Submission)   | Date 02/06/2002          |

**THIS SPACE FOR FEDERAL OR STATE OFFICE USE**

|   |              |              |
|---|--------------|--------------|
| Approved By _____   | Title _____  | Date 2/21/02 |
| Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. | Office _____ |              |

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**\*\* ORIGINAL \*\* ORIGINAL \*\* ORIGINAL \*\* ORIGINAL \*\* ORIGINAL \*\* ORIGINAL \*\* ORIGINAL \*\***

NM000

## Foster #2

### Current

West Ballard Pictured Cliffs

NW, Section 24, T-26-N, R-8-W, San Juan County, NM

API #30-045-57670

Lat: N 36° 28' 32.808" / Long: W 107° 38' 21.12"

Today's Date: 1/28/02

Spud: 04/12/56

Completed: 5/31/56

Elevation: 6322' GL  
6331' KB

13-3/4" hole

9-5/8" 32.3#, J-55 Csg set @ 88  
Cmt w/80 sxs (Circulated to Surface)

### Well History

**Jun 01:** Pull 1" tubing; set composite plug at 2105'. Attempt PT casing, leak. Ran CBL, TOC at 1200'. Casing leaks from 1174' to 252'. Casing has numerous small holes. LD tubing.

TOC @ 1200' ('01 CBL)

Ojo Alamo @ 1400'

Kirtland @ 1520'

Fruitland @ 1950'

Pictured Cliffs @ 2145'

5-1/2" Composite Plug @ 2105' (2001)

Pictured Cliffs Perforations:  
2145' – 2175'

5-1/2" 15.5#, J-55 Casing set @ 2290'  
Cmt with 200 sxs

7-7/8" Hole

TD 2290'

## Foster #2

### Proposed P&A

West Ballard Pictured Cliffs

NW, Section 24, T-26-N, R-8-W, San Juan County, NM

API #30-045-57670

Lat: N 36° 28' 32.808" / Long: W 107° 38' 21.12"

Today's Date: 1/28/02

Spud: 04/12/56

Completed: 5/31/56

Elevation: 6322' GL  
6331' KB

13-3/4" hole

9-5/8" 32.3#, J-55 Csg set @ 88  
Cmt w/80 sxs (Circulated to Surface)

Perforate @ 138'

**Plug #2: 138' – Surface**  
Cement with 100 sxs  
(excess due to casing leaks)

TOC @ 1200' ('01 CBL)

Ojo Alamo @ 1400'

**Plug #1: 2105' – 1350'**  
Cement with 100 sxs

Kirtland @ 1520'

Fruitland @ 1950'

5-1/2" Composite Plug @ 2105' (2001)

Pictured Cliffs @ 2145'

Pictured Cliffs Perforations:  
2145' – 2175'

7-7/8" Hole

5-1/2" 15.5#, J-55 Casing set @ 2290'  
Cmt with 200 sxs

TD 2290'

## PLUG AND ABANDONMENT PROCEDURE

1/28/02

### **Foster #2**

West Ballard Pictured Cliffs  
1190' FNL & 1130' FWL, (D) Section 24, T26N, R8W  
San Juan County, New Mexico  
API #30-045-57670  
Lat: N36° 28' 32.808" / Long: W107° 38' 21.12"

Note: All cement volumes use 100% excess outside pipe and 50' excess inside. The stabilizing wellbore fluid will be 8.3 ppg, sufficient to balance all exposed formation pressures. All cement is ASTM Type II, mixed at 15.6ppg with a yield of 1.18 cf/sx.

1. Install and test location rig anchors. Prepare blow pit. Comply with all NMOCD, BLM, and Conoco safety regulations. MOL and RU daylight pulling unit. Conduct safety meeting for all personnel on location. NU relief line and blow down well; kill with water as necessary. ND wellhead and NU BOP. Test BOP.
2. Prepare and PU a workstring.
3. **Plug #1 (Pictured Cliffs perforations and Fruitland, Kirtland and Ojo Alamo tops, 2095' – 1350')**: TIH with tubing workstring and tag composite plug at 2105'. Load casing with water and circulate well clean. Casing has leaks from 1174' to 252'. Mix 100 sxs cement and spot a balanced plug inside casing above the composite plug to isolate the Pictured Cliffs perforations and to cover through the Ojo Alamo top. PUH and WOC.
4. **Plug #2 (9-5/8" Surface casing, 138' - Surface)**: Perforate 2 HSC squeeze holes at 138'. Establish circulation out bradenhead with water. Mix and pump approximately 100 sxs cement (100% excess due to casing leaks) down 5-1/2" casing to circulate good cement out bradenhead valve. Shut well in and WOC.
5. ND BOP and cut off casing below surface. Install P&A marker with cement to comply with regulations. RD, move off location, cut off anchors and restore location.

# Form Status Menu

## Sundry Notice

This Sundry Notice was received by the BLM Well Information System and will be processed by the Farmington BLM office.

Current status of Transaction Number **10294**:

Sundry Notice Type: **NOTICE OF INTENT-Plug and Abandonment**

Date Sent: **2/6/2002**

Current status of submission: **RECVD**

Sent to BLM office: **Farmington**

Lease number: **NM 02901**

Submitted attachments: **3**

Well name(s) and number(s):

**FOSTER #2**

To edit, view, or add a note, [click here](#)

To use this Sundry Notice to file another   [click here.](#)

To view or print this Sundry Notice, [click here.](#)

To add/view or remove attachments previously submitted for this Sundry Notice, [click here.](#)

To return to the Previous Submissions screen, [click here.](#)

To return to the Operator Main Menu, [click here.](#)