iDistrict I P.O. Box 190 Hobbs, NM Frict II Drawer DD, Adesia W 88221

Ulstrict III 1000 Rio Brazos Rd, Aztec, NM 87410 OCT 2 8 1997

State of New Mexico
Energy, Minerals and Natural Resources Department

SUBMIT I COPY TO APPROPRIATE DISTRICT OFFICE AND I COPY TO SANTA FE OFFICE

OIL CONSERVATION DIVISION

2040 South Pacheco Street Santa Fe, New Mexico 87505

PLT REMEDIATION AND CLOSURE REPORT


17/1/10000						
Operator: PNM	Gas Services (Conoco	Telephone:	324-3764			
Address: 603 W. Eln	1 Street Farmington, NM 874	101				
Facility or Well Name: _	Nickson #5					
Location: Unit _	F Sec	<u>23 T 26 N</u> R	<u>8 W</u>	County	San Juan	_
Pit Type: Separato	Dehydrate	or Other		Prip	<u>) </u>	
Land Type: BLM	State	Fee Other				
Pit Location: Pi	t dimensions: length	20 ' width	20 '	depth	3 '	
(Attach diagram) R	eference: wellhead	other				
Fo	otage from reference:	42'				_
Di	rection from reference: 70	Degrees 👱	East	North		
		- -	of West	South	<u>*</u>	
Depth to Ground Water:		Less than 50 feet 50 feet to 99 feet Greater than 100 feet			(20 points) (10 points) (0 points)	0
(Vertical distance from contaminants to seasonal high water elevation of ground water	DECEIVE				(
Wellhead Protection Area	.: []] JUL 3 1 1997	الط Van			(20 points)	
(Less than 200 feet from a private domestic water source, or, less than 1,000 feet from all other water sources)	OIL GON. D DISI. 3	Yes No			(0 points)	0
Distance to Surface Water	r: ************************************	Less than 200 feet 200 feet to 1,000 feet Greater than 1,000 feet			(20 points) (10 points) (0 points)	0
(Horizontal distance to perennial lakes, ponds, rivers, streams, creeks, irrigation canals and ditches		RANKING SCORE	(TOTAL F	POINTS) :	•	0

Nickson #5			Date Co. 111			
Date Remediation Started:			Date Completed:			
Remediation Method:	Excavation		Approx. Cubic Ya	rd	•	
(Check all appropriate	Landfarmed		Amount Landfarmed (cubic yds)			
sections)	Other		······································			
Remediation Location: (i.e., landfarmed onsite, name and location of offsite facility)	Onsite		Offsite			
Backfill Material Location:					· · · · · · · · · · · · · · · · · · ·	
General Description of Ren	nedial Action:					
No remedial action necessa	ry; field headspace and lab	analysis below E	BLM/OCD standards			
					*	
Ground Water Encountere	d: No	Yes	<u></u>	Depth	-	
Final Pit Closure Sampling:	Sample Location M	iddle of pit.				_
(if multiple samples, attach sample result and diagram of	Sample depth 6'					<u> </u>
sample locations and depths.)	Sample date	6/3/97	Sample time		9:30:00 AM	
	Sample Results					
	Benzene (ppm)					
	Total BTEX (p	pm)				
	Field headspace	(ppm) 0				
	TPH (ppm)	0.00	Method _	8015A		
Vertical Extent (ft)		Risk Assessm	ent form attached	Yes _	No	
Ground Water Sample:	Yes	No 📝	(If yes, see att Summary Rep		ndwater Site	
I HEREBY CERTIFY THA KNOWLEDGE AND MY		ABOVE IS TRU	E AND COMPLETI	Е ТО ТНЕ І	BEST OF MY	
DATE July 28, 1997			PRINTED NAM	E Denve	r Rearden	
SIGNATURE	Jenus Xea	ush	AND TITLE		istrator III	

Nickson # 5 Conoco Sec. 23, 26N, 8W, F

6-3-97

Start of excavation :



End of excavation:

clean closed at 6' dyth middle of pit

OFF: (505) 325-5667



LAB: (505) 325-1556

ANALYTICAL REPORT

Attn:

Denver Bearden

Company: PNM Gas Services

Address: 603 W. Elm

City, State: Farmington, NM 87401

Project Name:

PNM Gas Services - Nickson #5

Project Location:

9706030930; 6' depth, Middle of Pit

Sampled by:

GC

Date:

3-Jun-97 Time:

Date:

COC No.:

Job No.:

Sample No.:

9:30

9-Jun-97

5894

14816

2-1000

Analyzed by: Sample Matrix:

DC/HR Soil Date:

5-Jun-97

Laboratory Analysis

Parameter	Results as	Unit of	Limit of	Unit of
	Received	Measure	Quantitation	Measure
Diesel Range Organics (C10 - C28)	ND	mg/kg	5	mg/kg

ND - Not Detected at Limit of Quantitation

Quality Assurance Report

DRO QC No.: 0519-STD

Continuing Calibration Verification

Parameter	Method Blank	Unit of Measure	True Value	Analyzed Value	RPD	RPD Limit
Diesel Range (C10 - C28)	ND	ppm	200	182	9.5	15%

Matrix Spike

Parameter	1- Percent Recovered	2 - Percent Recovered	Limit	RPD	RPD Limit
Diesel Range (C10-C28)	88	84	(70-130)	5	20%

Method - SW-846 EPA Method 8015A mod. - Nonhalogenated Volatile Hydrocarbons by Gas Chromatography

Approved by: Oate: 6/9/9-