

(SUBMIT IN TRIPLICATE)
UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 078249
Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Well No. 1 Mill is located 660 ft. from N line and 660 ft. from E line of sec. 20
26N 12W 1951M
 (Twp.) (Range) (Meridian)
San Juan New Mexico
 (County or Subdivision) (State or Territory)
Wildcat
 (Field)

The elevation of the derrick floor above sea level is 6030 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

8-19-52 DRILL STEM TEST #1 5220-62 Open 30 min., slight blow of air, packer seat failed after 5 min. 30 min. S.I. O. Rec. 1360' very slightly gas cut mud.
 Hydrostatic Pressure 2700.
 8-21-52 DRILL STEM TEST #2 5303-15 Open 30 min., a very, very weak blow of air for 5 min., Rec. 90' of oil and gas cut mud. F.P. O, S.I.P. O, Hydrostatic Pressure 2750.
 8-22-52 DRILL STEM TEST #3 5200-5346 no packer seat. Rec. 800' drig. mud.
 8-23-52 DRILL STEM TEST #4 5340-5346 Open 1 hr., a very slight blow of air for 5 minutes. Rec. 200' slightly gas cut mud. F.P. 2000, S.I.P. 2000, Hydrostatic Pressure 2790.
 8-25-52 DRILL STEM TEST #5 5435-5728 Open 20 min., did not appear that tool was open. Failed tool and found 30' drig. mud.
 (SEE REVERSE SIDE OF PAGE)

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Jack Sullivan
 Address 3825 Willat Avenue
Culver City
California

By R. B. Young
 Title Agent

[illegible]

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYLand Office **Santa Fe**
Lease No. **078249**
Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	X
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

September 4, 1952

Well No. **1 Mill** is located **660** ft. from **N** line and **660** ft. from **E** line of sec. **20**

NE/4 **20** **26N** **12W** **MTM**
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Wildest **San Juan** **New Mexico**
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is **6030** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

8-19-52 DRILL STEM TEST #1 5220-62 Open 30 min., slight blow of air, packer seat failed after 5 min. 30 min. S.I. O. Rec. 1360' very slightly gas cut mud. Hydrostatic Pressure 2700'.

8-21-52 DRILL STEM TEST #2 5303-15 Open 30 min., a very, very weak blow of air for 5 min., Rec. 90' of oil and gas cut mud. F.P. 9, S.I.P. 9, Hydrostatic Pressure 2750'.

8-22-52 DRILL STEM TEST #3 5200-5346 no packer seat. Rec. 800' drig. mud.

8-23-52 DRILL STEM TEST #4 5140-5346 Open 1 hr., a very slight blow of air for 5 minutes. Rec. 180' slightly gas cut mud. F.P. 2000', S.I.P. 2000', Hydrostatic Pressure 2750'.

8-28-52 DRILL STEM TEST #5 5635-5728 Open 20 min., did not appear that tool was open. Packer seat and found 30' drig. mud.

(SEE REVERSE SIDE OF PAGE)

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Jack Sullivan**Address **3625 Willet Avenue****Galver City****California**By *R. D. Gentry*Title **Agent**

0-28-52 BUILT WITH TEST 66 5635-5726 DUE TO TOOL RUPTURED. TEST FAILED.
 HOC. 150' DRG. MTL.
 0-28-52 BUILT WITH TEST 27 5734-5853 OPEN 1 HR., 1100 PSI OF AIR AND DIED
 30 MIN. HOC. 150' DRG. MTL. F.P. 100F, FLUID F.P. 100F. 30 MIN. S.I.P.
 1800F. HYDRAULIC PRESSURE 2800F.
 0-1-52 BUILT WITH TEST 68 5635-5726 OPEN 30 MIN. HOOK DIED OF AIR FOR 20 MIN.
 HOC. 150' DRG. MTL. AND DIED WATER. F.P. 0, 30 MIN. S.I.P. 1950, HYDRAULIC
 PRESSURE 2750F.