13 x

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Allottee _	Maraje
Lease No.	14-20-603-735

Indian Agency Window Ront

NOTICE OF INTENTION TO DRILL		and and a	UVE
OTICE OF INTENTION TO CHANGE PLANS	SUBSEQUEN	T REPORT OF WATER SHUT-OFF	
OTICE OF INTENTION TO TEST WATER SHUT-(OFF SUBSEQUEN	T REPORT OF SHOOTING OR ACIDIZING	- 5 1959
OTICE OF INTENTION TO REDRILL OR REPAIR	TODOLGOE!	REPURT OF ALTERING CASING.	
OTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSECUENT	T REPORT OF REDRILLING OR REPAIR ULD OF	
OTICE OF INTENTION TO PULL OR ALTER CAS		TARY WELL HISTORY.	FW !
OTICE OF INTENTION TO ABANDON WELL	Set Pro	duction Cag	<u></u> -j
(INDICATE ABOVE B	Y CHECK MARK NATURE OF REPOR	T, NOTICE, OR OTHER DATA)	
	· · · · · · · · · · · · · · · · · · ·	Jamary 12 , 19 2	9
ll No is located _1	960 ft. from haline an	d 660 ft. from E line of sec. 13	
as dection 13	_ /	_ ·	
(14 Sec. and Sec. No.) (T	wp.) (Range)	ov Mexico PM (Meridian)	
Bisti-Gallup	San Juan	• • • • • • • • • • • • • • • • • • •	
(Field)	(County or Subdivision)	(State or Territory)	
	DETAILS OF WORL	K	
	DETAILS OF WORI	K ths of proposed casings; indicate mudding jobs, cemen posed work)	nt-
	DETAILS OF WORI	K Iths of proposed casings; indicate mudding jobs, cemen 165 joints, 5373.531 518 Palisers scratchers and and pumped 100 lbs Schlum	at-
e names of and expected depths to objective as local to 5365	DETAILS OF WORI	K Iths of proposed casings; indicate mudding jobs, cemen 165 joints, 5373.531 518 Palisers scratchers and and pumped 100 lbs Schlum	at-
enames of and expected depths to objective as ing policy of the 5365' KB TD. Gondi rd, 14#, J-55 mile cosing float equipment. Casing Pyrophosphate in 20 gale reced to 5279' KB. Ren ter KB.	DETAILS OF WORI ands; show sizes, weights, and leng ints, and all other important proj tiened hole and ran g, equipped w/centr landed e 5363' KB water shead of 100 mperature survey, f	the of proposed casings; indicate mudding jobs, comen posed work) 145 jeints, 5373.531 548 reliners scratchers and and pumped 100 lbs Sedium sax Posmix "S" coment. cound top of coment at RECEIVED JAN 1 6 1959	nt-
enames of and expected depths to objective as ing policy of the 5365' KB TD. Gondi rd, 14#, J-55 mile cosing float equipment. Casing Pyrophosphate in 20 gale reced to 5279' KB. Ren ter KB.	DETAILS OF WORI ands; show sizes, weights, and leng ints, and all other important proj tiened hole and ran g, equipped w/centr landed e 5363' KB water shead of 100 mperature survey, f	the of proposed casings; indicate mudding jobs, comen posed work) 145 jeints, 5373.531 548 reliners scratchers and and pumped 100 lbs Sedium sax Posmix "S" coment. cound top of coment at RECEIVED JAN 1 6 1959	at-
enames of and expected depths to objective as ing policy of to 5365! IN ID. Gonding policy of the state of th	DETAILS OF WORI ands; show sizes, weights, and leng ints, and all other important proj tiened hole and ran g, equipped w/centr landed e 5363' KB water shead of 100 mperature survey, f	k Iths of proposed casings; indicate mudding jobs, cemen posed work) Ith jeints, 5373.53* 53* Palisers scretchers and and pumped 100 lbs Selium sax Posmix *5* cement. Second top of cement at RECEIVED JAN 1 6 1959 OIL CON COP gical Survey before op Difference be commenced.	at-
e names of and expected depths to objective as ing policy of the 5365! IN ID. Gonding policy of the 5365! IN ID. Gonding rd, 14#, J-55 mile casing float equipment. Casing Pyrophosphate in 20 gals asced to 5279! IB. Ran terms.	DETAILS OF WORI ands; show sizes, weights, and leng ints, and all other important proj tiened hole and ran g, equipped w/centr landed 0 5363' KB water shead of 100 mperature survey, f	the of proposed casings; indicate mudding jobs, camen posed work) 165 jeints, 5373.53* 51* Palisers scratchers and and pumped 100 lbs Selfium sax Posmix *5* cament. Seund top of coment at RECEIVED JAN 1 6 1959 OIL CON COP gical Survey before optalinating be commenced.	-
enames of and expected depths to objective as ing policy of the 5365! IN ID. Gonding rd, 14", J-55 mile casing float equipment. Casing Pyrephosphate in 20 gals seed to 5279! IB. Ren to IB.	DETAILS OF WORI ands; show sizes, weights, and leng ints, and all other important proj tiened hole and ran g, equipped w/centr landed 0 5363' KB water shead of 100 mperature survey, f	k Iths of proposed casings; indicate mudding jobs, cemen posed work) Ith jeints, 5373.53* 53* Palisers scretchers and and pumped 100 lbs Selium sax Posmix *5* cement. Second top of cement at RECEIVED JAN 1 6 1959 OIL CON COP gical Survey before op Difference be commenced.	-