

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

Expiry Date: 1004-0135
Expires August 31, 1985

5. LEASE DESIGNATION AND SERIAL NO.

14-20-603-735-A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

West Bisti

9. WELL NO.

101

10. FIELD AND POOL, OR WILDCAT

Bisti Lower Gallup

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 13, T26N, R14W

12. COUNTY OR PARISH 13. STATE

San Juan

New Mexico

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT" for such proposals.)

1. OIL WELL ☐ GAS WELL ☒ OTHER

2. NAME OF OPERATOR

Chevron U.S.A. Inc.

3. ADDRESS OF OPERATOR

P.O. Box 599, Denver, CO 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

1980' FSL & 660' FEL

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, ET, GR, etc.)

6413' F.L.

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

FULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

Repair casing leak

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

It is proposed to repair the casing as follows:

POOH w/ 2-7/8" tbg. Set RBP @ 5032'. Place 10' sand on RBP. RIH w/ RTTS pkr. Search for csg leak, find 5 1/2" csg. leak. POOH w/ RTTS. Squeeze cmt w/ 125 sks Class B neat @ 16.2#/gal. Circ cmt down 5 1/2" csg, up 9-5/8" csg to surface. Close in 9-5/8" csg. Displace cmt to 171' w/ fresh water. Squeeze w/ 500#. SION. Drill out cmt f/ 171' to 273'. Test 5 1/2" csg to 500#. Verbal approval by OCD representative Carolyn Taplin. RIH. Retrieve RBP. POOH. RIH w/ Baker Model R Double Grip Pkr & tbg to 5233'. Set w/ 10,000# tension, ND BOP, NU tree. Resume injection.

5-BLM

2-STATE

1-J. Lisonbee

1-MJM

3-SLI

1-NAVAJO TRIBE

1-LLK

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE Env. Eng. Spec.

DATE October 24, 1985

(This space for Federal or State office use)

APPROVED BY

TITLE

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

NMOCC