Form 9-331a (Feb. 1951)	5-U9GS 1-EPN3	
(200.1001)	1-D (SUBMIT IN TRIPLICATE)	Land Of
X	1=# United States	Loase No
	DEPARTMENT OF THE INTERIOR	Unit
	GEOLOGICAL SURVEY	Luth

Bı Aj	udget Bureau No. 42-R358.4. pproval expires 12-31-60.
Land Offic	e
Lease No.	SF-078622
Unit	
Luthy	Federal

NOTICE OF INTE	NTION TO DRILL		, A S	JBSEQUENT R	FPORT OF	WATED CUI	IT OFF		1	1
	NTION TO CHANGE PLAN		- 1 11	JBSEQUENT RI				ING		
NOTICE OF INTE	NTION TO TEST WATER	SHUT-OFF	1 11	JBSEQUENT RE			·	En	E O	W. I
NOTICE OF INTE	NTION TO RE-DRILL OR	REPAIR WELL	st	BSEQUENT RE	PORT OF	RE-DRILLIN	G OR REP	AIR.	<u> 1</u>	₩.
NOTICE OF INTE	NTION TO SHOOT OR AC	CIDIZE	sı	BSEQUENT RE	PORT OF	ABANDONM	ENT			
NOTICE OF INTE	NTION TO PULL OR AL (TER CASING	St	JPPLEMENTAR'	Y WELL HI	STORY		SE	2	
NOTICE OF INTE	NTION TO ABANDON WE	Ш					·			
	(INDICATE	ABOVE BY CHECK M.	ARK NATURE	OF REPORT, N	OTICE, OR			<u> </u>		<u>-</u>
.n. 81. 1	* 1 1	1160	(N)		96 0		ember		, 19	01
	is located		(-)	line and		it. from	$\{\overline{\mathbf{w}}\}$ lun	e of se	S., 13	**
W/4 NW/4	5ec. 13 d Sec. No.)	26N (Twp.)	(Range)		MAPA					
(% Bec. an	u DeC. NO.)	(T.MD.)	(Manga)							3 .
allard PC	Ext. & Bagin			ABIS.	(Merid		u Mavi		and the second second second	I :
(Fi	Ext. & Basin of the derrick flo d expected depths to ob	October (Country of above sea	San Anty or Subdiv	6259 ft. F WORK	GL	Ne (St	W MON	(01	SEP-22) I
(Fi	of the derrick flo	October (Country of Country of Co	San Anty or Subdivi	6259 ft. F WORK	GL as of propo	(State of Casings	ate or Terri	Ol mudding		T I
he elevation atenames of an ropose to ually com	of the derrick flood expected depths to obtain the late in the late of the lat	Octavy tools	San Anty or Subdivi	6259 ft. F WORK Its, and length ortant propose	GI.	Ne (St	ate or Terri	(O)	: and	
ropose to ually com	of the derrick flood expected depths to obtain with a plate in the left follows:	Octave sands; show ing points, and so	San Anty or Subdivi level is AILS Of sizes, weighted the rimp all other imp	6259 ft. F WORK tts, and length ortant propos approximal Daket	GL se of proposed work) mate d	epth o	i indicate	mudding feet	: and Program	ħ
ropose to ually com	of the derrick flood expected depths to obtain the follows:	Dakots (Coun oor above sea DET Discrive sands; show ing points, and s otary tools Pictured Cl asing set a	San Anty or Subdivi level is	6259 ft. F WORK te, and length ortant propos approximatel:	GI. sa of proposed work) mate da form	epth o	if 6716	mudding p	: and Program Comen	n Ł.
ropose to ually com 111 be as	of the derrick flood expected depths to obtain with a plate in the left follows:	Dakots (Country tools Pictured Cl asing set a	San Anty or Subdivi level is	6259 ft. F WORK te, and length ortant propos approximatel 300 sx	GL sof proposed work) mate d a form y 300 or en	Ne (Street week ough t	if 6716 Cai	mudding feet cing p	: and Program Comen	n Ł.
ropose to ually comit be as 5/8" 32.	of the derrick flood expected depths to obder drill with replace in the follows: 30% surface companies as a with a DV to	Oakots (Coun oor above sea DET jective sands; show ing points, and s otary tools Pictured Cl asing set a t total dep ol set for	San Anty or Subdivided is level is leve	6259 ft. F WORK ta, and length ortant propos approximatel: 2300 sx stared C.	GL se of proposed work) mate de form y 300 or en	epth o ations feet wough twith 1	if 6710 cath 20 co sove	mudding feet ing p	and program coment Gall	i.
ropose to ually comit be as 5/8" 32.	of the derrick flood expected depths to obtain the follows: 30# surface casing set as	Oakots (Coun oor above sea DET jective sands; show ing points, and s otary tools Pictured Cl asing set a t total dep ol set for	San Anty or Subdivided is level is leve	6259 ft. F WORK ta, and length ortant propos approximatel: 2300 sx stared C.	GL se of proposed work) mate de form y 300 or en	epth o ations feet wough twith 1	if 6710 cath 20 co sove	mudding feet ing p	and program coment Gall	i.
ropose to ually comitable as 5/8" 32.	of the derrick flood expected depths to obder drill with replace in the follows: 30% surface companies as a with a DV to	Oakots (Coun oor above sea DET jective sands; show ing points, and s otary tools Pictured Cl asing set a t total dep ol set for	San Anty or Subdivided is level is leve	6259 ft. F WORK ta, and length ortant propos approximatel: 2300 sx stared C.	GL se of proposed work) mate de form y 300 or en	epth o ations feet wough twith 1	if 6710 cath 20 co sove	mudding feet ing p	and program coment Gall	i.
ropose to ually comill be as 5/8" 32. 7" 15.50% ormation,	of the derrick flood expected depths to obtain the follows: 30% surface casing set awith a DV too on packer will.	Dakots (Country tools prictured Classing set a total depol set for less than the set, and set a set, and set, and set a set a set, and set a set a set a set, and set a set, and set a set a set, and set a set, and set a set a set a set a set a set, and set a set	San Anty or Subdivi level is	6259 ft. F WORK ta, and length ortant propos approximatel: 200 sx stared C. 200e p.	GL sof proposed work) mate de form y 300 or en liffs	epth o ations feet wough twith I	of 6710 th 20 to sove	mudding points in the	cement Gall	i.
ropose to ually comill be as 5/8" 32. 578 crmation, producti	of the derrick flood expected depths to obder drill with replace in the follows: 30% surface companies as a with a DV to	Dakots (Country tools prictured Classing set a total depolate to tary tools be set, and set for the set f	San Anty or Subdivided is level is leve	6259 ft. F WORK ta, and length ortant propos approximatel: A 300 sx stured C	GL se of proposed work) mate de form y 300 or en liffs erfore	epth of ations feet with 1 ted and the fore open to the f	if 6716 cai th 26 co sove 00 sx. d sand	mudding feet ling p	cement Gall	i.
ropose to ually comit be as 5/8" 32. 2" 15.50% ormation, producti	of the derrick flood expected depths to obtain the follows: 30% surface casing set a with a DV to on packer will at this plan of work must be suithwest. Proceedings	Dakots (Country tools points, and a stary tools pletured Classing set a total depol set for l be set, a sustreceive approval duction Communication Communica	San Anty or Subdivided is level is leve	6259 ft. F WORK ta, and length ortant propos approximatel: 200 sx stared C. 200e p.	GL se of proposed work) mate de form y 300 or en liffs erfore	epth of ations feet with 1 ted and the fore open to the f	if 6716 cai th 26 co sove 00 sx. d sand	mudding feet ling p	cement Gall	i.
ropose to ually comitate names of an ropose to ually comitate as 15.50% ormation, producti	of the derrick flood expected depths to obder drill with replace in the follows: 30% surface casing set a with a DV too on packer will state of the plan of work much southwest Processing set a state of the plan of work much southwest Processing set a state of the plan of work much set the plan of work	Dakots (Country tools points, and a sing set a total depoint of the set, a sustant of th	San Anty or Subdivided is level is leve	6259 ft. F WORK ta, and length ortant propos approximatel: Ximatel: Xima	GL. sof proposed work) mate deform y 300 or en liffs erfore	epth of ations feet with 1 ted and the fore open to the f	if 6716 f 6716 Cai Lth 26 Sove OO sx. arations m	mudding feet ling p	cement Gall	i.

NUMBER OF COPIE	SRECEN	/ED	
DIS	TRIBUTIO	ON	
SANTA FE		1	
FILE			
U.S.G.S.			
LAND OFFICE			
	OIL.		
TRANSPORTER	GA5		
PROBATION OFFI	CE	1	
OPERATOR		1	

NEW MEXICO OIL CONSERVATION COMMISSION

FORM C-128 **Revised 5/1/57**

WELL LOCATION AND ACREAGE DEDICATION PLAT

TRANSPORTER	GA3			SEE I	NSTRUCTIONS	FOR C	OMPL	ETING THIS	S FORM ON	I THE REVE	RSE SIDE	
PROBATION OFFIC	E]								
OPERATOR				<u>. </u>								1
SECTION A												
Operator	SOUT	HWEST	PRODUC	CTION CC	MPANY	Lease		FEDERAL	(SF-07	8622)	Well	No. 1
Unit Letter D		Secti	on 13	Townsh	oip 6 NORTH		ange	WEST	County	XXXXXXXXX	SAN	WIAM
Actual Foot	200 1	ocation	-					MINI	1 (ALDIN)	WILLIAM CAN	. Octor	JOAN
	1160) feet	from the	NORTH	line and		60		from the		line	
Ground Leve	el Ele	- 1	_	Formation				Blanco P		6.	Dedicated A	
6259.0			Picture	ed Cliff	s & Dakota	3	Basi	n Dakota		i	N/320	Acres
1. Is the Op	erato:	r the o			dated 4 N				YES X	NO	. (''Ouner'' :	neans the person
					ce from any po							
another.	(65-	-3-29 ((e) NMSA 1	1935 Comp.,)			,		,		
				-	ve the interests	of all th	he own	ers been co	nsolidated	by communit	ization kered	mehror other-
wise? Y	ES	N	o	If answer	is ''yes,'' Type	e of Cons	solidat	ion		,	7011	
					all the owners				tests below	. 7	MLUL	7 6.63
Owner				,			7		-	' 	Water -	
Owner							Lai	nd Descripti	lon	(SEP22	1961
										1	OIL COL	
										7		
				SEC	TION B	CA \$4		1			CERTIFICA	TION
1	rorrina Milaia	SALE AT THE PER	I I	No. of Contrast of						i		
li .			1				ł					e information
H	Ì	Ö	!				i		2	in SECTIO	ON A above i	s true and com-
li .		v	!				!			plete to th	e best of my	knowledge and
H		`	!				1		1944 44 44	belief.	•	J
			!				ļ		Sink.			
960	oʻ—	0	 						eger villagen	Name	Original	signed by
			 -				-+-			Position	Carl W. S	7.111111
			 						en e	Produc	tion Sup	erintendent
and the second s			İ						redijegareden s	Company South	rest Prod	uction Co.
į			-						erge of Systems	Date	9/20/61	······································
ė Ž			1		12				ì	L	<u> </u>	
<u> </u>		<u> </u>	enter trendicate		13		\dashv					
			1				į			I hasabu -	aprify shas st	well location
			!				!					
					İ		ļ		j		_	CTION B was
1			1				!				m field notes	
i 1			İ				ļ]		ade by me or	-
			1							supervisio	n, and that tl	ne same is true
1			ļ				ļ					of my knowledge
 			 -		+		-+-			and belief		
			i				İ			Date Surve	yed	
			j				j			19_Ju	<u>ly 1961</u>	
			1				-				l Professions	l Engineer
			1				İ				ad Surveyor	ρ
			1				İ			9	7	loose
L			<u> </u>	· . ·						James	- '	
	CC :	200	20 4550	1000 221	2640 20	00 1	coc	(000	· · ·	Certificate		1463
0 330 6	6U S	190 /3	20 1650	1980 2310	2640 20	··· /:	500	1000 5	00 0			ring Compan

INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.