	9-881 a
(Feb	. 1951)

i	 	 
1	 	 ļ
ļ		l
1	 	 
1	Х	

## (SUBMIT IN TRIPLICATE)

## UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Budget Bureau No. 42-R358.4. Approval expires 12-31-60.
Land Office
Lease No. U78897
Unit Western

NOTICE OF INTENTION TO DRILL	SUBSEC	QUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLAN	SUBSEC	QUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER S	SHUT-OFFSUBSEC	QUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR	REPAIR WELL SUBSEC	QUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR AC	IDIZE SUBSEC	QUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTE		EMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WEL		M-144 A A A-4- 1
(INDICATE A	ABOVE BY CHECK MARK NATURE OF R	REPORT, NOTICE, OR OTHER DATA)
·		December 9 1957
	•	
/ell No is located	660 ft. from   line	e and sec. 7
SE SW/4 Sec. 7	(~)	NMPM
(1/4 Sec. and Sec. No.)	(Twp.) (Range)	(Meridian)
Wildest	Said Justs	NOW MORE O
(Field)	(County or Subdivision)	(State or Territory)
to name of and expected depths to phi	jective sands: show sizes, weights, at	nd lengths of proposed casings; indicate mudding jobs, cement-
9-57 TD 5294'. Clean o loil fractured Lower Galls 3-87; 5:22-38; 5:42-52; 5	out TD 5234'. up perf intervals 3 sh/	ind lengths of proposed casings; indicate mudding jobs, comentant proposed work)  It. 4946-58; 4962-72; 5053-67;  gold and 65,000% sound. Brkdwn  Injection rate 69.9 bbis/mio.
oil fractured Lower Galls -87; 5:22-38; 5:42-52; 5 s :800°, max tr pr 2200° h 9,660 gallons.	ing points, and all other importa- part TD 5234.  up perf intervals 3 sh/ 73-5206 with 59, 220 g	int proposed work)  It. 4946-58; 4962-72; 505 -67;  go oil and 65,000 s nd. Brkdwa  Injection rate 69.9 bbis/mio.
-57 TD 5294'. Clean of oil fractured Lower Galls -87; 5:22-38; 5:42-52; 5 s :800°, max tr pr 2200° h 9,660 gallons.  I understand that this plan of work max the pressure of the plan of work max the	ing points, and all other imports; out TD 5234'. up perf intervals 3 sh/ .73-5206 with 59, 220 g	int proposed work)  It. 4946-58; 4962-72; 505 -67;  go oil and 65,000 s nd. Brkdwa  Injection rate 69.9 bbis/mio.
-57 TD 5294'. Clean of oil fractured Lower Galla-87; 5:22-38; 5:42-52; 5 s :800%, max tr pr 2200% h 9,660 gallons.  I understand that this plan of work much property of the p	out TD 5234'.  up perf intervals 3 sh/ .73-5206 with 59, 220 gh, .verage tr pr .975%  ust receive approval in writing by the 1 G-8 Products Company	nt. 4946-58; 4962-72; 505 -67; g. oil and 65,000 s. nd. Brkdwn Linguition rate 69.9 bbls/min.
-57 TD 5294'. Clean of oil fractured Lower Galls -87; 5:22-38; 5:42-52; 5 s :800°, max tr pr 2200° h 9,660 gallons.	ing points, and all other importance out TD 5234'.  up perf intervals 3 sh/73-5206 with 59, 220 gh,verage tr pr975%  ust receive approval in writing by the intervals Company	int proposed work)  It. 4946-58; 4962-72; 505 -67;  go oil and 65,000 s nd. Brkdwa  Injection rate 69.9 bbis/mio.