WELL X

NAME OF OPERATOR

UNITED STATES UNITED STATES SUBMIT IN TRIPLICATE Other Instructions on reverse side) GEOLOGICAL SURVEY

Form approved. Budget Bureau No. 42-R1424. 5. LEASE DESIGNATION AND SERIAL NO.

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SF-078918

	SUNDRY	NOTICES.	AND	KEPORIS	ON	WELLS
not no	a this form fo	w proposals to	drill or to	doopen or plus	haals to	a different sessession

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.

Use "APPLICATION FOR PERMIT—" for such proposals.)

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME Delhi Taylor /3

El Paso Products Company

OTHER

WELL

3. ADDRESS OF OPERATOR P. O. Box 1560, Farmington, New Mexico

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.

See also space 17 below.)
At surface

9. WELL NO. ⊬1**∌**

10. FIELD AND POOL, OR WILDCAT

Gallegos Gallup 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

1980'N, 660'E, 26-N, 12-W

15. ELEVATIONS (Show whether DF, RT, GR, etc.) 6010' GL

12-26-N, 12-W

San Juan

12. COUNTY OR PARISH | 13. STATE

New Mexico

14. PERMIT NO.

FRACTURE TREAT

REPAIR WELL

(Other)

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO: TEST WATER SHUT-OFF PULL OR ALTER CASING MULTIPLE COMPLETE X SHOOT OR ACIDIZE ABANDON* CHANGE PLANS

WATER SHUT-OFF REPAIRING WELL FRACTURE TREATMENT SHOOTING OR ACIDIZING (Other)

ALTERING CASING ABANDON MENT®

(Note: Report results of multiple completion on Weil Completion or Recompletion Report and Log form.) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

(Est. date to start work

- Load hole with mud laden fluid.
- Squeeze Gallup perforations.
- Shoot pipe loose at free point and pull.
- Spot 100' cement plug 50' in and 50' out of stub.
- Spot 100' cement plug across top of picture cliff.
- Spot 100' cement plug at base of Ojo Alamo.
- 7. Place cement plug in top of surface with welded marker in place.
- 8. Clean location.

RECEIVED

MAR 2 9 1968

U. S. GEOLOGICAL SURV

18. I hereby certif; that the foregoing is true and co	orrect	
SIGNED Jen Lagra	TITLE Agent	DATE 3-20-68
(This space for Federal or State office use)		
APPROVED BY CONDITIONS OF APPROVAL, IF ANY:	TITLE	DATE