

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office	Santa Fe
Lease No	078135
Unit	Rv/4

NOTICE OF INTENT	ION TO DRILL	XX	SUBSEQUENT REP	ORT OF WATER SHUT-C	OFF	
NOTICE OF INTENT	ION TO CHANGE PLANS		SUBSEQUENT REP	ORT OF SHOOTING OR	ACIDIZING	
NOTICE OF INTENT	ION TO TEST WATER SHUT-OFF		SUBSEQUENT REP	ORT OF ALTERING CAS	ING	
NOTICE OF INTENT	ION TO RE-DRILL OR REPAIR WEL	L	SUBSEQUENT REPO	ORT OF RE-DRILLING	R REPAIR	
NOTICE OF INTENT	ION TO SHOOT OR ACIDIZE		SUBSEQUENT REPO	ORT OF ABANDONMENT		
NOTICE OF INTENT	ION TO PULL OR ALTER CASING		SUPPLEMENTARY	WELL HISTORY	· · · · · · · · · · · · · · · · · · ·	EY
NOTICE OF INTENT	ION TO ABANDON WELL					
				† pe		
	(INDICATE ABOVE BY CH	IECK MARK NATI	JRE OF REPORT, NO	TICE, OR OTHER DATA)		
	.		Novemb	er 3, 1954.		, 19
	l-Federal		J)		- ì	
ell No. 1-1	9 is located 990	ft. from	line and _9	90 ft. from 📉	line of sec.	
	•	,	,	(,	v J	
WW/4 Sec. 1	0 T 26 N lec. No.) (Twp.)	R 9	(a)	(Meridian)		
ildoat						
(Field)	(County or Sub	division)	(State	or Territory)	
	expected depths to objective sand ing points drill with rotary attent 1,900 feet a	s; show sizes, we s, and all other i				
expected by hole throw ing with so Casing proj	tween 1,900 feet a p Pictured Cliff f blidified nitre gly	s; show sizes, we s, and all other tools to nd 2,100 or mation.	eights, and lengths important propose the top of feet below Completions and oil D	on with cable	tools - an	d aboot
expected by hole throw ing with se Casing proj to surface.	pheen 1,900 feet a pheet	s; show sizes, we, and all other tools to nd 2,100 or mation. cerii: or 8.5/8" ne	tights, and lengths important propose the top of feet below Completio send oil for w 8 rd, the	on with cable racturing.	tools - an	d sbeet e cemen
expected by hole throw ing with so Casing project to surface.	tween 1,900 feet a p Pictured Cliff f blidified nitre gly	s; show sizes, we, and all other tools to nd 2,100 or mation. cerii: or 8.5/8" ne	tights, and lengths important propose the top of feet below Completio send oil for w 8 rd, the	on with cable racturing.	tools - an	d sbeet e cemen
expected by hole throw ing with so Casing project auriace. 5-1/2" O.D. hion, cener	pheen 1,900 feet a pheet	s; show sizes, we, and all other it tools to nd 2,100 ormation. cerii: or 8-5/8" ne casing t	cights, and lengths important proposes the top of feet below Completion and oil for 8 rd, the completion of the section of the section comment.	on with cable racturing. i. 32 casing a top of Pict	tools - and direulate	d sbeet e cemen
expected by hole through the surface. 5-1/2" O.D. tion, cener	phetween 1,900 feet a phetween 1,900 feet a phetween Cliff folidified nitra gly prant: 100 feet of 114 J-55 seamless ated with 150 sacks to be set within 50 this plan of work must receive a	s; show sizes, we, and all other it tools to nd 2,100 or mation. ceril: or 8-5/8" ne casing t regular feet of	cights, and lengths important propose the top of feet below Completic sand oil for a fine from the feet below completic sand oil for a fine from the feet below to be set of cement.	on with cable racturing. i. 32 casing a top of Pict	tools - and directist	d sbeet e cemen forma-
expected by hole through the surface. 5-1/2" O.D. tion, cents 1" tubing to the surface. 1" tubing to the surface.	ph Pictured Cliff if plidified nitre gly gram: 100 feet of 1.55 seamless ated with 150 sacks to be set within 50	s; show sizes, we, and all other it tools to nd 2,100 or mation. ceril: or 8-5/8" ne casing t regular feet of	cights, and lengths important propose the top of feet below Completic sand oil for a fine from the feet below completic sand oil for a fine from the feet below to be set of cement.	on with cable racturing. i. 32 casing a top of Pict	tools - and directist	d sbeet e cemen forma-
expected by hole through the surface. 5-1/20 O.D. thon, center 1" tubing the tubing the surface of the surfac	phetween 1,900 feet a phetween 1,900 feet a phetween Cliff folidified nitra gly prant: 100 feet of 114 J-55 seamless ated with 150 sacks to be set within 50 this plan of work must receive a	s; show sizes, we and all other tools to nd 2,100 or sation. cerin or 8.5/8" ne casing t regular feet of pproval in writing the operation of the casing the casing the regular feet of pproval in writing the operation of the casing the casing the casing the regular feet of the casing the	sights, and lengths important proposes the top of feet below Completion sand oil from 8 rd, the completion of the set of cement. Total deptions by the Geologic ingritude of the set of the cement.	on with cable racturing. i. 32 casing a top of Pict	tools - and directist	d sbeet e cemen forma-
expected by hole through the surface. 5-1/20 O.D. then, cases I understand that ompany	ph Pictured Cliff if Pictured Cliff if Pictured Cliff if Plidified nitra gly gran: 100 feet of 114 J-55 seamless ated with 150 sacks to be set within 50 this plan of work must receive a J. Glenn Turner (1	s; show sizes, we, and all other it tools to nd 2,100 or mation. certi: or 8-5/8" ne casing t regular feet of pproval in writi Sub-Opera	sights, and lengths important propose the top of feet below Completic sand oil for a fine oil fo	on with cable racturing. 1. 32 casing the top of pict of the product of the prod	tools - and ireulate and Cliffs tools.	d short common
expected by hole through the surface. 5-1/20 O.D. tion, center 1 tunderstand that company	ph Pictured Cliff if Pictured Cliff if Pictured Cliff if Piddified nitra gly gram: 100 feet of 114 J-55 seamless ated with 150 sacks to be set within 50 this plan of work must receive a J. Glenn Turner (180x 72% - Farming	s; show sizes, we, and all other it tools to nd 2,100 or mation. certi: or 8-5/8" ne casing t regular feet of pproval in writi Sub-Opera	sights, and lengths important propose the top of feet below Completic sand oil for a fine oil fo	on with cable racturing. 1. 32 casing the top of pict of the product of the prod	tools - and directist	d short common

Propose so drill arts relaty too a to ske of the linkund cliff formation expensed between 1,900 feet and align feet hely anglass . then drill helfill rat hole through Pictured Cliff Jorganian Completion with capie tools - and shorting with solidified directly or dend oil fracturing

Casing program and feet of \$ 578 upp 8 mi, and, and casing, direction commit or surface.

halfm on the dath seek rate realing to be set on the electron Cliffs form tions or and of the form to make the same

. Na kanada 2015 na kanada na manada na manada na kanada kanada na kanada na kanada na kanada na kanada na kaka

analisations, and discovering to the term of the position of

J. Clerk Dron (Indigent or)

87. [2] · 程度,构构组在122 · 图 加图 γ_{i} which

्रिक्सी सारकारण १९ कि.स.च. क्षेत्र के स्थापित के स्थापित के स्थापित के स्थापित के स्थापित के स्थापित के स्थापित

steer in Turning on

ing the control of th

COMPANY J. Glenn Turner	· · · · · · · · · · · · · · · · · · ·
Well Name & No. Crandell-Federal No. 1-10	Lease No. State 1835
Location 990' from the North line and 990' from	n the West line.
Being in the NW of the NW	
Sec. 10, T 26 N., R 9 W., N.M.P.M., San Juan County,	
Ground Elevation 6335	EVED
990	NOV 2 1954 U.3 COM COTOAL SHRVEY FARMIN STON, NEW MEXICO
	N N N N N N N N N N N N N N N N N N N

Scale -- 4 inches equals 1 mile

Surveyed October 26	19 54
---------------------	--------------

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Seal:

Registered Professional

Engineer and Land Surve of Ernest V. Echohawk
N. Mex. Reg. No. 154