



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Santa Fe  
Lease No. 081100  
Unit Nelson

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

May 6, 1955

Well No. 1 is located 990 ft. from [N] line and 1090 ft. from [E] line of sec. 3  
NE Section 8 26N 12W R6PM  
(¼ Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Wildcat San Juan New Mexico  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5973 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

It is intended to drill a well with rotary tools to a total depth of 5420' and to drill stem test the Hospah and Sanastee formations.

In the event that the Sanastee proves productive 5 1/2" casing will be set at 5420', perforated and the well completed in the Sanastee formation.

In the event that the Sanastee does not prove productive a cement plug will be set from 5100' - 5420' and 5 1/2" casing will be set at 5075', perforated and the well completed in the Hospah formation.

Tentative Tops: Hospah 4875', Lower Gallup 4975', Sanastee 5260', Lower Mancos 5385'.

(Over)

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company El Paso Natural Gas Company

Address Box 997

Farmington, New Mexico

By [Signature]

Title Petroleum Engineer

**Reinforcing Casting Program:**

9 5/8" at 150' with 125 sacks cement,  
5 1/2" at 5420' with 250 sacks cement,  
or  
5 1/2" at 5075' with 250 sacks cement.

*W. H. Miller*