

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPPLICATE
(Other instructions on re-
verse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

SF - 078897

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Western

9. WELL NO.

5

10. FIELD AND POOL, OR WILDCAT

Gallegos Gallup

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 7-26N-11W NMPM

12. COUNTY OR PARISH

San Juan

13. STATE

New Mexico

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	2. NAME OF OPERATOR EL PASO PRODUCTS COMPANY
3. ADDRESS OF OPERATOR P. O. Box 1560, Farmington, New Mexico 87401	4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 660'/N, 1000'/E, Section 7, T 26 N, R 11 W
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT, GR, etc.) 6098' GR

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐(Other) ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐ABANDON* ☐CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☐(Other) ☐REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT* ☒(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*


Start Operations 7-4-68, Finish 7-3-68

1. Load hole with mud laden fluid.
2. Squeeze perforations 5201-5026' - 20' sx cmt.
3. Shoot pipe loose at free point - 2300'.
4. Spot 30 sx cmt, 4% gel, 2352-2207' in and out of stub.
5. Spot 30 sx cmt, 4% gel, 1481-1371' - Top Pictured Cliffs.
6. Spot 30 sx cmt, 4% gel, 534-424' - Base Ojo Alamo.
7. Place 10 sx cmt top surface casing with welded marker in place.
8. Clean location.

RECEIVED

SEP 27 1968

U. S. GEOLOGICAL SURVEY



18. I hereby certify that the foregoing is true and correct

Original SIGNED by: Jim Ranyo TITLE Agent DATE August 15, 1968

(This space for Federal or State office use)

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____

DATE _____

*See Instructions on Reverse Side