

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

SF-078999-A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Western A

9. WELL NO.

4

10. FIELD AND POOL, OR WILDCAT

Gallegos Gallup

11. SEC., T., R., M., OR ELM. AND
SURVEY OR AREA

Sec. 8, T26N, R11W, NMPM

12. COUNTY ~~XXXXXX~~

San Juan

13. STATE

New Mexico

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

EL PASO PRODUCTS COMPANY

3. ADDRESS OF OPERATOR

Post Office Box 1560, Farmington, New Mexico 87401

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

660'/N, 660'/W, Section 8, Township 26 North, Range 11 West

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

6175' GR

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐(Other) ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐ABANDON* ☐CHANGE PLANS ☐


SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☐(Other) ☐REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT* ☒(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any
proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones perti-
nent to this work.)*

Start Operations 5-22-68.

Finish Operations 5-25-68.

1. Load hole with mud laden fluid.
2. Squeeze Gallup perforations 5280' to 5105' 20 sx. cement.
3. Shoot pipe loose at free point 2420' and pull.
4. Spot 30 sx. cement plug 4% gel 2472' to 2327' in and out of stub.
5. Spot 30 sx. cement plug 4% gel 1550' to 1440' Across top Picture Cliff.
6. Spot 30 sx. cement plug 4% gel 622' to 512' - base of Ojo Alamo.
7. Spot 10 sx. cement plug in top surface casing with welded marker in place.
8. Clean location.



RECEIVED

JUL 3 1968

U. S. GEOLOGICAL SURVEY
FARMINGTON, N. M.

18. I hereby certify that the foregoing is true and correct

Original Signed By:

SIGNED Jim PayneTITLE AgentDATE July 3, 1968

(This space for Federal or State office use)

APPROVED BY _____

TITLE _____

DATE _____

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side