Forr (A)	n 9- 8 pril 19	331 b 52)	
X			

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Budget Approve	Bureau No. 42-R359.4. al expires 12-31-60.
Indian Agency	Navaje Allotte
Allottee	149-IND-9108

TICE OF INTENTION TO DRILL TICE OF INTENTION TO CHANGE PLAY TICE OF INTENTION TO TEST WATER TICE OF INTENTION TO REDRILL OR TICE OF INTENTION TO SHOOT OR ACT TICE OF INTENTION TO PULL OR ALT TICE OF INTENTION TO ABANDON WE	SUBSEQUI SHUT-OFF	NT REPORT OF ABAN	ting or activizating 15	59
(INDICATE	BOVE BY CHECK MARK NATURE OF REF	March 1	T DATA)	19_
Delhi Taylor Fool Uni	ted 790 ft. from ${N \atop S}$ line	and 790 ft.	(-111	
SW/4 Sec. 3	26N 11W	NMP.	M	
(14 Sec. and Sec. No.)	(Twp.) (Range)	(Meridian	New Mexico	
designated Dakots (Field)	(County or Subdivision)		(State or Territory)	
	OOR above sea level is DETAILS OF We bjective sands; show sizes, weights, and ing points, and all other important		asings; indicate mudding job	s, c e r
-59 Total Depth 5646'. Sendell fractured located 4 shots/5000 wi 4. Maximum treating p	DETAILS OF Webjective sands; show sizes, weights, and ing points, and all other important Clean Out Total Depth Dekota perforated intents th 40, 330 gals. all and resoure 32254, Average	lengths of proposed c proposed work) 5510°. vals 6344°-61 15,000° send.	179° and 6406°-642 Bresidown presi source 2200-2300-	2° 141° 250
-59 Total Depth 3646'. Sandoll fractured located 4 abots/2000 wi	DETAILS OF Webjective sands; show sizes, weights, and ing points, and all other important Clean Out Tetal Depth Debots perforated interth 40, 330 gals. cli and	lengths of proposed c proposed work) 5510°. vals 6344°-61 15,000° send.	179° and 6406°-642 Bresidown presi source 2200-2300-	2° 141° 250
-59 Total Dopth 3646'. Sandoll fractured located 4 shots/2000 wi 4. Maximum treeting p	DETAILS OF Webjective sands; show sizes, weights, and ing points, and all other important Clean Out Total Depth Dekota perforated intents th 40, 330 gals. all and resoure 32254, Average	lengths of proposed c proposed work) 5510°. vals 6344°-61 15,000° send.	179° and 6406°-642 Bresidown presi source 2200-2300-	2' 141' 25(
-59 Total Depth 3646*. Sandoll fractured located 4 shots/foot) wi 4, Maximum treating p	DETAILS OF Webjective sands; show sizes, weights, and ing points, and all other important Clean Out Tetal Depth Dekots perforated intent 40, 320 gale. oil and recours 20254, Average min. Flush 10, 500 gale	lengths of proposed c proposed work) 5510°. vale 6344°-63 15,000° send. treeting pro-	PO' and 6406'-642 Breakdown presents 2300-2300- ad 50 belie two time EFFIVED MAR 1 7 1959 MAR 1 7 1959	2' 141' 25(
o names of and expected depths to of -59 Tetal Depth 3646*. Sandoll fractured logated 4 shots/5000 wi 4. Maximum treating price Rate 55.4 bhis./i	DETAILS OF Webjective sands; show sizes, weights, and ing points, and all other important Clean Out Total Depth Dekota perforated intents th 40, 330 gals. all and resoure 32254, Average	lengths of proposed c proposed work) 5510°. vale 6344°-63 15,000° send. treeting pro-	PO' and 6406'-642 Breakdown presents 2300-2300- ad 50 belie two time EFFIVED MAR 1 7 1959 MAR 1 7 1959	2° •ur •25(
e names of and expected depths to of -59 Tetal Depth 3646°. Sandoil fractured logated 4 shots/foot) wi A Manipusm treating price Rate 55.4 bblo./s	DETAILS OF Webjective sands; show sizes, weights, and ing points, and all other important Clean Cut Tetai Depth Debots perforated intent 40, 320 gais. all and resoure 20254, Average min. Flush 10, 500 gais nust receive approval in writing by the real Gas Products Company	lengths of proposed c proposed work) 5510°. vale 6344°-63 is, 000° send. treeting pro- cil. Droppe	PO' and 6406'-642 Breakdown presents 2300-2300- ad 50 belie two time EFFIVED MAR 1 7 1959 MAR 1 7 1959	2° 250