BURLINGTON RESOURCES

SAN JUAN DIVISION


July 31, 1998

New Mexico Oil Conservation Division 2040 South Pacheco Street Santa Fe, New Mexico 87505

Att:

Mr. Roy Johnson

Dear Mr. Johnson:



This is an application for variance to Rule 107 Section J. We intend to workover and drill additional hole in the following wells in the Pictured Cliffs formation, run 3 1/2" casing and cement, and run no tubing.

Pipkin #4	NE Section 18, T-27-N, R-10-W	30-045-06556
Huerfanito Unit #49	NE Section 35, T-27-N, R-9-W	30-045-06155
Huerfanito Unit #25	P SE Section 4, T-26-N, R-9-W	30-045-05998
Huerfanito Unit #24	SW Section 4, T-26-N, R-9-W	30-045-06030
Huerfano Unit #47	NE Section 9, T-26-N, R-9-W	30-045-05971
McConnell #2	SE Section 13, T-26-N, R-9-W	30-045-05816
McConnell #3	NE Section 13, T-26-N, R-9-W	30-045-05854

In addition, we intend to workover the following Pictured Cliffs wells which currently have 3 1/2" casing. We will stimulate and fracture treat these wells, and will run no tubing back in the wells.

Summit B #5	NW Section 33, T-29-N, R-11-W	30-045-60273
Whitley #1	NW Section 17, T-27-N, R-9-W	30-045-06531
Aztec #6	SE Section 14, T-28-N, R-11-W	30-045-07393
Mangum #3	SE Section 28, T-29-N, R-11-W	30-045-07810
Atlantic C #8	NE Section 31, T-31-N, R-10-W	30-045-20137
Florance #8	NW Section 20, T-30-N, R-9-W	30-045-20462
Pierce #9	NW Section 7, T-30-N, R-9-W	30-045-20475
Sunray B #7	SW Section 15, T-30-N, R-10-W	30-045-20846
Sunray A #5	SE Section 10, T-30-N, R-10-W	30-045-20894
Summit #7	SE Section 34, T-29-N, R-11-W	30-045-21530

These tubingless completions are desirable as they allow Burlington to economically produce reserves from the tight, low pressure Pictured Cliffs formation. Significant cost savings are realized using this method. The 3 1/2" casing string will allow the wells to produce at a higher rate than can be realized through smaller tubulars, and also carry less risk during any subsequent workover operations.

Mr. Roy Johnson New Mexico Oil Conservation Division Page Two July 31, 1998



OIL CON. DIV.

All the listed wells meet the following criteria:

- are in proven fields
- are less than 5000' total depth
- do not have corrosive or pressure problems

Mad hued

- are not dual completions
- will not produce any liquids or condensate (dry gas only)

Attached is a pertinent data sheet and wellbore schematic for each well. Please let me know if you require any additional information for these wells.

Sincerely,

BURLINGTON RESOURCES

Peggy Bradfield

Regulatory/Compliance Administrator

xc: NMOCD - Aztec District Office

Summit #7 Pertinent Data Sheet

API#: 300452153000

01L CON. DIV.

Location: 1505 'FSL & 1850 'FEL, Unit K, Section 34, T29N, R11W, San Juan County, New Marks

Latitude: 36 ° - 40.76 '

Longitude: 107 ° - 58.88 '

Field: Fulcher Kutz PC

Elevation: 5,651 'GL

TD: 1,830 ' **PBTD:** 1.818'

5,661 ' KB

DP #: 32212A

Spud Date: 9/14/74

Compl Date: 9/24/74

Lease: NM 9403 220

GWI: 100 %

Initial Potential: 1350 Mcfd

Original SIP: 144 psi

NRI: 79.5 % **Prop#:** 71264900

Casing Record:

Hole Size (In.)	Csa Size (In.)	Wt. (#'s) 8	& Grade	Depth Set (Ft.)	Cement (Sx.)	Cement (Top)
12 1/4	7 5/8	26.4		143	85	circ to surf
6 3/4	2 7/8	6.4	N-80	1,818	425	352' @ 75% eff.

Tubing Record:

Tbg. Size	Wt. & Grade	Depth Set	# Joints	Comments
1 1/4"	2.3 IJ	1,750 '	58 est	

Formation Tops:

Ojo Alamo:

534 '

Kirtland Shale: 698'

Fruitland:

1,466'

Pictured Cliffs: 1,738'

Logging Record:

IES, GR, DCB

Original Stimulation: Perfd 1742-60', 1768-78', 1786-96' w/41 Holes, SWF w/ 34,000 gal wtr and 30,000# sand

Workover History:

Production History:

5/98 PC capacity: 59.0 MCF/D. 5/98 PC cum: 1039.0 MMCF.

Pipeline:

BROG

Filfe: Q:\area\!pcteam\1998\welldata\slimhole\SLIMPERT

Summit #7

Section 34 K, T-29 -N R-11 -W San Juan, New Mexico

Fulcher Kutz Pictured Cliffs Field Wellbore Schematic

