



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 87 078953
Unit J. W. Goddard

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	<u>Report of 2nd Perforation</u>	<u>X</u>
	<u>Report of 2nd Sand-Fracing</u>	<u>X</u>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

October 8, 19 57

J. W. Goddard
Well No. 1 is located 660 ft. from S line and 660 ft. from E line of sec. 1

SE/4 Section 1
(1/4 Sec. and Sec. No.)

26N
(Twp.)

12W
(Range)

R.M.P.M.
(Meridian)

Undesignated (Gallup)
(Field)

San Juan
(County or Subdivision)

New Mexico
(State or Territory)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Perforated 5 1/2" casing 5108-5142' with 4 lane Wells type "B" bullets per foot.
Total of 34', 136 shots.

Fraced 5 1/2" casing perforations 5108-5142', down 5 1/2" casing, with 30,000# sand & 30,030 gals. lease oil. BDP 2250#, Max. Pressure 2650#, Min. Pressure 1850#, Inf. Rate 39 BPM. Time of treatment 25 min. Flushed with 9450 gals. oil. Shut down pressure 1000#. Pressure dropped to zero in 40 min.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company SEELY OIL COMPANY
Box 426

Address Farmington, New Mexico

By _____

Title District Superintendent