


(SUBMIT IN TRIPLICATE)

Land Office New Mexico

Lease No. NM 03523

Unit _____



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	XX
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Holloway _____ May 23 _____, 1957

Well No. 1 is located 660 ft. from N line and 1980 ft. from E line of sec. 6

SE SW Sec. 6 26N 11W NMPM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat San Juan New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 6078 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

The above well drilled to a total depth of 5374'. At this depth we ran Schlumberger Induction Log & Micro Log. We then ran new 5 1/2" O.D. 15.5#/ft. J-55, seamless casing to 5307' and cemented with 150 sacks by Haliburton. Ran temperature survey and found top of cement behind pipe at 4585' and top of cement behind pipe at 5327'. Will run radio-activity log, perforate and fracture Gallup Sand.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Western Development Co.

Address P. O. Box 445

Artesia, New Mexico

By W. B. Macey

Title Vice President

