Form 9-331 (May 1963)	UNITED STATES SUBMIT IN TRIPLICATES	Form approved. Budgey Bureau No. 42-R1424.
	DEPARTMENT OF THE INTERIOR (Other instructions on re-	5. LEASE DESIGNATION AND SERIAL NO.
	GEOLOGICAL SURVEY	SF - 080384-B
	SUNDRY NOTICES AND REPORTS ON WELLS of this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)	6. IF INDIAN, ALLOTTEE OR TEIBE NAME
1. OIL EV GA	AS	7. UNIT AGREEMENT NAME
	ELI. OTHER	
2. NAME OF OPERAT	TOE	8. FARM OR LEASE NAME
EL PASO	PRODUCIS COMPANY	Hickman 4
3. ADDRESS OF OPE	BEATOR	9. WELL NO.
P. C. Jox	x 1560, Farmington, New Mexico 87401	6 77 4
4. LOCATION OF WE See also space 1	ELL (Report location clearly and in accordance with any State requirements	10. FIELD AND POOL, GR WILDCAT
At surface	· · · •	Gallegos Gallup
		11. SEC., T., E., M., OR BLK. AND SURVEY OR AREA
	1930'/W, Section 3, Township 26 North, Range 12 West	Sec. 3-25N-12W NMPM
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT, GR, etc.)	12. COUNTY OR PARISH 13. STATE
	6071 GR	San Juan New Mexico
16.	Check Appropriate Box To Indicate Nature of Notice, Report, or C	Other Data
	NOTICE OF INTENTION TO: SUBSEQU	JENT REPORT OF:

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:		
TEST WATER SHUT-OFF PULL OR ALTER CASING MULTIPLE COMPLETE ABANDON* REPAIR WELL CHANGE PLANS (Other)	WATER SHUT-OFF FRACTURE TREATMENT SHOOTING OR ACIDIZING (Other) (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)		

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally driled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Start Operations 7-25-68, Finish 7-27-68

- Load hole with mud laden fluid.
- Squeeze parforations 5222-4828', 45 sx cmt.
- ٤. Shoot pipe at free point - 2620'.
- Spot 30 sx cmt, 4% gel, 2672-2527' in and out of stub.
- Spot 30 sx cmt, 4% gel, 1394-1284' Top Pictured Cliffs. 5.
- Spot 30 sx cmt, 4% gel, 433-323' Base Ojo Alamo. ó.
- Place 10 sx cmt top surface csg with welded marker in place. 7.
- Clean location.

18	. I hereby certify that the foregoing is true and correct		
Original	signed Lige Jim Payar	TITLE Agent	DATE AUGUST 15, 1968
==	(This space for Federal or State office use)		
	APPROVED BY CONDITIONS OF APPROVAL IF ANY:	TITLE	DATE