

New Mexico

Land Office

03491


Lease No.

Huerfanito (W/2)

Unit

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	<input type="checkbox"/>	SUBSEQUENT REPORT OF ALTERING CASING.....	<input type="checkbox"/>
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	<input type="checkbox"/>	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	<input type="checkbox"/>
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	<input type="checkbox"/>	SUBSEQUENT REPORT OF ABANDONMENT.....	<input type="checkbox"/>
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	<input type="checkbox"/>	SUPPLEMENTARY WELL HISTORY.....	<input type="checkbox"/>
NOTICE OF INTENTION TO ABANDON WELL.....	<input type="checkbox"/>		

RECEIVED
JAN 30 1962

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

January 10, 1962.

U. S. GEOLOGICAL SURVEY
FARMINGTON, NEW MEXICO

Huerfanito Unit

Well No. 60-4 is located 990 ft. from ~~N~~ S line and 990 ft. from ~~E~~ W line of sec. 4

SW/4 Section 4

T 26-N, R 9-W

N.M. P.M.

(1/4 Sec. and Sec. No.)

(Twp.)

(Range)

(Meridian)

Basin Dakota

San Juan County

New Mexico

Undesignated Gallup

(County or Subdivision)

(State or Territory)

The elevation of the derrick floor above sea level is 6,405 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

This well was completed in the Dakota formation on Nov. 19, 1960. By instrument filed with the United States Geological Survey in Roswell, N. M. by El Paso Natural Gas Company, and approved by Mr. John A. Anderson on Dec. 22, 1961, Mr. J. Glenn Turner has been designated sub-operator to dually complete this well in the Gallup formation.

It is proposed to: Set bridge plug at 6050'. Perforate the Gallup - 5842' to 5968' - and sand fracture the Gallup with 47,600 gallons of oil and 37,500 # of sand.

If Gallup is productive, two strings of 2-1/16" tubing will be run - one to produce the Dakota and the other to produce the Gallup.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company J. Glenn Turner

Address Box 728

Farmington, New Mexico

By

C. Beeson Neal, Agent in Farmington

Title